Astronomy & Astrophysics manuscript no. Uytterhoeven˙KeplerAFstars
July 1, 2011
© ESO 2011

The *Kepler* characterization of the variability amongst A- and F-type stars⋆

I. General overview

K. Uytterhoeven[1,2,3], A. Moya[4], A. Grigahcène[5], J.A. Guzik[6], J. Gutiérrez-Soto[7,8,9], B. Smalley[10], G. Handler[11,12], L.A. Balona[13], E. Niemczura[14], L. Fox Machado[15], S. Benatti[16,17], E. Chapellier[18], A. Tkachenko[19], R. Szabó[20], J.C. Suárez[7], V. Ripepi[21], J. Pascual[7], P. Mathias[22], S. Martín-Ruíz[7], H. Lehmann[23], J. Jackiewicz[24], S. Hekker[25,26], M. Gruberbauer[27,11], R.A. García[1], X. Dumusque[5,28], D. Díaz-Fraile[7], P. Bradley[29], V. Antoci[11], M. Roth[2], B. Leroy[8], S.J. Murphy[30], P. De Cat[31], J. Cuypers[31], H. Kjeldsen[32], J. Christensen-Dalsgaard[32], M. Breger[11,33], A. Pigulski[14], L.L. Kiss[20,34], M. Still[35], S.E. Thompson[36], and J. Van Cleve[36]

(Affiliations can be found after the references)

Received / Accepted

ABSTRACT

Context. The *Kepler spacecraft is providing time series of photometric data with micromagnitude precision for hundreds of A-F type stars.*
Aims. We present a first general characterization of the pulsational behaviour of A-F type stars as observed in the Kepler light curves of a sample of 750 candidate A-F type stars, and observationally investigate the relation between γ Doradus (γ Dor), δ Scuti (δ Sct), and hybrid stars.
Methods. We compile a database of physical parameters for the sample stars from the literature and new ground-based observations. We analyse the Kepler light curve of each star and extract the pulsational frequencies using different frequency analysis methods. We construct two new observables, 'energy' and 'efficiency', related to the driving energy of the pulsation mode and the convective efficiency of the outer convective zone, respectively.
Results. We propose three main groups to describe the observed variety in pulsating A-F type stars: γ Dor, δ Sct, and hybrid stars. We assign 63% of our sample to one of the three groups, and identify the remaining part as rotationally modulated/active stars, binaries, stars of different spectral type, or stars that show no clear periodic variability. 23% of the stars (171 stars) are hybrid stars, which is a much larger fraction than what has been observed before. We characterize for the first time a large number of A-F type stars (475 stars) in terms of number of detected frequencies, frequency range, and typical pulsation amplitudes. The majority of hybrid stars show frequencies with all kinds of periodicities within the γ Dor and δ Sct range, also between 5 and 10 d^{-1}, which is a challenge for the current models. We find indications for the existence of δ Sct and γ Dor stars beyond the edges of the current observational instability strips. The hybrid stars occupy the entire region within the δ Sct, and γ Dor instability strips and beyond. Non-variable stars seem to exist within the instability strips. The location of γ Dor and δ Sct classes in the ($T_{\rm eff}$, $\log g$)-diagram has been extended. We investigate two newly constructed variables 'efficiency' and 'energy' as a means to explore the relation between γ Dor and δ Sct stars.
Conclusions. Our results suggest a revision of the current observational instability strips of δ Sct and γ Dor stars, and imply an investigation of pulsation mechanisms to supplement the κ mechanism and convective blocking effect to drive hybrid pulsations. Accurate physical parameters for all stars are needed to confirm these findings.

Key words. Asteroseismology - Stars: oscillations - Stars: variables: δ Scuti - Stars: fundamental parameters - binaries: general - Stars: statistics

1. Introduction

With the advent of the asteroseismic space missions MOST (Walker et al. 2003), CoRoT (Baglin et al. 2006), and *Kepler* (Borucki et al. 2010), a new window is opening towards the understanding of the seismic behaviour of A- and F-type pulsators. The main advantages of these space missions are: (1) the long-term continuous monitoring of thousands of stars, enabling both the determination of long-period oscillations and the resolving of beat frequencies; and (2) the photometric precision at the level of milli- to micro-magnitudes, allowing the detection of low-amplitude variations that are unobservable from the ground and providing a more complete frequency spectrum. The availability of these long-term, very precise light curves makes possible the first comprehensive analysis of the variability of a sample of several hundred candidate A-F type stars that is presented here.

The region of variable A- and F-type, including Main Sequence (MS), pre-MS, and post-MS stars, with masses between 1.2 and 2.5 $M_\odot$ hosts the γ Doradus (γ Dor) and δ Scuti (δ Sct) pulsators. The γ Dor stars were recognized as a new class of pulsating stars less than 20 years ago (Balona, Krisciunas & Cousins 1994). Our current understanding is that they pulsate in high-order gravity (g) modes (Kaye et al. 1999a), excited by a flux modulation mechanism induced by the upper convective layer (Guzik et al. 2000; Dupret et al. 2004; Grigahcène 2005). Typical γ Dor periods are between 8 h and 3 d. From the ground, about 70 *bona fide* and 88 candidate γ Dor pulsators have been detected (Balona et al. 1994; Handler 1999; Henry, Fekel & Henry 2005; De Cat et al. 2006; Henry et al. 2011; among other papers).

Send offprint requests to: K. Uytterhoeven

⋆ Tables 1 to 4 are only available in electronic form at the CDS via anonymous ftp to cdsarc.u-strasbg.fr (130.79.128.5) or via http://cdsweb.u-strasbg.fr/cgi-bin/qcat?J/A+A/

The δ Sct variables, on the other hand, have been known for decades. They show low-order g and pressure (p) modes with periods between 15 min and 5 h that are self-excited through the κ-mechanism (see reviews by Breger 2000; Handler 2009a). Several hundreds of δ Sct stars have been observed from the ground (e.g. catalogue by Rodríguez & Breger 2001).

As the instability strips of both classes overlap, the existence of hybrid stars, i.e. stars showing pulsations excited by different excitation mechanisms, is expected, and a few candidate hybrid stars have indeed been detected from the ground (Henry & Fekel 2005; Uytterhoeven et al. 2008; Handler 2009b).

The main open question in seismic studies of A- and F-type stars concerns the excitation and mode selection mechanism of p and g modes. The only way to understand and find out systematics in the mode-selection mechanism is a determination of pulsation frequencies and pulsation mode parameters for a large number of individual class members for each of the pulsation classes, and a comparison of the properties of the different case-studies. So far, a systematic study of a large enough sample was hampered by two factors. First, an insufficient number of well-defined pulsation modes has been detected to construct unique seismic models, which is caused by ground-based observational constraints, such as bad time sampling and a high noise level. Second, only a small number of well-studied cases exist, as a proper seismic study requires a long-term project, involving ground-based multi-site campaigns spanning several seasons, or a dedicated space mission.

First demonstrations of the strength and innovative character of space data with respect to seismic studies of A-F type stars are the detection of two hybrid γ Dor-δ Sct stars by the MOST satellite (HD 114839, King et al. 2006; BD+18-4914, Rowe et al. 2006), and the detection of an impressive number of frequencies at low amplitudes, including high-degree modes as confirmed by ground-based spectroscopy, in the precise space CoRoT photometry of the δ Sct stars HD 50844 (Poretti et al. 2009) and HD 174936 (García Hernández et al. 2009), and the γ Dor star HD 49434 (Chapellier et al. 2011). The first indications that hybrid behaviour might be common in A-F type stars were found from a pilot study of a larger sample of *Kepler* and CoRoT stars (Grigahcène et al. 2010; Hareter et al. 2010). Recently, Balona et al. (2011a) announced the detection of δ Sct and γ Dor type pulsations in the *Kepler* light curves of Ap stars. Hence, a breakthrough is expected in a currently poorly-understood field of seismic studies of A-F type pulsators through a systematic and careful investigation of the pulsational behaviour in a large sample of stars.

The goals of the current paper are (1) to present a first general characterization of the pulsational behaviour of main-sequence A-F type stars as observed in the *Kepler* light curves of a large sample; and (2) to observationally investigate the relation between γ Dor and δ Sct stars and the role of hybrids. In forthcoming papers, detailed seismic studies and modelling of selected stars will be presented.

2. The *Kepler* sample of A-F type stars

2.1. The *Kepler* data

The NASA space mission *Kepler* was launched in March 2009, and is designed to search for Earth-size planets in the extended solar neighbourhood (Borucki et al. 2010; Koch et al. 2010). To this end, the spacecraft continuously monitors the brightness of $\sim$ 150 000 stars in a fixed area of 105 deg^2 in the constellations Cygnus, Lyra, and Draco, at Galactic latitudes from 6 to 20 deg. The nearly-uninterrupted time series with micromagnitude precision also opens up opportunities for detailed and in-depth asteroseismic studies with unprecedented precision (Gilliland et al. 2010a). Of all *Kepler* targets, more than 5000 stars have been selected as potential targets for seismic studies by the *Kepler* Asteroseismic Science Consortium, KASC[1].

The *Kepler Mission* offers two observing modes: Long Cadence (LC) and Short Cadence (SC). The former monitors selected stars with a time resolution of $\sim$30 min (Jenkins et al. 2010a), the latter provides a 1-minute sampling (Gilliland et al. 2010b). The LC data are well-suited to search for long-period g-mode variations in A-F type stars (periods from a few hours to a few days), while the SC data are needed to unravel the p-mode oscillations (periods of order of minutes to hours).

The *Kepler* asteroseismic data are made available to the KASC quarterly. In this paper we consider data from the first year of *Kepler* operations: the 9.7 d Q0 commissioning period (1 May - 11 May 2009), the 33.5 d Q1 phase data (12 May 14 June 2009), the 88.9 d Q2 phase data (19 June - 15 September 2009), the 89.3 d time string of Q3 (18 September - 16 December 2009), and 89.8 d of Q4 data (19 December 2009 - 19 March 2010). The SC data are subdivided into three-monthly cycles, labelled, for example, Q3.1, Q3.2 and Q3.3.

Not all quarters Q0–Q4 are available for all stars. The first year of *Kepler* operations was dedicated to the survey phase of the mission. During this phase as many different stars as possible were monitored with the aim to identify the best potential candidates for seismic studies. From the survey sample, the KASC Working Groups selected subsamples of the best seismic candidates for long-term follow-up with *Kepler*. From quarter Q5 onwards, only a limited number of selected KASC stars are being observed with *Kepler*. The results of the selection process of the most promising γ Dor, δ Sct, and hybrid candidates are presented in this work.

2.2. Selection of the A-F type star sample

We selected all stars in the *Kepler Asteroseismic Science Operations Center* (KASOC) database initially labelled as γ Dor or δ Sct candidates. The stars ended up in these KASOC catagories either because the *Kepler Input Catalogue* (KIC; Latham et al. 2005; Brown et al. 2011) value of their effective temperature $T_{\rm eff}$ and gravity $\log g$ suggested that they lie in or close to the instability strips of γ Dor and δ Sct stars, or because they where proposed as potential variable A-F type candidates in pre-launch asteroseismic *Kepler* observing proposals. To avoid sampling bias and to aim at completeness of the sample, we analyzed all stars listed in the KASOC catalogue as δ Sct or γ Dor candidates. Our analysis results provide feedback on the initial guess on variable class assigment by KASOC. As will be seen (Sect. 6.2), several of these stars actually belong to other pulsation classes, among which many cool stars. As there are much less B-type stars in the *Kepler* field of view than cooler stars, there is a natural selection effect towards cooler stars. We also included stars initially assigned to other pulsation types that showed periodicities typical for δ Sct and/or γ Dor stars. We are aware that many more δ Sct and γ Dor candidate stars are being discovered among the KASC targets, that are not included in this study.

The total sample we considered consists of 750 stars. For 517 stars both LC and SC data are available, while 65 and 168 stars were only observed in SC and LC mode, respectively. An

[1] http://astro.phys.au.dk/KASC

overview of the A-F type star sample is given in Table 1, available in the online version of the paper. The first three columns indicate the KIC identifier of the star (KIC ID), right ascension (RA), declination (DEC), and *Kepler* magnitude (Kp). The *Kepler* bandpass is wider than the typical broad-band filters commonly used in optical astronomy (e.g. Johnson *UBVRI*), and can be described as 'white' light. The next three columns provide information on the spectral type (Spectral Type), alternative name of the target (Name), and a comment on its variability (Variable). Information on binarity comes from the *The Washington Double Star Catalog* (Worley & Douglass 1997; Mason et al. 2001), unless mentioned otherwise. For binary stars labelled with '$\star$', the double star was suspected by inspecting Digitized Sky Survey and 2MASS images by eye. The next set of columns provide information on the *Kepler* time series. For each star, the number of datapoints (N datapoints), the total time span of the dataset (ΔT) expressed in d, the largest time gap in the *Kepler* light curves (δT) expressed in d, and the available (range of) quarters in LC (Quarters LC) and SC (Quarters SC) mode are given.




Fig. 1. 750 sample stars in the ($T_{\rm eff}$, $\log g$)-diagram. The cross at the left top corner represents the typical error bars on the values: 290 K for $T_{\rm eff}$ and 0.3 dex for $\log g$.

2.3. Sample stars in the literature

Most of the 750 sample stars were previously unstudied. We searched the catalogue by Skiff (2007), and found information on spectral types for only 212 stars. Besides 198 confirmed A- or F-type stars, among which fourteen chemically peculiar stars, we discovered that also stars with a different spectral type ended up in the sample. There are six known B stars, one M star, three K stars, and six G-type stars in the sample. The G star KIC 7548061 (V1154 Cyg) is a known and well-studied Cepheid (e.g. Pigulski et al. 2009), and is the subject of a dedicated paper based on *Kepler* data by Szabó et al. (2011). Sixty-two stars are known to belong to multiple systems, including at least fourteen eclipsing binaries (EB; KIC 1432149, Hartman et al. 2004; KIC 10206340, Malkov et al. 2006; catalogs by Prša et al. 2011 and Slawson et al. 2011). Seven stars are only known as '(pulsating) variable stars'. The star KIC 2987660 (HD 182634) is reported as a δ Sct star by Henry et al. (2001). Our sample also includes a candidate α^2 Canum Venaticorum star, namely KIC 9851142 or V2094 Cyg (Carrier et al. 2002; Otero 2007). The *Kepler* field hosts four open clusters. In our sample at least six known members of NGC 6819 are included. Also one, eight, and nine members of NGC 6791, NGC 6811, and NGC 6866, respectively, are in our sample. All 750 stars are included in the analysis.

3. Physical parameters of the sample stars

Seismic models require accurate values of physical parameters such as $\log g$, $T_{\rm eff}$, metallicity $[M/H]$, and projected rotational velocity $v \sin i$. We compiled an overview of all $T_{\rm eff}$, $\log g$, and $v \sin i$ values available for the sample stars in Table 2, in the online version of the paper. The different sources include literature and KIC, along with values derived from new ground-based data. A description of the different sources is given below. The columns of Table 2 are: (1) KIC identifier (KIC ID); (2) $T_{\rm eff}$ value from KIC; (3)-(5) $T_{\rm eff}$ values taken from the literature or derived from new ground-based data (Literature); (6) adopted $T_{\rm eff}$ value (Adopted); (7) $\log g$ value from KIC; (8)-(9) $\log g$ values taken from the literature or derived from new ground-based data (Literature); (10) adopted $\log g$ value (Adopted); (11)-(12) $v \sin i$ values derived from spectroscopic data (Spectra). Stars that are known to be spectroscopic binaries are flagged $^\circ$ behind its KIC identifier (KIC ID). The derived physical parameters of the binary stars have to be considered with caution as the contribution of the binary components might not have been correctly disentangled.

KIC-independent values of $\log g$ and $T_{\rm eff}$ are only available for 110 stars. The values used for further analysis are (in order of priority, depending on availability and accuracy) the spectroscopically derived values, or the most recent photometrically derived values. For all other stars we use the only source: the KIC values. The corresponding adopted $T_{\rm eff}$ (in K), and $\log g$ (in dex) values are given in bold face in the sixth and tenth column of Table 2, respectively (column 'Adopted'). For 65 and 71 stars no value of $T_{\rm eff}$ and $\log g$, respectively, is available. Figure 1 shows the sample of 750 stars in the ($T_{\rm eff}$, $\log g$)-diagram. We estimated the error bars on the KIC values by comparing them with the adopted values taken from the literature or ground-based data. The average difference was 290 K for $T_{\rm eff}$ and 0.3 dex for $\log g$. $v \sin i$ values are only available for 52 of the sample stars.

3.1. Literature

Besides papers dedicated to specific targets of our sample, the on-line catalogues by Soubiran et al. (2010), Lafrasse et al. (2010), Kharchenko et al. (2009), Masana, Jordi, & Ribas (2006), Nordström et al. (2004), Glebocki & Stawikowski (2000), Allende Prieto & Lambert (1999), and Wright et al. (2003), were very helpful in the search for values of $T_{\rm eff}$, $\log g$, and $v \sin i$. Also, photometric indices by Hauck & Mermilliod (1998) were used to estimate values of $T_{\rm eff}$ and $\log g$. We took care not to include $T_{\rm eff}$ values that are derived from the spectral type rather than directly from data. The literature values of $T_{\rm eff}$ and $\log g$ can be found in columns 3–5 and columns 8–9 of Table 2, respectively ('lit'). We note that the given errors on $T_{\rm eff}$ and $\log g$, which sometimes seem unrealistic small, are taken from the quoted paper and are not rounded to the number of significant digits. Values of $v \sin i$, expressed in km s^{-1}, are given in the last two columns of Table 2. The source of each value is indicated by the label.

3.2. Kepler Input Catalogue

The KIC provides an estimate of $T_{\rm eff}$ and $\log g$ for most *Kepler* targets, derived from *Sloan* photometry (see the second and sev-

enth column, 'KIC', of Table 2, respectively). Unfortunately, the KIC values of $\log g$ are known to have large error bars (Molenda-Żakowicz et al. 2011, Lehmann et al. 2011). Moreover, a comparison between KIC estimates of the stellar radius and the radius derived from evolutionary models indicate that the KIC values of $\log g$ might be shifted towards lower values by about 0.1 dex. The temperature values, on the other hand, are fairly good for A-F type stars, and become less reliable for more massive or peculiar stars, as for higher temperatures the interstellar reddening is apparently not properly taken into account. The stars in our sample are reddened up to 0.3 mag in $(B-V)$, with an average reddening of $E(B-V) = 0.04$ mag. The 85 stars for which no KIC $T_{\rm eff}$ value is available, which are generally faint stars (Kp > 11 mag), are not considered in any analysis related to temperature, unless values of $T_{\rm eff}$ exist in the literature or are available from the analysis of new ground-based observations (see below).

3.3. New ground-based observations of sample stars

In the framework of the ground-based observational project for characterization of KASC targets (see Uytterhoeven et al. 2010a,b for an overview), targets of the A-F type sample are being observed using multi-colour photometry and/or high-to-mid-resolution spectroscopy. The goal is to obtain precise values of physical parameters that are needed for the seismic modeling of the stars. A detailed analysis of a first subsample of A-F type stars has been presented by Catanzaro et al. (2011). Several other papers are in preparation. We include the available results to date in this paper, as the precise values of $T_{\rm eff}$ and $\log g$ are needed for the interpretations in Sections 7 and 8.

3.3.1. Strömgren photometry from Observatorio San Pedro Mártir

Multi-colour observations were obtained for 48 sample stars over the period 2010 June 13–17 with the six-channel $uvby-\beta$ Strömgren spectrophotometer attached to the 1.5-m telescope at the Observatorio Astrónomico Nacional-San Pedro Mártir (OAN-SPM), Baja California, Mexico. Each night, a set of standard stars was observed to transform instrumental observations onto the standard system using the well known transformation relations given by Strömgren (1966), and to correct for atmospheric extinction. Next, the photometric data were de-reddeded using Moon's UVBYBETA program (Moon 1985), and $T_{\rm eff}$ and $\log g$ values were obtained using the *uvby* grid presented by Smalley & Kupka (1997). A detailed description of the data will be given by Fox Machado et al. (in prep.). The resulting stellar atmospheric parameters are presented in Table 2, under label '*b*'.

3.3.2. SOPHIE spectra from Observatoire de Haute Provence

We also analysed spectra of two sample stars, KIC 11253226 and KIC 11447883, obtained during the nights of 2009 July 31, August 1, and August 5 with the high-resolution (R∼70000) spectrograph SOPHIE, attached to the 1.93-m telescope at Observatoire de Haute Provence (OHP), France. The spectra were reduced using a software package directly adapted from HARPS, subsequently corrected to the heliocentric frame, and manually normalized by fitting a cubic spline.

To derive stellar atmospheric parameters, the observed spectra, covering the wavelength range 3870–6940 Å, were compared with synthetic spectra. The synthetic spectra were computed with the SYNTHE code (Kurucz 1993), using atmospheric models computed with the line-blanketed LTE ATLAS9 code (Kurucz 1993). The parameters were derived using the methodology presented in Niemczura, Morel & Aerts (2009) that relies on an efficient spectral synthesis based on a least squares optimisation algorithm. The resulting values of $T_{\rm eff}$, $\log g$ and $v \sin i$ are presented in Table 2, under label '*h*'. The detailed analysis results, including element abundances and microturbulence, will be presented in a dedicated paper (Niemczura et al. in prep.), including several other *Kepler* stars.

3.3.3. Spectra from Tautenburg Observatory

Spectra of 26 sample stars were obtained from May to August 2010 with the Coude-Échelle spectrograph attached to the 2-m telescope of the Thüringer Landessternwarte Tautenburg (TLS), Germany. The spectra cover 4700 to 7400 Å in wavelength range, with a resolution of R = 32 000. The spectra were reduced using standard ESO-MIDAS packages. We obtained between two and seven spectra per star which were radial velocity corrected and co-added. The resulting signal-to-noise in the continua is between 150 and 250.

Stellar parameters, such as $T_{\rm eff}$, $\log g$, [M/H], and $v \sin i$ have been determined by a comparison of the observed spectra with synthetic ones, where we used the spectral range 4740 to 5800 Å which is almost free of telluric contributions. The synthetic spectra have been computed with the SynthV program (Tsymbal 1996) based on atmosphere models computed with LLmodels (Shulyak et al. 2004). Scaled solar abundances have been used for different values of [M/H]. A detailed description of the applied method can be found in Lehmann et al. (2011). The resulting values of $T_{\rm eff}$, $\log g$ and $v \sin i$ are presented in Table 2, under label '*g*'. Errors are determined from χ^2 statistics and represent a 1-σ confidence level. Detailed analysis results, including also values of [M/H] and microturbulent velocity, will be published in a dedicated paper (Tkachenko et al. in prep.).

4. Characterization of the sample

Figure 2 shows the distribution of the 750 sample stars in $T_{\rm eff}$ (top left), $\log g$ (top right), *Kepler* magnitude Kp (bottom left), and total length of the *Kepler* light curve ΔT, expressed in d (bottom right). For the analysis we used $T_{\rm eff}$ and $\log g$ values given in boldface in Table 2. Note that seven stars in our sample are hotter than $T_{\rm eff} = 9000$ K, and fall off the diagram.

The following typical global parameters have been observed for δ Sct and γ Dor stars (e.g. Rodríguez & Breger 2001; Handler & Shobbrook 2002): $\log g = 3.2 - 4.3$ and $T_{\rm eff} = 6300 - 8600$ K for δ Sct stars, and $\log g = 3.9 - 4.3$ and $T_{\rm eff} = 6900 - 7500$ K for γ Dor stars. While γ Dor stars are generally MS stars, several more evolved δ Sct stars have been observed.

The distributions in Fig. 2 show that about 70% of the total sample does indeed have $T_{\rm eff}$ values between 6300 K and 8600 K. However, a significant amount (about 20%) are cooler stars. The $\log g$ values of our sample are concentrated on 3.5 – 4.5, representing about 76% of the total sample.

The sample consists of stars with magnitudes in the range $6 <$ Kp < 15 mag. The majority (about 55%) is located in the interval Kp = [10, 12] mag. Given that stars with magnitudes fainter than $V = 9$ are difficult to monitor spectroscopically from the ground with 2 m-class telescopes, the fact that about 92% of the stars are fainter than $V = 9$ has implications for the feasibility




Fig. 2. Distribution in $T_{\rm eff}$ (top left), $\log g$ (top right), *Kepler* magnitude Kp (bottom left), and total time span ΔT of the *Kepler* light curves, expressed in d (bottom right) of the 750 sample stars. The number of stars belonging to each bin (N) is indicated on the Y-axis. We used the adopted values of $T_{\rm eff}$ and $\log g$, as given in boldface in Table 2.

of possible spectroscopic ground-based follow-up observations (see Uytterhoeven et al. 2010a,b).

Finally, the total length of the *Kepler* dataset (not taking into account possible gaps of several tens of days) is spread between 9.5 and 322 d. For a large fraction (19%) of the sample only Q0 and Q1 data are available, with a total length of 44 d, implying a frequency resolution slightly worse than $0.02\,{\rm d}^{-1}$. On the other hand, 351 stars, or 47% of the total sample, have a timespan of more than 200 d (resulting in a frequency resolution better than $0.005\,{\rm d}^{-1}$). Of these 351 stars, 46% have a maximum time gap in the light curve of less than 10 d, and 23% have a gap of over 200 d and up to 325 d.

In the following sections we will describe the variability analysis results of all 750 stars. At this stage we did not exclude any of the stars from the sample on grounds of non-compatibility of physical parameters with the current expectations for A- and F-type pulsators, to present a homogenous analysis and to investigate if *Kepler* confirms the existing understanding of δ Sct and γ Dor stars, or pushes the limits.

5. Frequency analysis

5.1. Treatment of the *Kepler* light curves

In this paper we used the 'non-corrected' light curves available to KASC for asteroseismic investigations through the KASOC database. A description of the *Kepler* data reduction pipeline is given by Jenkins et al. (2010a,b). However, these raw time series suffer from some instrumental perturbations that need to be corrected for, e.g. perturbations due to the heating and cooling down of the *Kepler* CCDs, variations due to changes in the aperture size of the source mask, etc. Some of the effects are well known, and the corresponding non-stellar frequencies are tabulated by the *Kepler* team (e.g. frequencies near 32, 400, 430, and $690\,{\rm d}^{-1}$). Other perturbations are not documented, and are harder to evaluate and correct for.

We subjected the light curves of all sample stars to an automated procedure that involves fitting a cubic spline to the time series, and examining and correcting the residuals for discontinuities and outliers. To investigate if and to what extent artificial periodicities at the same time scale as the expected pulsations in γ Dor and δ Sct stars are introduced by the correction, we also corrected a subsample of stars by a different procedure, that takes three types of effects into account, namely outliers, jumps and drifts (see García et al. 2011). Both correction methods gave the same frequency analysis results, within the accuracy of the dataset.

Next, the *Kepler* flux ($F_{\rm Kp}(t)$) was converted to parts-per-million (ppm) ($F_{\rm ppm}(t)$) , using the following formula:

$$F_{\rm ppm}(t) = 10^6 \times \left(\frac{F_{\rm Kp}(t)}{\rm f(t)} - 1 \right), \quad (1)$$

with *f(t)* a polynomial fit to the light curve. A test on the effect of the use of different polynomial orders (2 to 10) on the detected frequencies in the time series showed that, in general, a third or fourth order polynomial fits the overall curvature better than a linear fit. The choice of the polynomial did not change periodicities with frequencies higher than $0.2\,{\rm d}^{-1}$. The obtained error for frequencies between 0.01 and $0.2\,{\rm d}^{-1}$ was of order of $1/\Delta{\rm T}\ {\rm d}^{-1}$, with ΔT the total time span of the light curve, expressed in d.

5.2. Frequency analysis

The *Kepler* time series of the 750 sample stars were analysed in a homogenous way, using a program based on the Lomb-Scargle analysis method (Scargle 1982). Frequencies were extracted in an iterative way until the Scargle false alarm probability (fap; Scargle 1982), a measure for the significance of a peak with respect to the underlying noise level, reached 0.001. In view of the almost uninterrupted and equidistant sampling of the *Kepler* data, this estimate of the fap is a fast and reliable approximation of the true fap, since the number of independent frequencies can be estimated precisely (see also the discussion in Sect. 4 of Balona et al. 2011b). Frequencies were calculated with an oversampling factor of 10. Time series consisting of only LC data were not searched for periods shorter than 1 hour, as the corresponding Nyquist frequency is $24\ {\rm d}^{-1}$. For SC data, with a time sampling of about 1 min, frequencies up to $720\ {\rm d}^{-1}$ could be detected.

As a comparison, subsamples of the stars were analysed using different analysis methods, such as SigSpec (Reegen, 2007, 2011), Period04 (Lenz & Breger 2005), the Generalized Lomb-Scargle periodogram (Zechmeister & Kürster 2009), and the non-interactive code, *freqfind* (Leroy & Gutiérrez-Soto, in prep.). The latter code is based on the non-uniform Fast Fourier Transform by Keiner, Kunis & Potts (2009), and significantly decreases the computation time in case of unevenly spaced data. The results obtained with the different methods were consistent.

6. Classification

6.1. δ Sct, γ Dor, and hybrid stars

We performed a careful inspection (one-by-one, and by eye) of the 750 light curves, the extracted frequency spectra, and list of detected frequencies, and tried to identify candidate δ Sct, γ Dor, and hybrid stars. We used a conservative approach and omitted frequencies with amplitudes lower than 20 ppm for the classification. We also filtered out obvious combination frequencies and harmonics[2] in an automatic way, and only considered apparent independent frequencies for the analysis. We suspect that the

[2] As obvious combination frequencies and harmonics we considered nf_i or $kf_i \pm lf_j$, with f_i and f_j different frequencies, $n \in [2,3,4,5]$, and $k,l \in [1,2,3,4,5]$.

variable signal of a few stars is contaminated by the light variations of a brighter neighbouring star on the CCD. We flagged all stars with a high contamination factor (> 0.15), as given by the KIC. In case the light curves of the neighbouring stars on the CCD were available through KASOC[3], we carefully checked the light curves of these stars with their neighbours. Stars that show an obvious contamination effect were omitted from classification. We used information on $T_{\rm eff}$ (Table 2) to distinguish between δ Sct and γ Dor stars versus β Cep and SPB stars. To be conservative, low frequencies ($<0.5 {\rm d}^{-1}$) (see, for instance, the frequency spectra in Fig. 4) are currently not taken into account in the analysis, as in this frequency range real stellar frequencies are contaminated with frequencies resulting from instrumental effects (see Sect. 5.1), and the disentangling of the different origins requires a dedicated study, which is beyond the scope of this paper.

We encountered a variety of light curve behaviour. Based on a small number of stars, and using only the first quarter of *Kepler* data, Grigahcène et al. (2010) already proposed a subdivision of the AF-type pulsators into pure δ Sct stars, pure γ Dor stars, δ Sct/γ Dor hybrids and γ Dor/δ Sct hybrids, using the fact that frequencies are only detected in the δ Sct (i.e. $> 5\,{\rm d}^{-1}$, or $> 58\,\mu$Hz) or γ Dor (i.e. $< 5\,{\rm d}^{-1}$ or $< 58\,\mu$Hz) domain, or in both domains with dominant frequencies in either the δ Sct star or γ Dor star region, respectively. Among the 750 sample stars we see different manifestations of hybrid variability. There are stars that show frequencies with amplitudes of similar height in both regimes, and stars with dominant frequencies in the γ Dor (δ Sct) domain and low amplitude frequencies in the δ Sct (γ Dor) domain. Also the light curves show diversity. Balona et al. (2011d) already commented on the different shapes of light curves of pure γ Dor stars.

In this work, we focus on stars that show at least three independent frequencies. We classified the stars in three groups: δ Sct stars, γ Dor stars, and hybrid stars. As the underlying physics that causes the different types of hybrid behaviour is currently not clear, all types of hybridity (both δ Sct/γ Dor hybrids and γ Dor/δ Sct hybrids) are included in the group of hybrids. A star was classified as a hybrid star only if it satisfied all of the following criteria:

- Frequencies are detected in the δ Sct (i.e. $> 5\,{\rm d}^{-1}$ or $> 58\,\mu$Hz) and γ Dor domain (i.e. $< 5\,{\rm d}^{-1}$ or $< 58\,\mu$Hz),
- The amplitudes in the two domains are either comparable, or the amplitudes do not differ more than a factor of 5–7 (case-to-case judgement),
- At least two independent frequencies are detected in both regimes with amplitudes higher than 100 ppm.

By using these criteria, we should reduce the number of false positive detections. In particular, we tried to avoid a hybrid star classification of 'pure' δ Sct stars that show a prominent long term variability signal caused by rotation. We also tried to take care for more evolved δ Sct stars that are expected to pulsate with frequencies lower than $5\,{\rm d}^{-1}$. Stars that exhibited only or mainly frequencies in the δ Sct domain (i.e. $> 5\,{\rm d}^{-1}$) and did not satisfy all of the above given criteria were assigned to the pure δ Sct group. Likewise, the group of pure γ Dor stars consists of stars that do not comply with the hybrid star criteria, and that have only or mainly frequencies lower than $5\,{\rm d}^{-1}$. However, the classification of pure γ Dor stars is not as straightforward, as several other physical processes and phenomena can give rise to variability on similar timescales, such as binarity and rotational modulation due to migrating star spots. We tried our best to select only γ Dor stars, but are aware that nonetheless, and most likely, our selection is contaminated with a few non-*bona fide* γ Dor stars. For stars that were observed in non-consecutive *Kepler* quarters, we tried to beware of frequencies introduced by the spectral window. For instance, frequently a peak near $48\,{\rm d}^{-1}$ ($555\,\mu$Hz) is detected (e.g. KIC 2166218 and KIC 7798339), which for a γ Dor pulsator can result in an incorrect classification as hybrid star.

In Figs 3–5 a portion of the light curve with time span of 2 d (δ Sct stars) or 5 d (γ Dor and hybrid stars), and a schematic overview of the detected independent frequencies (i.e. combination frequencies are filtered out in an automated way, see above) are given for a few representative stars of each group. The amplitudes and *Kepler* flux are expressed in ppm, and the frequencies are given in both ${\rm d}^{-1}$ (bottom X-axis) and μHz (top X-axis). The dotted grey line in the amplitude spectra separates the δ Sct and γ Dor regime. The dates are given with respect to Heliocentric Julian Date (HJD) ${\rm HJD}_0 = 2\,454\,950.0$. The figures illustrate the variety of pulsational behaviour within the groups. The δ Sct stars (Fig. 3) display an impressive variety of amplitude heights. The variability of the stars in panels (d) and (e), KIC 9845907 and KIC 9306095, respectively, is dominated by one high-amplitude frequency. Several lower amplitude variations are also present. The chance on confusion between a high amplitude δ Sct star (HADS) and binarity is high for KIC 9306095. The stars in panels (a), (b), and (c) show multiperiodic variations whereby the frequencies have amplitudes of similar size. The rotational frequency near $1.2\,{\rm d}^{-1}$ and its first harmonic of the star KIC 10717871 (panel c) could be mistaken for γ Dor-like frequencies. As no other longer term periodicities are present, there is no evidence for the possible hybrid status of this star (panel c).

The light curves of γ Dor stars (Fig. 4) vary from obvious beat patterns to less recognizable variable signals. Balona et al. (2011d) already pointed out that there are symmetric (e.g. panel d) and asymmetric (e.g. panel e) light curves among the stars that show obvious beating, and that, most likely, in these cases the pulsation frequencies are comparable to the rotation frequency. Balona et al. (2011d) also suggested that the more irregular light curves likely concern slowly rotating stars.

Examples of hybrid stars are given in Fig. 5. The grey dotted line in the right panels guide the eye to separate the δ Sct and γ Dor regimes. The stars KIC 3119604 and KIC 2853280 (panels a and b, respectively) are clearly dominated by δ Sct frequencies, while the γ Dor frequencies have lower amplitudes. The star KIC 9664869 (panel c) is an example of a star that exhibits frequencies with amplitudes of comparable height in the two regimes. The highest peak in the γ Dor region is however most likely related to the stellar rotation period, as several harmonics are also observed. The bottom two panels are examples of hybrid stars dominated by γ Dor periodicities.

Table 3, available in the online version of the paper, presents an overview of the stars assigned to the three groups. For each star (KIC ID), the classification (Class), the total number of independent frequencies (N) detected above the significance level (fap = 0.001) and with amplitudes higher than 20 ppm, and the number of independent frequencies detected in the γ Dor and δ Sct regime ($N_{\gamma{\rm Dor}}$ and $N_{\delta{\rm Sct}}$, respectively) are given. The next column gives, as a reference, the total number of frequencies

[3] Unfortunately, only 40 stars of the sample could be checked in this way. We saw a clear contamination for the stars KIC 4048488 and KIC 4048494, KIC 5724810 and KIC 5724811, and KIC 3457431 and KIC 3457434. Less clear contamination is seen for KIC 4937255 and KIC 4937257, and KIC 10035772 and KIC 10035775, which are stars that show no obvious periodic variable signals.




Fig. 3. Light curve and frequency spectrum of five stars assigned to the δ Sct group, illustrating the variety of pulsational behaviour within the group. The left panel shows a portion of the *Kepler* light curves. The *Kepler* flux is expressed in ppm, HJD is given in d with respect to $HJD_0 = 2454950.0$. The right panel gives a schematic representation of the detected independent frequencies, expressed in d^{-1} (bottom X-axis) or μHz (top X-axis). Amplitudes are given in ppm. The dotted grey line separates the δ Sct and γ Dor regime. Note the different Y-axis scales for each star. (a) KIC 8415752; (b) KIC 8103917; (c) KIC10717871; (d) KIC 9845907; (e) KIC 9306095.

detected above the significance level, including combination frequencies and harmonics (N_{total}). The next four columns denote the frequency range of peaks in the γ Dor and δ Sct regimes ((Freq Range)$_{\gamma Dor}$ and (Freq Range)$_{\delta Sct}$, expressed in d^{-1}), the highest amplitude (Amplitude$_{high}$, expressed in ppm) and associated frequency (Freq$_{high}$, in d^{-1}). In the last column a flag (•) indicates if the risk on light contamination with a neighbouring star on the CCD is high (contamination factor > 0.15). A typical error on the frequency associated with the highest amplitude is $0.0001\,d^{-1}$. The error on the amplitude ranges from a few ppm up to about 30 ppm. We note that for stars identified as γ Dor or δ Sct stars we report on frequencies up to $6\,d^{-1}$ or from $4\,d^{-1}$, respectively, to account for, for instance, the frequency spectrum of more evolved stars.

We note that for several stars classified as γ Dor star only LC data are available. This may create a selection effect, as short-term δ Sct periods are more difficult to detect in the short timestring of LC data due to sampling restrictions. Also, as mentioned before, even though we carefully checked the stars one-by-one, we expect to have a few false positive detections of hybrid and γ Dor stars as the typical γ Dor frequencies can be easily confused with variations of order of a day caused by rotation or binarity. A more careful analysis and interpretation of the full frequency spectrum of all individual stars of the sample will clarify this matter, but is out of the scope of this paper.

We compared our classification with the automated supervised classification results presented by Debosscher et al. (2011). As these authors studied public *Kepler* Q1 data, only 479 objects of our sample appear in their catalogue. We point out that the classifier by Debosscher et al. (2009) just takes three independent frequencies with the highest amplitudes into account. Hence, the recognition and classification of hybrid behaviour is currently not implemented. Also, as the classifier does not take external information into account that can distinguish between B-type stars and AF-type stars (e.g. colour information, spectral classification based on spectra), there is often a confusion between δ Sct and β Cep stars, and between γ Dor and SPB stars. In general, there is good agreement (> 87%, classified in terms of δ Sct or β Cep stars) with the classification by Debosscher et al. (2011) for stars that we classified as δ Sct stars. The γ Dor stars, as we classified them, are in general less easily recognized by the automated classifier. Often they appear as 'miscellaneous' in their list. This is not surprising, as so far only a few high-quality light curves of well-recognized γ Dor stars that could be used as a template to feed the classifier were available. Stars that we identified as hybrid stars appear in the catalogue by




Fig. 4. Similar figure as Fig. 3, but for five candidate γ Dor stars. Note the different X-axis scale with respect to Fig.3. (a) KIC 1432149; (b) KIC 5180796; (c) KIC 7106648; (d) KIC 8330056; (e) KIC 7304385.

Debosscher et al. (2011) as 'miscellaneous' or as δ Sct, γ Dor, β Cep, or SPB stars. The work presented in this paper will provide valuable feedback and information to refine the automated supervised classification procedure developed by Debosscher et al. (2009).

6.2. Other classes

About 63% of our sample is recognized as δ Sct, γ Dor, or hybrid star. Table 4, in the online version of the paper, gives an overview of the 'classification' of the remaining 37% of the stars. For each star (KIC ID) the associated classification (Class) and a flag (Flag) indicating a high risk on light contamination by a neighbouring star ($\bullet$ in case of contamination factor > 0.15), are given. Table 4 includes stars that show no clear periodic variability on timescales typical for δ Sct and γ Dor pulsators ('...', or 'solar-like'), stars that exhibit stellar activity and show a rotational modulated signal ('rotation/activity'), binaries ('binary' or eclipsing binary 'EB'), B-type stars ('Bstar'), candidate red giant stars ('red giant'), Cepheids ('Cepheid'), and stars whose light is contaminated by another star ('contaminated'). Although the observed ranges in $T_{\rm eff}$ and $\log g$ include typical values for RR Lyr stars (see Fig. 2), we did not find any in our sample, but there are ~40 such stars observed by *Kepler* and they are being studied separately (Kolenberg et al 2010; Benkő et al. 2010). Unclear cases mostly show a behaviour that might be related to rotation and are hence also labelled 'rotation/activity'. We also assigned the candidate γ Dor stars for which less than three significant peaks were detected to this category. The light curve and frequency spectra of a few examples of these other classifications are given in Figs 6 and 7.

121 stars do not show an obvious periodicity in the expected range for γ Dor and δ Sct stars, or have an unresolved frequency spectrum within the available dataset. The star KIC 9386259 (Fig. 6, panel a) is an example of a star showing no clear periodicity. Also for some stars for which less than three significant frequencies were detected we used the label '...' (e.g. KIC 11509728 and KIC 11910256). We investigated the stars for signatures of solar-like oscillations and identified 75 candidate solar-like oscillators ('solar-like', see Table 4).

We identified seven B-type stars and 44 red giant stars in the sample. The giant stars show an envelope of frequencies with amplitudes up to 100–200 ppm in the region 0.5-5 $\rm d^{-1}$, such as illustrated by KIC 2584202 (Fig. 6, panel b). Among the B-type stars, we recognized five SPB stars and one candidate β Cep star.

Within the sample we identified at least 42 binaries, including 28 EBs. In Table 4, the binary stars are labelled 'binary', or 'EB' in case of an EB. When the variability of one of the components is identified as typical for one of the three groups outlined in Sect. 6.1, we also indicated this in Table 4. Panels (c),




Fig. 5. Similar figure as Fig. 3, but for five candidate hybrid stars. (a) KIC 3119604; (b) KIC 2853280; (c) KIC 9664869; (d) KIC 9970568; (e) KIC 3337002. The two top panel (a)-(b) are δ Sct frequency dominated stars, and the two bottom panels (d)-(e) are γ Dor frequency dominated stars.

(d) and (e) of Fig. 6 show examples of EBs. An interesting target is KIC 11973705, as it most likely is a binary with a δ Sct and SPB component (see also Balona et al. 2011b). For three stars reported in the literature as EBs (Prša et al. 2011; Slawson et al. 2011; Hartman et al. 2004), KIC 2557115, KIC 5810113, and KIC 1432149, we find no clear evidence for their eclipsing nature in the *Kepler* lightcurves. In case of KIC 1432149, presented by Hartman et al. (2004) as an EB with period 9.3562 d, we cannot confirm its eclipsing nature nor its orbital period, and we suspect that this target has been misidentified with an EB.

Several stars show an irregular light curve, typical of stellar activity, or a clearly rotationally modified signal (panels (a)-(c) of Fig. 7). It is also not impossible that low-amplitude pulsating γ Dor star candidates are hidden among the stars labelled as 'rotation/activity' in Table 4. Namely, when only one or two of their pulsation frequencies reach the current detection threshold they are not assigned to a pulsation group yet. A possible γ Dor candidate is given in panel (d) of Fig. 7.

In some cases the light curves look very peculiar, and the origin of the variability is not clear. This is the case for KIC 3348390 (panel (e) of Fig. 7) and KIC 4857678, for instance.

We discovered several interesting targets among the 750 stars of the sample. Dedicated studies of groups of individual stars will be presented in forthcoming papers. In what follows, we will characterize the stars into different classes.

7. Characterization of the different classes

The classification described in the previous Section results in the following distribution. A total of 63% of the sample can be identified as γ Dor, δ Sct or hybrid stars: 27% are classified as δ Sct stars (203 stars), 23% as hybrid stars (171 stars; of which 115 stars are δ Sct dominated and 56 stars are γ Dor dominated), and 13% as γ Dor stars (100 stars). A striking result is that almost a quarter of the sample, i.e. 171 stars, shows hybrid behaviour. This is in sharp contrast with the results obtained from ground-based observations, where so far only three candidate γ Dor-δ Sct hybrid stars have been discovered. The far superior precision of the space data opens a new window in detecting low amplitude variations. This result was already hinted at by Grigahcène et al. (2010) and Hareter et al. (2010), but the quantification by means of this sample is remarkable.

Of the remaining 37% of the sample, a large number (121 stars, 16%) do not show clear variability with periods in the expected range for γ Dor and δ Sct stars. Among this group are 75 candidate solar-like oscillators. Our sample has seven B-type stars (1%) and 44 stars (6%) are identified as red giant stars. One Cepheid turned out to be among the sample. About 8% of




Fig. 6. Similar figure as Fig. 3, but for stars that were not assigned to the groups of δ Sct, γ Dor or hybrid stars. (a) KIC 9386259, no clear periodic signal detected; (b) KIC 2584202, red giant star; (c) KIC 5197256, EB or ellipsoidal variable with a δ Sct component; (d) KIC 3230227, EB with a γ Dor component; (e) KIC 9851142, EB with most likely a γ Dor component.

the sample shows stellar activity, often manifesting itself by a rotational modulated signal.

At least 5% of the sample stars are identified through the analysis of their light curve as binary or multiple systems, whereof 3.5% shows eclipses. When we also consider the known binaries from the literature (Table 1), we arrive at a binary rate of 12% within the sample. The number of binary detections is only a fraction of what is expected. The binary rate among A-F type stars in general, and δ Sct stars in particular, is estimated to be at least 30% (Breger & Rodríguez 2000; Lampens & Boffin 2000). Several additional stars are expected to be part of multiple systems with possibly much longer periods than the available *Kepler* time span. The percentage of EBs in our sample is large. Prša et al. (2011) reported a 1.2% occurence rate of EBs among the *Kepler* targets.

Figure 8 shows the stars that are not assigned to one of the δ Sct, γ Dor or hybrid star groups in a ($T_{\rm eff}$, $\log g$)-diagram. The solid thick black and light grey lines mark the blue and red edge of the observed instability strip of δ Sct and γ Dor stars, respectively (Rodríguez & Breger 2001; Handler & Shobbrook 2002). We omitted the binaries, as their physical parameters have to be considered with caution as the contribution of the binary components might not have been correctly disentangled, as well as the B-type stars, as they are much hotter than the $T_{\rm eff}$ region shown here. The stars that show no clear periodic variability on timescales typical for δ Sct and γ Dor pulsators (open triangles) and stars that exhibit stellar activity (bullets) are found along the MS and in more evolved stars. The location of the only Cepheid in our sample is given by a cross. The candidate red giants (open squares) are all but one found in the expected region of the ($T_{\rm eff}$, $\log g$)-diagram. This implies that the KIC photometry separates giant from MS stars well.

7.1. Characterization of stars that show no clear periodic variability

We focus now on the properties of the 121 stars that show no clear periodic variability in the γ Dor and δ Sct range of frequencies to understand why no oscillations are detected. Figure 9 presents the distribution in $T_{\rm eff}$ (top left), $\log g$ (top right), Kp (bottom left), and total time span ΔT, expressed in d, of the *Kepler* light curves (bottom right).

The cool boundary of the observational instability strip for γ Dor stars is located around $T_{\rm eff}$ = 6900 K. At least [4] 78% of the 121 stars have cooler temperatures, and hence no A-F type variability is expected. About 75 stars are identified as candi-

[4] For 11% of the 121 stars we have no information on $T_{\rm eff}$ or $\log g$.




Fig. 7. Similar figure as Fig. 3, but for stars that were not assigned to the groups of δ Sct, γ Dor or hybrid stars. Stellar activity/rotational modulation: (a) KIC 8748251, (b) KIC 8703413 and (c) KIC 11498538; No clear classification: (d) KIC 12062443, and (e) KIC 3348390.

date solar-like oscillators. However, 10% of the 121 stars that show no clear periodicity are located inside the instability strip of γ Dor or δ Sct stars[5] (see also Fig. 8). Further investigation is needed to confirm that these stars do not show variability, which would imply that non-variable stars exist in the instability strip.

60% (71 stars) or our non-variable stars are fainter than Kp = 12 mag, and 18% are fainter than Kp = 14 mag. The faintness of the star most likely has an impact on the (non-)detection of periodicities. To quantify this, we counted the fraction of apparently non-periodic stars per magnitude bin for the full sample of 750 stars. The number of stars that show no clear peridodicity increases dramatically towards faint stars: the fraction is only 2% for magnitude Kp = 9 mag, 5% for Kp = 10 mag, 12% for Kp = 11 mag, 15% for Kp = 12 mag, 41% for Kp = 13 mag, and 68% for Kp > 14 mag. The fainter the star, the more difficult it becomes to detect periodicities. Our analysis results, whereby we only considered amplitudes above 20 ppm, lead us to suspect that the *Kepler* detection limit of A-F type low-amplitude oscillations ($\leq$ 20 ppm) lies around Kp = 14 mag (see also Sect. 7.2).

We find no evidence for a selection effect towards stars with a short time span of available *Kepler* time series. The right panel of Fig. 9 shows that also several time series with long time spans do not show clear variability. Also, the observing mode has no obvious influence on (non-) detection of oscillations. 54% of the 121 stars have only LC data, while 46% have only SC data.

To summarize, stars that show no clear periodic variations are generally the cooler and fainter stars of the sample. We do not find evidence for a bias towards the total time span of the available light curve or towards the observing mode (LC versus SC).

7.2. Characterization of δ Sct, γ Dor and hybrid stars

7.2.1. The ($T_{\rm eff}$, $\log g$)-diagram

The current ground-based (GB) view on the positions of the δ Sct and γ Dor classes in the ($T_{\rm eff}$, $\log g$)-diagram (parameters are taken from the literature[6]) is presented in panel (a) of Fig. 10. A comparison of $\log g$ values derived from Geneva photometry and from other sources (photometry and spectroscopy) indicates a systematic difference of about 0.4 dex for $\log g$ values above

[5] As demonstrated in Sect. 7.2, a revision of the current instability strip is required.

[6] Rodríguez & Breger 2001; Rodríguez et al. 2000; Henry & Fekel (2005); Poretti et al. (1997); Breger et al. (1997); Zerbi et al. (1997, 1999); Aerts et al. (1998); Kaye et al. (1999b); Gray & Kaye (1999); Eyer & Aerts (2000); Guinan et al. (2001); Aerts (2001); Martín et al. (2003); Mathias et al. (2004); Rowe et al. (2006); Bruntt et al. (2008); Cuypers et al. (2009); Uytterhoeven et al. (2008); Catanzaro et al. (2010, 2011)




Fig. 8. ($T_{\rm eff}$, log g)-diagram with stars that show no clear periodic variability on timescales typical for δ Sct and γ Dor pulsators (open triangles), stars identified as red giants (open squares), stars that exhibit stellar activity (bullet), and a Cepheid (cross). The cross at the right top corner represents the typical error bars on the values: 290 K for $T_{\rm eff}$ and 0.3 dex for log g. The solid thick black and light grey lines mark the blue and red edge of the observed instability strips of δ Sct and γ Dor stars, as described by Rodríguez & Breger (2001) and Handler & Shobbrook (2002), respectively. In the on-line version of the paper the open squares, open triangles, bullets, and crosses, are red, blue, black, and black, respectively.




Fig. 9. Distribution in $T_{\rm eff}$ (top left), log g (top right), *Kepler* magnitude Kp (bottom left), and total time span ΔT of the *Kepler* light curves (bottom right) of the 121 stars that show no clear periodic variability. The number of stars belonging to each bin is given on the Y-axis.

4.35 dex as calculated from the Geneva photometry (Cuypers & Hendrix, private communication). Therefore we have corrected the values based on Geneva photometry. As can be seen, the δ Sct and γ Dor stars occupy fairly distinct locations in the ($T_{\rm eff}$, log g)-diagram, with a small overlap region.

Panel (b) of Fig. 10 shows a different picture. Here the δ Sct, γ Dor, and hybrid stars from the *Kepler* sample are plotted. We used the adopted values of $T_{\rm eff}$ and log g, as given in Table 2. The cross in the top right corner of the figure shows typical errors on the values. The stars are scattered in the ($T_{\rm eff}$, log g)-diagram: the δ Sct and γ Dor stars are not confined anymore to the two regions that were clearly seen for the ground-based stars. Even when considering the large error bars on the values, the scatter is present. *Kepler* δ Sct stars exist beyond the red edge of the instability strip, while *Kepler* γ Dor pulsations appear in both hotter and cooler stars than previously observed from the ground. The *Kepler* hybrid stars occupy the entire region between the blue edge of the δ Sct instability strip and the red edge of the γ Dor instability strip, and beyond. The position of the *Kepler* δ Sct and γ Dor stars suggest that the edges of the so far accepted observational instability strips need to be revised. However, we need accurate values of $T_{\rm eff}$ and log g for all stars to confirm this finding.

As for most stars in our sample only KIC-based estimates of $T_{\rm eff}$ and log g are available, we selected the stars that have reliable estimates of these parameters derived from ground-based spectra or multi-colour photometry (see Sect. 3). From this selection, 69 are classified as belonging to one of the three groups. The subsample of 69 stars is plotted in panel (c) of Fig. 10. The position of the stars in the ($T_{\rm eff}$, log g)-diagram confirms the general findings described for the full sample. However, the scatter across the diagram of γ Dor stars is less present, but almost all γ Dor candidates lie outside the observational instability strip for γ Dor stars. Ground-based observations for the derivation of more precise values of $T_{\rm eff}$ and log g are needed for all other stars to confirm the exact locations of the stars.

Panel (d) of Fig. 10 shows the *Kepler* stars assigned to the three groups that have amplitudes higher than 1000 ppm (see Table 3), what approximately corresponds to amplitudes higher than 1 mmag and hence might be observable from the ground. We notice that the *Kepler* stars with ground-based observable amplitudes also do not fit within the observational instability strips.

The left column of Fig. 11 presents an overview of the distribution in $T_{\rm eff}$ for the three groups of A-F type stars. The histograms related to δ Sct, hybrid, and γ Dor stars are coloured in dark grey, middle grey, and light grey respectively. The distribution in $T_{\rm eff}$ peaks around 7400 K, 7200 K, and 7000 K for δ Sct, hybrid, and γ Dor pulsators, respectively. Comparing these values with the center of the observed instability strips by Rodríguez & Breger (2001) and Handler & Shobbrook (2002), we find that a large fraction of the *Kepler* stars are concentrated near the overlap of the two instability strips, and that many members of the three groups coincide in the same region in the ($T_{\rm eff}$, log g)-diagram. It will be interesting to investigate why stars with similar values of $T_{\rm eff}$ and log g in some cases pulsate as a δ Sct star, and in others as a γ Dor star, or as both. Another interesting and puzzling result is the fact that γ Dor, and δ Sct pulsations seem to be excited in a far wider range of temperatures then previously expected.

The distribution in log g is similar for all classes. Most stars have log g values between 3.5 dex and 4.3 dex, with a peak around log g= 3.9 dex. We point out that the log g values derived from the KIC for A-F type stars are known to have large uncertainties, and only few stars have measurements independent from KIC. Without more stars with accurate values derived from ground-based observations we cannot draw any conclusions.

The distribution in *Kepler* magnitude Kp (bottom left, Fig. 2) is representive for the distribution in Kp for γ Dor and δ Sct stars. It illustrates that the cut-off magnitude for the detection of γ Dor and δ Sct type of variations with *Kepler* lies around Kp = 14 mag. The majority of the sample stars have magnitudes in the range Kp = 10 – 12 mag.

$v \sin i$ values are available for 41 stars of the subsample consisting of δ Sct, γ Dor and hybrid stars (see Table 2). Of the five γ Dor stars, four have $v \sin i$ values above 90km s^{-1}, and one has $v \sin i$= 15 km s^{-1}. Of the sixteen δ Sct stars, eight stars have high $v \sin i$ values, six have moderate values (40<$v \sin i$<90km s^{-1}),




Fig. 10. (a): ($T_{\rm eff}$, $\log g$)-diagram of the δ Sct, γ Dor, and hybrid stars detected from the ground (parameters taken from the literature). (b): ($T_{\rm eff}$, $\log g$)-diagram of the *Kepler* stars we classified as δ Sct, γ Dor, and hybrid stars in this paper. Open squares represent δ Sct stars, asterisks indicate γ Dor stars, and hybrid stars are given by bullets. The black cross in the right top corner shows typical errors on the values. (c): ($T_{\rm eff}$, $\log g$)-diagram of the subsample of 69 *Kepler* stars for which accurate $T_{\rm eff}$ and $\log g$ values are available. The color-codes are the same as for panel (b). (d) ($T_{\rm eff}$, $\log g$)-diagram of the subsample of *Kepler* stars that show pulsations with amplitudes higher than 1000 ppm (> 1 mmag). Evolutionary tracks for MS stars with masses 1.4 $M_\odot$, 1.7 $M_\odot$, and 2.0 $M_\odot$ are plotted with grey dotted lines. The evolutionary tracks have been computed using the Code Liégeois d'Évolution Stellaire (CLES, Scuflaire et al. 2008). The input physics included is similar to the one used in Dupret et al. (2005) with the following values for the modeling parameters $\alpha_{\rm MLT} = 1.8$, $\alpha_{\rm ov} = 0.2$ and $Z = 0.02$. The solid thick black and light grey lines mark the blue and red edge of the observed instability strips of δ Sct and γ Dor stars, as described by Rodríguez & Breger (2001) and Handler & Shobbrook (2002), respectively. In the on-line version of the paper the symbols representing the δ Sct, γ Dor and hybrid stars are red, blue, and black, respectively.

and two low values ($v \sin i$<40km s^{-1}). Of the 20 hybrid stars almost all have high $v \sin i$ values, with six stars having $v \sin i$ values above 200km s^{-1}. Extrapolating these numbers to the full sample, we expect that many stars in the sample are moderate to fast rotators.

7.2.2. Frequencies and amplitudes

Up to 500 non-combination frequencies are detected in the *Kepler* time series of a single star (see Table 3). Such large numbers of frequencies are in sharp contrast with the small number of frequencies observed from the ground, e.g. up to 79 pulsation and combination frequencies for the δ Sct star FG Vir (e.g. Breger et al. 2005) and up to 10 frequencies in the γ Dor hybrid candidate HD 49434 (Uytterhoeven et al. 2008), but are commonly seen in space observations due to their higher precision and sensitivity to low-amplitude variations (e.g. Poretti et al. 2009, García Hernández et al. 2009, Chapellier et al. 2011). However, it needs to be carefully checked whether all of the apparent individual frequencies are of pulsational origin.

For the majority of stars (66%), less than 100 frequencies were found, and 10% of the stars show variations with more than 200 frequencies. If we look at the extreme cases we find that for 29 stars (6%) fewer than 10 frequencies were detected, while for 5 stars (1%) more than 400 frequencies were unraveled. The middle panel of Fig. 11 shows the distribution of the number of detected frequencies for the δ Sct (top, dark grey), hybrid (middle, middle grey), and γ Dor (bottom, light grey) stars. The highest number of frequencies are found for hybrid stars. It is worth mentioning that the number of detected frequencies versus $T_{\rm eff}$ follows a distribution, that peaks near 7700 K, 7500 K, and 7000 K for δ Sct, hybrid, and γ Dor stars, respectively. More modes are excited near the center of the δ Sct instability strip. In case of the hybrid and γ Dor stars the largest number of detected frequencies is found towards the red edge of the (overlap in the) instability strip.

The right panel of Fig. 11 shows the distribution of the highest measured amplitude, in ppm logarithmic scale (log(Amplitude)), for the different groups using the same color-code as before. The range in highest amplitude measured is 40 to 58 000 ppm. For about 59% of the stars the highest amplitude is lower than 2000 ppm. Only 16 stars (3.5%) show variability with highest amplitudes below 100 ppm, while 23 stars (5%) have amplitudes above 10 000 ppm. In general, higher amplitudes are detected in δ Sct pulsators than in γ Dor stars. We point out that the origin of high peaks detected in γ Dor stars, e.g. the amplitude of 23 000 ppm in the star KIC 7304385, are most likely related to the rotation of the star. It is worth mentioning that amplitudes above 10 000 ppm are also detected in faint targets. The highest amplitudes are found for stars within temperature range $T_{\rm eff} = 6600 - 7100$ K, which is the cool part of the instability strips.

We detected δ Sct frequencies between 4 and 80 $\rm d^{-1}$. We found indications that a handful of stars vary with even shorter periods. However, these short periods need to be confirmed by means of a careful investigation of the specific frequency spectra, which is out of the scope of this paper.

When considering the δ Sct stars and hybrid class, good for a total of 375 stars, we find that a fraction of 56% shows an upper frequency limit between 40 and 70 $\rm d^{-1}$. Only 10% of the δ Sct and hybrid stars have frequencies up to 80 $\rm d^{-1}$, and 9% only show variations with frequencies lower than 20 $\rm d^{-1}$. We note that γ Dor dominated hybrids that show variations with frequencies higher than 60 $\rm d^{-1}$ are rare (three stars in our sample).

The majority of the hybrid stars detected in the *Kepler* data show all kind of periodicities within the γ Dor and δ Sct range (see columns 6 and 7 in Table 3 that give the frequency range of detected frequencies in the γ Dor and δ Sct domains). This observational fact is interesting to mention as from a theoretical point of view no excited modes are expected between about 5 and 10 $\rm d^{-1}$, i.e. the so-called 'frequency gap' (see, e.g. Grigahcène et al. 2010). Only for five hybrid stars a 'frequency gap' is observed[7]. Possible explanations for the absence of gaps, within the present non-adiabatic theories, are that the frequencies within the gap are high-degree and/or rotationally split modes (Bouabid et al. 2009).

8. A first step towards understanding the relation between δ Sct, γ Dor and hybrid stars

As presented in the previous section, it is not trivial to differentiate between the three groups of variable A-F type stars defined in Section 6.1. Also the relation between the three groups is currently not clear, as δ Sct, γ Dor and hybrid stars coincide in the ($T_{\rm eff}$, $\log g$)-diagram (Fig. 10). Driven by the idea to find observables based on physical concepts that allow insight in the different internal physics of the three types of stars, we constructed two new observables that can provide an alternative way to improve our understanding of the relation between the three groups. We point out that several observational parameters can be found that reflect in one way or another the different inherent properties of the three groups. For instance, δ Sct stars pulsate with shorter periods, and are generally hotter, than γ Dor stars. A combination of these parameters will lead to a differentiation of the groups, such as for instance a ($T_{\rm eff}$, $f_{\rm max}$)-diagram, with $f_{\rm max}$ the frequency associated to the highest amplitude mode. However, we emphasize that our aim is to find observables that can be directly related to the internal physics of the stars.

According to the current instability theories, which need to be revised following the results presented in this work, the main driving process of the oscillations in δ Sct stars is related to the opacity variations in the ionization zones (Unno et al. 1989). These zones are located in the region where the main energy transport mechanism is convection and where a small quantity of energy is transported by radiation. The total amount of driving energy going into the mode is directly related to the radiative luminosity in this zone, and this latter quantity is a function of the convective efficiency. Therefore, we expect a relation between the energy of the observed modes and the convective efficiency of the outer convective zone. We searched for such a relation and constructed two observables, *energy* and *efficiency*, that are estimates of the energy and the convective efficiency, using the available observational data.

8.1. Energy

The kinetic energy of a wave is given by:

$$E_{kin} = \frac{1}{2} f(\rho_*)(A\zeta)^2, \quad (2)$$

where f is a function of the stellar density ρ_*, A is the amplitude of the oscillation, and ζ is the pulsation frequency. Using the available observational data, we construct the following observable that we call *energy*, which is a first approximation and estimate of the kinetic energy of the wave:

$$energy \equiv (A_{\rm max}\zeta_{\rm max})^2, \quad (3)$$

where $A_{\rm max}$ and $\zeta_{\rm max}$ refer to the highest amplitude mode of the star (in ppm), and associated frequency (in $\rm d^{-1}$). The pulsation amplitude is a function of the observed amplitude and the relative variation of the flux, and is given by the expression (Moya & Rodríguez-López 2010):

$$\Delta R/R = -\frac{\Delta m}{\ln(5 + 10dT)}, \quad (4)$$

where $\frac{\Delta R}{R}$ is the relative pulsational amplitude, Δm the observed magnitude variation of the mode, and dT is given by:

$$dT = \frac{\delta T_{\rm eff}}{T_{\rm eff}} / \frac{\xi_r}{r}, \ (r = R), \quad (5)$$

with ξ_r the variation in radius of the mode, and dT is evaluated at the surface of the star ($r = R$).

Non-adiabatic calculations of a representative model of a hybrid pulsating AF-type star including Time Dependent Convection (Grigahcène et al. 2005) show that the difference between the predicted dT value of asymptotic g-modes (γ Dor stars) and low order p-modes (δ Sct stars) is around one order of magnitude or less, where the δ Sct stars have higher values. Therefore, we can directly use the observed magnitude variation as a measurement of the radial amplitude variation. The fact that we are using an approximation does not change the conclusions of the present study, since the observed differences are larger than two orders of magnitude (see Figs 12 and 13).

The right column of Fig. 12 shows the distribution in log(*energy*) for the δ Sct (top, dark grey), hybrid (middle, middle grey), and γ Dor (bottom, light grey) stars. It is clear that the weight of the distribution is located in the region log(*energy*)> 8 for stars dominated by frequencies in the δ Sct domain, and in the region log(*energy*)< 8 for stars with dominant γ Dor pulsations.

[7] The six hybrid stars that show a 'frequency gap' are: KIC 3851151, KIC 4556345, KIC 7770282, KIC 9052363, and KIC 9775454.




Fig. 11. Distribution in $T_{\rm eff}$ (left column), number of detected (independent) frequencies (middle column) and highest amplitude (ppm, in logarithmic scale) (right column), for the three groups of A-F type stars: δ Sct stars (top; dark grey), hybrid stars (middle; middle grey), and γ Dor stars (bottom; light grey). The number of stars belonging to each bin (N) is indicated on the Y-axis.

8.2. Efficiency

In the introduction of this Section we pointed out that a relation between the convective efficiency and mode excitation can exist. Recent studies on convective efficiency of the outer convective zone of F-G-K stars using 3D models show that the convective efficiency is related with the position of the star in the Hertzsprung-Russell (HR-) diagram (Trampedach & Stein 2011). To construct an observable related with the convective efficiency that can be described with only variables related with the position in the HR-diagram, we found inspiration in the analytic description of the convective energy as given by the Mixing Length Theory[8] (Böhm-Vitense 1958). There, the convective efficiency, Γ, is defined as:

$$\Gamma = \left[\frac{A^2}{a_0}(\nabla_{\rm rad} - \nabla)\right]^{1/3}, \qquad (6)$$

with a_0 a constant, $\nabla_{\rm rad}$ and ∇ the radiative and real temperature gradient, respectively, and

$$A \sim \frac{c_p \kappa p \rho c_s \alpha^2}{9\sigma T^3 g \sqrt{2\Gamma_1}} \qquad (7)$$

(see Cox & Giuli 1968).

This quantity, measuring the ratio between the convective and radiative conductivity, depends on a large number of physical variables: the specific heat capacity at constant pressure c_p, the opacity κ, the pressure p, the stellar density ρ, the sound velocity c_s, the mixing length parameter α, the Stephan-Boltzmann constant σ, the temperature T, the gravity g, and the first adiabatic coefficient Γ_1. As we only have information on a limited number of observational variables, our estimate of the quantity is only an approximation. Inspired by these equations, we searched for the combination of temperature and gravity that empirically provided the best means to separate between γ Dor and δ Sct stars (see statistical test below), and define the observable *efficiency* as:

$$\textit{efficiency} \equiv (T_{\rm eff}^3 \log g)^{-2/3} \sim \Gamma. \qquad (8)$$

As the efficiency of the convective zone is expected to be higher for γ Dor stars than for δ Sct stars, the observable *efficiency* should have a higher value for γ Dor stars than δ Sct stars. This behaviour is indeed observed, as is illustrated in the left

[8] With analogy to the mean free parameter in gas kinetic theory, the mixing length is defined as the mean distance over which a fluid bulb conserves its properties. Generally, the mixing-length is assumed to be proportional to the pressure-scale height by a factor α usually called mixing-length parameter.

panel of Fig. 12, where the distribution in log(*efficiency*) is given. The majority of δ Sct stars have values log(*efficiency*)< -8.1 dex, while the histograms for γ Dor pulsators peak in the region log(*efficiency*)> -8.1 dex.

8.3. *Efficiency* versus *energy*

When we plot the two new observables, log(*energy*) versus log(*efficiency*), the groups of δ Sct and γ Dor stars are fairly well separated (see top panels Fig. 13). A log(*energy*) value of 8 leaves 90% of the δ Sct and γ Dor stars separated. The bottom panel of Fig. 13 shows the same diagram with values for the hybrid stars included, using the same colours and symbols as before. Typical errors on the values are 0.04 dex and 0.12 dex for log(*energy*) and log(*efficiency*), respectively. The hybrid stars are placed in the intermediate region. We observed that δ Sct (γ Dor) dominated hybrids fall in the same region as the δ Sct (γ Dor) stars.

We performed a Mann-Whitney U test with adapted p-value (p = 0.0166) according to the closed test principle as described in the book by Horn & Vollandt (1995), to statistically investigate if the mean of the distribution in log(*energy*) and log(*efficiency*) is different for the three different groups. The test shows that the difference in mean of the distributions in both log(*energy*) and log(*efficiency*) is statistically significant for all groups. However, the apparent separation in log(*efficiency*) becomes less evident when we take the large error bars into account. We also performed a χ^2 test (as described by Press et al. 1992) to determine if the distributions themselves were different. The distributions are statistically significant for all of the distributions, save for the γ Dor versus hybrid star *efficiencies*, where they are marginally similar. This conclusion holds even if we vary the $T_{\rm eff}$ and $\log g$ values within the error ranges and recompute the *efficiencies* or vary the inputs into the *energies*. We want to point out once again that the definition of *efficiency* is only a rough estimate of the theoretical expression for the convective efficiency, and might - at this stage - not be refined enough to display the separative power between the groups we expect the convective efficiency to have. In a further investigation we will assess the goodness of approximation of our definition of *efficiency* by comparison with values of the convective efficiency as given by (6), calculated for several model stars, and finetune its definition.

The two new approximate observables *energy* and *efficiency* reflect the different internal physics of oscillators with dominant δ Sct pulsations and oscillators dominated by γ Dor pulsations, and seem to allow to distinguish between them. However, it needs to be further investigated if the two observables can be considered as independent parameters. This, together with an exploration of the physical mechanisms behind the instability of these stars is the topic of a forthcoming paper. The observables *energy* and *efficiency* are promising starting points to explore the relation between δ Sct, γ Dor and hybrid stars, but need to be refined.




Fig. 12. Distribution in log(*energy*) (right), and log(*efficiency*) (left) for the δ Sct (top, dark grey), hybrid (middle, middle grey), and γ Dor (bottom, light grey) stars. The number of stars belonging to each bin (N) is indicated on the Y-axis.

9. Summary, discussion, and future prospects

We analysed the *Kepler* light curves, based on survey phase data with time spans between 9 d and 322 d available through KASOC, and associated frequency spectra of 750 candidate A-F type stars, in search for δ Sct, γ Dor and hybrid pulsators. The main results are:

– The *Kepler* light curves of the sample of 750 candidate A-F type stars show a variety in variability behaviour.
– Observationally, we propose three main groups to describe the observed variety: γ Dor, δ Sct, and hybrid stars. The latter group includes both δ Sct dominated and γ Dor dominated hybrid stars. About 63% of the sample are assigned to one of the three groups.
– About 23% of the sample are hybrid candidates (171 stars, or 36% of the stars assigned to the three groups). This is in strong contrast with the number of hybrid candidates so far observed from the ground, but compatible with the first *Kepler* study of γ Dor and δ Sct variables by Grigahcène et al. (2010). The far superior precision of the *Kepler* space data opens a new window in detecting low amplitude variations. *Kepler* will be ideal to study hybrid behaviour in different types of stars, such as roAp stars (Balona et al. 2011a), sdB stars (Østensen et al. 2010), and B stars (Balona et al. 2011b).
– We presented a characterization of the stars in terms of number of detected frequencies, frequency range, and typical pulsation amplitudes, which provides valuable feedback for models and instability studies. It is the first time that this kind of information is available for a large sample of stars. Up to 500 non-combination frequencies are detected in the *Kepler* time series of a single star. The highest pulsation amplitude measured is 58 000 ppm. The shortest detected δ Sct periods are about 18 min. We find that hybrid stars show all kind of periodicities within the γ Dor and δ Sct range. In particular, the majority of hybrid stars shows frequencies between 5 and 10 d^{-1}. From a theoretical point of view, this result presents a number of challenges, since the currently accepted overstability mechanisms cannot explain the presence of pulsational modes in the wide frequency ranges observed with *Kepler*. It needs to be investigated if, and to what extent, the presence of stochastic modes, high-degree and/or rotationally split modes with high amplitudes, granulation and effects of convection can explain part of the unexpected observed modes.




Fig. 13. Observable log(*energy*) plotted versus log(*efficiency*) for δ Sct (open squares) and γ Dor (asterisks) stars only (top), and for hybrid stars as well (bullets) (bottom). The left panels include all 480 *Kepler* stars that are assigned to one of the three groups. The right panels show the 49 stars for which reliable values of $T_{\rm eff}$ and $\log g$ are available. In the on-line version of the paper the symbols representing the δ Sct, γ Dor and hybrid stars are red, blue, and black, respectively. The cross at the right bottom corner of the top left panel represents the typical error bars on the values: 0.04 dex and 0.12 dex for log(*energy*) and log(*efficiency*), respectively.

- The location of γ Dor and δ Sct classes in the ($T_{\rm eff}$, $\log g$)-diagram has been extended (Fig. 10). We find indications that *Kepler* δ Sct stars exist beyond the red edge of the observational instability strip, while *Kepler* γ Dor pulsations seem to appear in both hotter and cooler stars than observed so far. The *Kepler* hybrid stars occupy the entire region between the blue edge of the δ Sct instability strip and the red edge of the γ Dor instability strip and beyond. These results, if confirmed by verification of the temperature and $\log g$ values in a larger sample, imply that the observational instability strips need to be extended to accommodate the *Kepler* δ Sct and γ Dor stars. From a theoretical point of view, the overall presence of hybrid stars implies an investigation of other pulsation mechanisms to supplement the κ mechanism and convective blocking effect to drive hybrid pulsations.
- Two new 'observables' that reflect the different internal physics of δ Sct and γ Dor pulsators are introduced to investigate the relation between the two types of pulsations (Fig. 13): (1) *efficiency*, related to the convective efficiency of the outer convective zone, and a function of $T_{\rm eff}$ and $\log g$; and (2) *energy*, the driving energy of a mode, and a function of the highest observed frequency amplitude and the associated frequency. Both observables are empirical and are constructed using only available measured variables. The impact and physical significance of the group separation in the (log(*efficiency*), log(*energy*))-diagram needs to be investigated further. The two new observables are a promising starting point for further investigation of the relation between δ Sct, γ Dor and hybrid stars.
- Our study indicates that Kp = 14 mag is a cut-off magnitude for detection of variations with amplitudes below 20 ppm in A-F type stars with *Kepler*.
- A large number of sample stars (16%) do not show clear variability within the expected range of frequencies for δ Sct and γ Dor stars. Faint and cool stars predominate this sample. Among the stars, we identified 75 candidate solar-like stars. No correlation between non-variability and the length of the available dataset or the available cadence mode is found. We find indications for the presence of constant stars inside the instability strips of A-F type pulsators.
- The remaining 21% of sample stars are identified as a Cepheid, B-type stars, red giant stars, stars that show stellar activity, or binaries. At least 12% of the sample is identified as a binary or multiple system, based on investigation

of the *Kepler* light curve or on input from the literature. Many long-period binaries are expected to be among the remaining stars of the sample. 3.5% of the sample stars shows eclipses. Several of the EBs have variable components, including δ Sct, γ Dor and hybrid stars.

It is clear that space missions are changing the landscape of γ Dor and δ Sct pulsators. In this paper we aimed at a global analysis of the sample stars. A careful seismic analysis of individual stars is needed to confirm their classification, clarify the observed variety in pulsational behaviour, fully characterize the properties of the δ Sct, γ Dor and hybrid groups, understand their relationship, clarify the driving mechanism(s) for each group, and elaborate on the variables *energy* and *efficiency*. The observational results with *Kepler* presented in this paper open up several new questions and theoretical challenges for the current models related to pulsational instability, thermodynamics, and stellar structure. We mention here some topics for further investigation.

To be able to place the stars confidently in the ($T_{\rm eff}$, $\log g$)-diagram, estimate the projected rotational velocity, and derive accurate abundances, at least one high-resolution spectrum is needed for each star. To this end, an observational campaign is ongoing (Uytterhoeven et al. 2010a,b). Most stars of the δ Sct, γ Dor and hybrid stars in our sample with magnitude Kp $\leq$ 10.5 mag have recently been observed or are scheduled to be observed in the coming months. However, 70 % of the stars in Table 3 are fainter than magnitude Kp = 10.5 mag, for which it is time consuming and less practical to observe them with the available 2-m class telescopes that are equipped with a high-resolution spectrograph.

As the oscillation modes in A-F type stars do not produce evident frequency patterns in their mode spectra as is the case for solar-like oscillators, the identification of pulsation modes benefits from high-resolution spectral or multi-colour time series. Here we encounter limitations due to the relative faintness of the *Kepler* sample too. For instance, it is only feasible to efficiently spectroscopically monitor the few brightest (Kp $\leq$ 9 mag) stars from the ground, while multi-colour photometry can go a few magnitudes fainter. Moreover, it will be impossible with the current instrumentation to detect the pulsation amplitudes of order of a few μmag from the ground. Therefore, only for a limited selection of the stars in Table 3, i.e. bright stars exhibiting high-amplitude variations, will it be feasible to organize ground-based follow-up campaigns.

For all other stars, we will have to rely on extracting information on the pulsation modes directly from frequency patterns observed in the *Kepler* data. Quasi-periodic patterns have been observed before in δ Sct stars (Handler et al. 1997; García Hernández et al. 2009). But in fast rotating stars the rotation destroys regular frequency and period patterns of p- and g-modes, which complicates the mode identification (e.g. Lignières et al. 2006; Ballot et al. 2010). For slowly rotating g-mode pulsators ($V_{\rm rot}$ < 70 km s^{-1}), a mode-identification technique has been developed that relies only on accurate values of at least three frequencies (Frequency Ratio Method, Moya et al. 2005; Suárez et al. 2005), which is ideal to apply to the information extracted from the *Kepler* white light, without colour or spectral information. Unfortunately, many of our stars are moderate to fast rotators (see Sect. 7.2). Hence, the mode identification will be very challenging and will require further investigation.

An individual analysis of the candidate hybrid stars is needed to confirm their hybrid status and to firmly characterize their pulsation properties. The current theoretical instability models for hybrid stars need to be revised to be able to accommodate all the stars that have been proposed as hybrid candidates in this paper. This includes a revision of the mechanisms that allow driving of p- and g-modes in A-F type stars with a broad range of temperatures. Additional processes that can be investigated with possible effect on the driving are stochastic excitation (Houdek et al. 1999; Samadi et al. 2002), a convective driving mechanism similar to g-mode pulsations in white dwarfs (Goldreich & Wu 1999), a κ mechanism-related effect presented by Gautschy and Löffler (1996) and Löffler (2000), and radiative levitation (Turcotte et al. 2000). Asteroseismic diagnostics have been studied to find signatures of stochastic mechanisms at the origin of the instability of γ Dor oscillators (Pereira et al. 2007). In that work, this possibility was not discarded, but continuous and precise space data were not yet available. The *Kepler* time series of the sample of stars studied here will be an ideal new testbed for this method.

The long, continuous time series that *Kepler* will deliver during its lifetime will unveil a large number of amplitudes at μmag level. This precision will open up opportunities to search for signatures of granulation in the variable star light (Kallinger & Matthews 2010). Spectroscopically, convective signatures have been detected in the microturbulence and line broadening of A-F type stars cooler than $T_{\rm eff}$= 10,000 K (Landstreet et al. 2009).

Also the theoretical instability strips of the γ Dor and δ Sct pulsators need revision. As shown in Fig. 1, stars exhibiting purely γ Dor or δ Sct pulsations seem to exist beyond the current blue and red edge of the respective instability strips. Moreover, it is worth investigating if the evolutionary phase of γ Dor stars can be derived from properties in their frequency spectra, as is recently suggested by Bouabid et al. (2011), based on a theoretical study of seismic properties of MS and Pre-MS γ Dor pulsators.

Another open question is the existence of non-variable A-F type stars inside the instability strips. So far, it is suggested (Poretti et al. 2003; Breger 2004) that all seemingly constant stars in the instability strip are low amplitude pulsators. In this study we find indications that non-variability exists within the instability strip, but a more in-depth investigation based on a larger sample of stars with precise values of $T_{\rm eff}$ and $\log g$ is needed to confirm this.

Also candidate γ Dor stars with only a few excited dominant modes deserve to be looked at in more detail. The relation between rotation and pulsations is not yet clear. Moreover, the differentiation between pulsations and rotational variability proves to be very difficult (Breger 2011; Monnier et al. 2010). In the pilot study by Balona et al. (2011d) it was suggested that pulsation and rotation periods might be very closely related. It needs to be investigated to which extent the rotation influences the excitation of the observed modes. To help this investigation, $v \sin i$ values are needed.

Constraints on important physical parameters that are crucial for seismic modeling, such as stellar radius and mass, can be derived directly for pulsators in binary systems (e.g. Tango et al. 2006; Desmet et al. 2010). Our sample consists of several binaries and eclipsing systems with (a) pulsating component(s) (see Table 4). Hence, these targets in particular are very promising for dedicated ground-based follow-up observations, and a seismic analysis. Moreover, it will be interesting to investigate the effect of tidal interactions on pulsation frequencies (e.g. Uytterhoeven et al. 2004; Derekas et al. 2011).

Four of the EBs with a candidate γ Dor, δ Sct or hybrid component in our sample are known as chemically peculiar stars (see Table 1). Three candidate hybrid stars (out of 61 stars with known spectral type), four candidate δ Sct stars (out of 67 stars),

and one candidate γ Dor star (out of 25 stars) are also Ap or Am stars. So far, we detected both p and g mode pulsators among the chemically peculiar stars. Balona et al. (2011c) stated that the instability strip of pulsating Am type stars and δ Sct stars do not differ much. With the current small number statistics, it is not clear whether Ap/Am stars are indeed rare among γ Dor stars (Handler & Shobbrook 2002). One of the open questions is if chemical peculiarity is related to hybridity. The first discovered hybrid HD 8801 (Henry & Fekel 2005) intruigingly turned out to be an Am star. In a recent abundance study by Hareter et al. (2011) one of the two studied hybrid stars is also confirmed as being a chemically peculiar star. Together with the results of this study, this brings the total of known chemically peculiar hybrid stars to five. There is currently no evidence for a direct link between chemical peculiarity and hybrid behaviour, but a careful abundance analysis of a representative sample of hybrid stars is needed to confirm this.

Many more (candidate) δ Sct, γ Dor, and hybrid stars are expected to be among the stars observed by *Kepler*. Debosscher et al. (2011) reported the discovery of many additional δ Sct and γ Dor candidates in the public *Kepler* Q1 data. Also, a considerable fraction of the host stars of the recently published 1235 *Kepler* planet candidates (Borucki et al. 2011) turn our to be A-F type stars. Hence, we have promising prospects in studying and understanding the A-F type star variable behaviour in detail through a much larger and more complete sample of A-F stars in the *Kepler* field when longer timestrings of *Kepler* data will become publicly available. *Kepler* is definitely opening the window towards the accurate characterization of pulsating A-F stars.

Acknowledgements. We are grateful to Joanna Molenda-Żakowicz, James Nemec and the anonymous referee for their suggestions and comments to improve this paper. Funding for the *Kepler mission* is provided by NASA's Science Mission Directorate. We thank the entire *Kepler* team for the development and operations of this outstanding mission. KU acknowledges financial support by the Deutsche Forschungsgemeinschaft (DFG) in the framework of project UY 52/1-1, and by the Spanish National Plan of R&D for 2010, project AYA2010-17803. AM acknowledges the funding of AstroMadrid (CAM S2009/ESP-1496). EN and AP acknowledge the financial support of the NN 203 405139 and NN 203 302635 grant, respectively, from the MNiSW. The work by GH and VA was supported by the Austrian Fonds zur Förderung der wissenschaftlichen Forschung under grant P20526-N16. LFM acknowledge financial support from the UNAM under grant PAPIIT IN114309. RSz and LLK have been supported by the 'Lendület' program of the Hungarian Academy of Sciences and the Hungarian OTKA grants K83790 and MB08C 81013. RSz was supported by the János Bolyai Research Scholarship of the Hungarian Academy of Sciences. SH acknowledges financial support from the Netherlands Organisation for Scientific Research (NWO). This research has been funded by the Spanish grants ESP2007-65475-C02-02, AYA 2010-21161-C02-02 and CSD2006-00070. The research leading to these results has received funding from the European Community's Seventh Framework Programme (FP7/2007-2013) under grant agreement no. 269194. This research has made use of the SIMBAD database, operated at CDS, Strasbourg, France, and is partly based on observations obtained at the Observatorio Astrónomico Nacional-San Pedro Mártir (OAN-SPM), Baja California, Mexico, at the Observatoire de Haute Provence, France, and at the Thüringer Landessternwarte Tautenburg, Germany. We acknowledge with thanks the variable star observations from the AAVSO International Database contributed by observers worldwide and used in this research.

References

Abt, H.A. 1984, ApJ, 285, 247
Abt, H.A. 2004, ApJS, 155, 175
Abt, H.A., & Cardona, O. 1984, ApJ, 285, 190
Aerts, C. 2001, ApJ, 553, 814
Aerts, C., Eyer, L., & Kestens, E. 1998, A&A, 337, 790
Allende Prieto, C., & Lambert, D. L. 1999, A&A, 352, 555
Baglin, A., Auvergne, M., Barge, P., et al. 2006, in The CoRoT Mission, Pre-Launch Status, Stellar Seismology and Planet Finding, eds. M. Fridlund, A. Baglin, J. Lochard, & L. Conroy, (ESA SP-1306, ESA Publications Division, Nordwijk, Netherlands), 33
Ballot, J., Lignières, F., Reese, D.R., & Rieutord, M. 2010, A&A, 518, A30
Balona, L.A., Krisciunas, K., & Cousins, A.W.J. 1994, MNRAS, 270, 905
Balona, L.A., Cunha, M.S., Kurtz, D.W., et al. 2011a, MNRAS, 410, 517
Balona, L.A., Pigulski, A., De Cat, P., et al. 2011b, MNRAS, 413, 2403
Balona, L.A., Ripepi, V., Catanzaro, G., et al. 2011c, MNRAS, 414, 792
Balona, L.A., Guzik, J., & Uytterhoeven, K., et al. 2011d, MNRAS, in press
Benkő, J.M., Kolenberg, K., Szabó, R., et al. 2010, MNRAS, 409, 1585
Bidelman, W.P., Ratcliff, S.J., & Svolopoulos, S. 1988, PASP, 100, 828
Böhm-Vitense, E. 1958, Zeitschrift für Astrophysik, 46, 108
Borucki, W.J., Koch, D.G., Brown, T. M., et al. 2010, Science, 327, 977
Borucki, W.J., Koch, D.G., Basri, G., et al. 2011, ApJ, 728, 117
Bouabid, M.-P., Montalbán, J., Miglio, A., et al. 2009, in AIP Conf. Proc. 1170, Stellar Pulsation: Challenges for Theory and Observation, eds. J. A. Guzik, P. A. Bradley (Melville, NY: AIP), 477
Bouabid, M.-P., Montalbán, J., Miglio, A., et al. 2011, A&A, in press (arXiv:1103.4389)
Breger, M., Handler, G., Garrido, R., et al. 1997, A&A, 324, 566
Breger, M. 2000, in Delta Scuti and Related Stars, eds. M. Breger & M. H. Montgomery, ASP Conf. Ser., 210, 3
Breger, M. 2011, Carnegie Observatories Astrophysics Series, 5, in press (arXiv:1104.4392)
Breger, M. 2004, in The A-Star Puzzle, eds. J. Zverko, J. Žižnovský, S.J. Adelman, & W.W. Weiss, Proceedings IAU Symposium, 224, (Cambridge University Press), 335
Breger, M., Lenz, P., Antoci, V., et al. 2005, A&A, 435, 955
Breger, M., Balona, L., Lenz, P., et al. 2011, MNRAS, 414, 1721
Brown, T.M., Latham, D.W., Everett, M.E., & Esquerdo, G.A. 2011, AJ, in press (arXiv:1102.0342)
Bruntt, H., De Cat, P., & Aerts, C. 2008, A&A, 478, 487
Cannon, A.J. 1925, Ann. Astron. Obs. Harvard Coll., 100, 17
Cannon, A.J. 1927, Ann. Astron. Obs. Harvard Coll., 100, 33
Carrier, F., North, P., Udry, S., & Babel, J. 2002, A&A, 394, 151
Catanzaro, G., Frasca, A., Molenda-Żakowicz, J. & Marilli, E. 2010, A&A, 517, A3
Catanzaro, G., Ripepi, V., Bernabei, S. et al. 2011, MNRAS, 411, 1167
Chapellier, E., Rodíguez, E., Auvergne, M., et al. 2011, A&A, 525, A23
Cox, J. P., & Giuli, R. T. 1968, Principles of stellar structure, New York, Gordon and Breach
Cuypers, J., Aerts, C., De Cat, P., et al. 2009, A&A, 499, 967
Debosscher, J., Sarro, L.M., López, M., et al. 2009, A&A, 506, 519
Debosscher, J., Blomme, J., Aerts, C., & De Ridder, J. 2011, A&A, A89
Derekas, A., Kiss, L.L., Borkovits, T., et al. 2011, Science, 332, 216
De Cat, P., Eyer, L., Cuypers, J., et al. 2006, A&A, 449, 281
Desmet, M., Frémat, Y., Baudin, F., et al. 2010, MNRAS, 401, 418
Dupret, M.-A., Grigahcène, A., Garrido, R., Gabriel, M., & Scuflaire, R. 2004, A&A, 414, L17
Dupret, M.-A., Grigahcène, A., Garrido, R., Gabriel, M., & Scuflaire, R. 2005, A&A, 435, 927
Eyer, L., & Aerts, C. 2000, A&A, 361, 201
Floquet, M. 1970, A&AS, 1, 1
Floquet, M. 1975, A&AS, 21, 25
García, R.A., Hekker, S., Stello, D., et al. 2011, MNRAS, 414, 6
García Hernández, A., Moya, A., Michel, E., et al. 2009, A&A, 506, 79
Gautschy, A., & Löffler, W. 1996, DSSN, 10, 13
Gilliland, R.L., Brown, T.M., Christensen-Dalsgaard, J., et al. 2010a, PASP, 122, 131
Gilliland, R.L., Jenkins, J.M., Borucki, W.J., et al. 2010b, ApJ, 713, 160
Glebocki, R. & Stawikowski, A. 2000, AcA, 50, 509
Goldreich, P., & Wu, Y. 1999, ApJ, 511, 904
Grenier, S., Baylac, M.-O., Rolland, et al. 1999, A&AS, 137, 451
Grigahcène, A., Dupret, M.-A., Gabriel, M., Garrido, R., & Scuflaire, R. 2005, A&A, 434, 1055
Grigahcène, A., Antoci, V., Balona, L., et al. 2010, ApJ, 713, L192
Gray, R.O., & Kaye, A.B. 1999, AJ, 118, 2993
Guetter, H.H. 1968, PASP, 80, 197
Guinan, E.F., Bochanski, J.J., Depasquale, J.M., Ribas, I., & McCook, G.P. 2001, IAU Inform. Bull. Var. Stars, 5062, 1
Guzik, J. A., Kaye, A. B., Bradley, P. A., Cox, A. N., Neuforge, C. 2000, AJ, 542, 57
Handler, G. 1999, MNRAS, 309, L19
Handler, G. 2009a, AIPC, 1170, 403
Handler, G. 2009b, MNRAS, 398, 1339
Handler, G. Pikall, H., O'Donoghue, D. et al. 1997, MNRAS, 286, 303
Handler, G., & Shobbrook, R.R. 2002, MNRAS, 333, 251
Hareter, M., Reegen, P., Miglio, A., et al. 2010, AN, P49 (arXiv:1007.3176)
Hareter, M., Fossati, L., Weiss, W., et al. 2011, A&A, submitted

Hartman, J.D., Bakos, G., Stanek, K.Z., & Noyes, R.W. 2004, AJ, 128, 1761
Hauck B. & Mermilliod M. 1998, A&AS, 129, 431
Henry, G.W., Fekel, F.C., Kaye, A.B., & Kaul, A. 2001, AJ, 122, 3383
Henry, G.W., & Fekel, F.C. 2005, AJ, 129, 2026
Henry, G.W., Fekel, F.C., & Henry, S.M. 2005, AJ, 129, 2815
Henry, G.W., Fekel, F.C., & Henry, S.M. 2011, AJ, in press (arXiv:1105.4161)
Hill, P.W., & Lynas-Gray, A.E. 1977, MNRAS, 180, 691
Hill, S.J. & Schilt, J. 1952, Contributions from the Rutherford Observatory of Columbia University New York, 32, 1
Hoffleit, D. 1951, Harvard College Observatory Bulletin, 920, 32
Horn, M., & Vollandt, R. 1995, in "Multiple Tests und Auswahlverfahren", Gustav Fischer Verlag Stuttgart
Houdek, G., Balmforth, N.J., Christensen-Dalsgaard, J., & Gough, D.O. 1999, A&A, 351, 582
Jenkins, J.M., Caldwell, D.A., Chandrasekaran H., et al. 2010a, ApJ, 713, L120
Jenkins, J.M., Caldwell, D.A., Chandrasekaran, H., et al. 2010b, ApJ, 713, L87
Kallinger, T., & Matthews, J.M. 2010, ApJ, 711, L35
Kaye, A.B., Handler, G., Krisciunas, K., Poretti, E., & Zerbi, F.M. 1999a, PASP, 111, 840
Kaye, A.B., Henry, G.W., Fekel, F.C., & Hall, D.S. 1999b, MNRAS, 308, 1081
Keiner, J., Kunis, S., and Potts, D. 2009, in Using NFFT 3 - a software library for various nonequispaced fast Fourier transforms ACM Trans. Math. Software, 36, 4
Kharchenko, N.V., & Roeser, S. 2009, VizieR On-line Data Catalog: I/280B
King, H., Matthews, J.M., Rowe, J.F., et al. 2006, CoAst, 148, 28
Koch, D.J., Borucki, W.J., Basri, G., et al. 2010, ApJ, 713, L79
Kolenberg, K., Szabó, R., Kurtz, D. et al. 2010, ApJ, 713, L198
Kurucz, R.L. 1993, Kurucz CD-ROM 13. (Smithonian Astrophysical Observatory, Cambridge, USA)
Lafrasse, S., Mella, G., Bonneau, D., et al. 2010, in Optical and Infrared Interferometry II., Eds. W.C. Danchi, F. Delplancke, & J.K. Rajagopal, Proceedings of the SPIE, 7734, 140
Lampens, P., & Boffin, H.M.J. 2000, in Delta Scuti and Related Stars, eds. M. Breger & M. H. Montgomery, ASP Conf. Ser., 210, 309
Landstreet, J.D., Kupka, F., Ford, H.A., et al. 2009, A&A, 503, 973
Latham, D.W., Brown, T.M., Monet, D.G., et al. 2005, BAAS, 37, 1340
Lehmann, H., Tkachenko, A., Semaan, T, et al. 2011, A&A, 526, A124
Lenz, P., & Breger, M. 2005, CoAst, 146, 53
Lignières, F., Rieutord, M., & Reese, D. 2006, A&A, 455, 607
Lindoff, U. 1972, A&A, 16, 315
Löffler, W. 2000, in The Impact of Large-Scale Surveys on Pulsating Star Research, eds L. Szabados & D. Kurtz, ASP Conf. Ser., 203, 447
Macrae, D.A. 1952, ApJ, 116, 592
Magalashvili, N.L., & Kumishvili, J.I. 1976, IAU Inform. Bull. Var. Stars, 1167, 1
Malkov, O.Y., Oblak, E., Snegireva, E.A., & Torra, J. 2006, A&A, 446, 785
Martín, S., Bossi, M., & Zerbi, F.M. 2003, A&A, 401, 1077
Masana, E., Jordi, C., & Ribas, I. 2006, A&A, 450, 735
Mason, B.D., Wycoff, G.L., Hartkopf, W.I., Douglass, G.G., & Worley, C.E. 2001, AJ, 122, 3466
Mathias, P., Le Contel, J.-M., Chapellier, E., et al. 2004, A&A, 417, 189
Molenda-Żakowicz J., Frasca A., Latham D. W., 2008, AcA, 58, 419
Molenda-Żakowicz, J., Latham, D. W., Catanzaro, G., Frasca, A., & Quinn, S. N. 2011, MNRAS, 412, 1210
Monnier, J.D., Townsend, R.H.D., Che, X., et al. 2010, ApJ, 725, 1192
Moon, T.T. 1985, Comm. from the Univ. of London Obs., 78
Moore, J.H. & Paddock, G.F. 1950, ApJ, 112, 48
Moya, A., Suárez, J.C., Amado, P.J., et al. 2005, A&A, 432, 289
Moya, A., & Rodríguez-López, C. 2010, ApJ, 710, L7
Niemczura, E., Morel, T., & Aerts, C. 2009, A&A, 506, 213
Nordström, B., Mayor, M., Andersen, J., et al. 2004, A&A, 418, 989
Otero S. 2007, Open European Journal on Variable stars, 72, 10
Østensen, R.H., Silvotti, R., Charpinet, S., et al. 2010, MNRAS, 409, 1470
Pereira, T. M. D., Suárez, J.C., Lopes, I., et al. 2007, A&A, 464, 659
Perryman, M.A.C., Lindegren, L., Kovalevsky, J., et al. 1997, A&A, 323, L49
Pigulski, A., Pojmański, G., Pilecki, B., & Szczygieł, D.M. 2009, AcA, 59, 33
Poretti, E., Koen, C., Martinez, et al. 1997, MNRAS, 292, 621
Poretti, E., Garido, R., Amado, P.J., et al. 2003, A&A, 406, 203
Poretti, E., Michel, E., Garrido, R., et al. 2009, A&A, 506, 85
Press, W.H., Teukolsky, S.A., Vettering, W.T., & Flannery, B.P. 1992, Numerical Recipes, 2nd Edition, Cambridge University Press, New York, New York
Přsa, A., Batalha, N.M., Slawson, R.W., et al. 2011, AJ, 141, 83
Reegen, P. 2007, A&A, 467, 1353
Reegen, P. 2011, CoAst, in press (arXiv:1006.5081)
Rodríguez, E., & Breger, M. 2001, A&A, 366, 178
Rodríguez, E., López-González, M.J., & López de Coca, P. 2000, A&AS, 144, 469
Rowe, J.F., Matthews, J. M., Cameron, C., et al. 2006, CoAst, 148, 34
Samadi, R., Goupil, M.-J., & Houdek, G. 2002, A&A, 395, 563
Sato, K. & Kuji, S. 1990, A&AS, 85, 1069
Scargle, J. D. 1982, ApJ, 263, 835
Scuflaire, R., Théado, S., Montalbán, J., et al. 2008, A&AS, 316, 83
Shulyak, D., Tsymbal, V., Ryabchikova, et al. 2004, A&A, 428, 993
Skiff, B.A. 2007, Vizier Online Data Catalog, 1, 2023
Slawson, R.W., Přsa, A., Welsh, W.F., et al. 2011, AJ, in press (arXiv:1103.1659)
Smalley, B. & Kupka, F. 1997, A&A, 328, 349
Soubiran, C., Le Campion, J.-F., Cayrel de Strobel, G., & Caillo, A. 2010, A&A, 515, 111
Stephenson, C.B. 1986, ApJ, 301, 927
Strömgren, B. 1966, ARA&A, 4, 433
Suárez, J.C., Moya, A., Martín-Ruíz, S., et al. 2005, A&A, 443, 271
Szabó, R., Szabados, L., Ngeow, C.-C., et al. 2011, MNRAS, 413, 2709
Tango, W.J., Davis, J., Ireland, M., et al. 2006, MNRAS, 370, 884
Trampedach, R., & Stein, R. F. 2011, ApJ, 731, A78
Tsymbal, V. 1996, ASPC 108, 198
Turcotte, S., Richer, J., Michaud, G., & Christensen-Dalsgaard, J. 2000, A&A, 360, 603
Unno, W., Osaki, Y., Ando, H., Saio, H., & Shibahashi, H. 1989, Nonradial oscillations of stars, Tokyo: University of Tokyo Press
Uytterhoeven, K., Telting, J.H., Aerts, C., & Willems, B. 2004, A&A, 427, 593
Uytterhoeven, K., Mathias, P., Poretti, E., et al. 2008, A&A, 489, 2213
Uytterhoeven, K., Szabo, R., Southworth, J., et al. 2010a, AN, 331, P30 (arXiv:1003.6089)
Uytterhoeven, K., Briquet, M., Bruntt, H., et al. 2010b, AN, 331, 993
Vyssotsky, A.N. 1958, Publications of the Leander Mc Cormik Observatory of the University of Virginia, Charlottesville, 13, V
Walker, G., Matthews, J., Kuschnig, R., et al. 2003, PASP, 115, 1023
Watson, C.L. 2006, SASS, 25, 47 (AAVSO International Variable Star Index VSX, Watson+, 2006-2010)
Worley, C.E., & Douglass, G.G. 1997, A&AS, 125, 523
Wright, C.O., Egan, M.P., Kraemer, K.E., & Price, S.D. 2003, AJ, 125, 359
Zechmeister, M., & Kürster, M. 2009, A&A, 496, 577
Zerbi, F.M., Rodríguez, E., Garrido, R., et al. 1997, MNRAS, 292, 43
Zerbi, F.M., Rodríguez, E., Garrido, R., et al. 1999, MNRAS, 303, 275

[1] Laboratoire AIM, CEA/DSM-CNRS-Université Paris Diderot; CEA, IRFU, SAp, Centre de Saclay, 91191, Gif-sur-Yvette, France
[2] Kiepenheuer-Institut für Sonnenphysik, Schöneckstraße 6, 79104 Freiburg im Breisgau, Germany
[3] Instituto de Astrofísica de Canarias, 38200 La Laguna, Tenerife, Spain; Departamento de Astrofísica, Universidad de La Laguna, 38205 La Laguna, Tenerife, Spain
e-mail: katrien@iac.es
[4] Laboratorio de Astrofísica Estelar y Exoplanetas, LAEX-CAB (INTA-CSIC), PO BOX 78, 28691 Villanueva de la Cañada, Madrid, Spain
[5] Centro de Astrofísica, Faculdade de Ciências, Universidade do Porto, Rua das Estrelas, 4150-762 Porto, Portugal
[6] Los Alamos National Laboratory, XTD-2, Los Alamos, NM 87545-2345, USA
[7] Instituto de Astrofísica de Andalucía (CSIC), Apartado 3004, 18080 Granada, Spain
[8] LESIA, Observatoire de Paris, CNRS, UPMC, Université Paris-Diderot, 92195 Meudon, France
[9] Valentian International University, Prolongación C/ José Pradas Gallen, s/n 12006 Castellón de la Plana - Spain
[10] Astrophysics Group, Keele University, Staffordshire, ST5 5BG, United Kingdom
[11] Institut für Astronomie, Türkenschanzstraße 17, 1180 Wien, Austria
[12] Nicolaus Copernicus Astronomical Center, Bartycka 18, 00-716 Warsaw, Poland
[13] South African Astronomical Observatory, P.O. Box 9, Observatory 7935, South Africa
[14] Instytut Astronomiczny, Uniwersytet Wrocławski, Kopernika 11, 51-622 Wrocław, Poland
[15] Observatorio Astronómico Nacional, Instituto de Astronomía, UNAM, Ensenada B.C., Apdo. Postal 877, México
[16] CISAS, Padova University, Via Venezia 15, 35131 Padova, Italy
[17] INAF - Astronomical Observatory of Padova, Vicolo Osservatorio 5, 35122 Padova, Italy

[18] UMR 6525 H. Fizeau, UNS, CNRS, OCA, Campus Valrose, 06108 Nice Cedex 2, France
[19] Instituut voor Sterrenkunde, K.U.Leuven, Celestijnenlaan 200D, 3001 Leuven, Belgium
[20] Konkoly Observatory of the Hungarian Academy of Sciences, 1525 Budapest PO Box 67, Hungary
[21] INAF - Osservatorio Astronomico di Capodimonte, Via Moiariello 16, 80131 Napoli, Italy
[22] Lab. d'Astrophysique de Toulouse-Tarbes, Université de Toulouse, CNRS, 57 avenue d'Azereix, 65000 Tarbes, France
[23] Thüringer Landessternwarte Tautenburg, 07778 Tautenburg, Germany
[24] Department of Astronomy, New Mexico State University, Las Cruces, NM 88001, USA
[25] Astronomical Institute 'Anton Pannekoek', University of Amsterdam, Science Park 904, 1098 XH Amsterdam, The Netherlands
[26] University of Birmingham, School of Physics and Astronomy, Edgbaston, Birmingham B15 2TT, UK
[27] Department of Astronomy and Physics, Saint Marys University, Halifax, NS B3H 3C3, Canada
[28] Observatoire de Genève, Université de Genève, 51 ch. des Maillettes, 1290 Sauverny, Switzerland
[29] Los Alamos National Laboratory, XCP-6, MS T-087, Los Alamos, NM 87545-2345, USA
[30] Jeremiah Horrocks Institute of Astrophysics, University of Central Lancashire, Preston PR1 2HE, UK
[31] Royal Observatory of Belgium, Ringlaan 3, 1180 Brussel, Belgium
[32] Department of Physics and Astronomy, University of Aarhus, bygn. 1520, Ny Munkegade, 8000 Aarhus C., Denmark
[33] Department of Astronomy, University of Texas, Austin, TX 78712, USA
[34] Sydney Institute for Astronomy, School of Physics, A28, The University of Sydney, NSW, 2006, Australia
[35] Bay Area Environmental Research Inst./NASA Ames Research Center, Moffett Field, CA 94035, USA
[36] SETI Institute/NASA Ames Research Center, Moffett Field, CA 94035, USA

Table 1. Database of 750 *Kepler* A-F type stars

KIC ID	RA (J2000)	DEC (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
01162150	19 24 53.76	+36 53 13.6	11.2	…	…	binary	44232	321.5	248.4	Q0-Q1	Q4.3
01294756	19 25 41.35	+36 58 16.6	9.1	A2[35]	BD+36-3554	binary	15856	44.4	1.2	Q1	Q0
01432149	19 25 29.23	+37 05 57.0	11.2	…	TYC2666-352-1	binary[1]	41318	79.6	4.5	Q0-Q1	Q2.1
01571152	19 23 40.56	+37 09 54.8	9.3	F0[35]	BD+36-3535	binary	43057	79.6	5.1	Q0-Q1	Q2.1
01571717	19 24 10.54	+37 06 34.5	11.2	…	TYC 2666-579-1	…	44418	321.5	248.3	Q0-Q1	Q4.3
01573064	19 25 24.07	+37 06 21.2	12.8	…	…	…	460	9.5	0.0	Q0	…
01718594	19 23 19.37	+37 16 21.3	10.4	…	TYC 2666-751-1	…	40062	137.7	66.5	Q0-Q1	Q2.3
01995489	19 04 33.82	+37 29 48.7	12.2	…	…	…	461	9.5	0.0	Q0-Q1	…
02020966	19 31 26.64	+37 27 26.9	12.1	…	…	…	457	9.5	0.0	Q0-Q1	…
02162283	19 27 34.03	+37 33 24.6	9.6	F2[35]	BD+37-3464	binary[38]	43716	79.6	4.5	Q0-Q1	Q2.1
02163434	19 28 33.84	+37 34 46.3	13.4	…	…	…	461	9.5	0.0	Q0	…
02166218	19 30 57.05	+37 30 35.8	9.5	F0[35]	BD+37-3490	…	39459	137.7	66.5	Q0-Q1	Q2.3
02168333	19 32 44.59	+37 35 36.2	10.1	…	TYC 3135-203-1	…	15857	44.4	1.2	Q1	Q0
02300165	19 23 16.78	+37 39 59.5	11.1	…	TYC3134-1646-1	…	49244	44.2	1.2	Q0	Q1
02303365	19 26 08.76	+37 41 00.0	11.1	…	TYC 3134-205-1	…	43946	79.6	4.5	Q0-Q1	Q2.1
02306469	19 28 52.06	+37 36 41.4	12.6	…	…	…	462	9.5	0.0	Q0	…
02306716	19 29 03.79	+37 41 19.2	12.0	…	…	…	461	9.5	0.0	Q0	…
02310479	19 32 24.58	+37 40 21.6	10.8	…	…	…	460	9.5	0.0	Q0	…
02311130	19 33 00.07	+37 39 41.6	11.9	…	…	…	461	9.5	0.0	Q0	…
02423932	19 05 59.69	+37 46 42.6	13.0	…	…	…	462	9.5	0.0	Q0-Q1	…
02439660	19 22 17.76	+37 43 23.2	11.6	…	…	…	40046	228.8	158.5	Q0-Q1	Q3.3
02443055	19 25 31.08	+37 46 05.9	13.4	…	…	…	462	9.5	0.0	Q0	…
02444598	19 26 53.83	+37 44 14.9	12.3	…	…	…	2070	44.2	1.6	Q0-Q1	…
02556297	19 05 53.09	+37 50 27.9	12.5	…	…	…	460	9.5	0.0	Q0	…
02556387	19 06 01.30	+37 53 10.6	11.1	…	…	…	2086	44.2	1.2	Q0-Q1	…
02557115	19 06 59.52	+37 49 16.3	12.6	…	…	binary[38]	460	9.5	0.0	Q0	…
02557430	19 07 22.87	+37 48 57.2	11.5	…	…	binary[36]	38573	79.6	4.5	Q0-Q1	Q2.1
02558273	19 08 24.84	+37 53 38.9	11.3	…	…	…	38464	292.5	219.4	Q0-Q1	Q4.2
02568519	19 20 03.94	+37 52 27.4	11.3	…	BD+37-3418a	…	59804	321.4	4.9	Q0-Q4	Q4.1
02569639	19 20 46.80	+37 50 13.8	10.6	…	NGC 6791,SBG 5986	NGC 6791	39847	228.8	158.6	Q0-Q1	Q3.3
02571868	19 22 17.62	+37 53 08.4	8.7	A0[35]	HD 182271	…	40134	228.8	158.5	Q0-Q1	Q3.3
02572386	19 22 45.89	+37 53 02.9	13.3	…	…	…	2073	44.2	1.2	Q0-Q1	…
02575161	19 25 17.66	+37 49 25.2	10.9	F0[35]	BD+37-3452	binary	1999	44.2	2.7	Q0-Q1	…
02578251	19 27 51.65	+37 49 54.1	11.7	…	…	…	2021	44.2	2.3	Q0-Q1	…
02583658	19 32 34.58	+37 51 32.0	12.6	…	…	…	463	9.5	0.0	Q0	…
02584202	19 33 03.19	+37 48 57.9	11.8	…	…	…	2065	44.2	1.2	Q0-Q1	…
02584908	19 33 41.47	+37 50 41.7	10.8	…	…	binary[38]	38098	292.5	219.3	Q0-Q1	Q4.2
02694337	19 05 08.62	+37 54 34.8	10.4	…	TYC 3120-1608-1	…	40233	137.7	66.4	Q0-Q1	Q2.3
02707479	19 20 33.10	+37 59 54.0	11.2	…	TYC 3134-833-1	…	43921	79.6	4.5	Q0-Q1	Q2.1
02718596	19 30 35.78	+37 55 51.5	13.4	…	…	…	464	9.5	0.0	Q0	…
02720582	19 32 21.19	+37 59 09.0	11.4	…	…	…	44183	321.5	248.4	Q0-Q1	Q4.3
02834796	19 06 47.62	+38 04 32.4	12.5	…	…	…	461	9.5	0.0	Q0	…
02835795	19 08 06.53	+38 00 26.4	12.6	…	…	…	2070	44.2	1.4	Q0-Q1	…
02853280	19 26 27.98	+38 02 05.2	11.0	…	TYC 3134-92-1	…	44400	321.5	248.3	Q0-Q1	Q4.3
02855687	19 28 31.20	+38 01 40.7	10.3	…	TYC 3134-10-1	…	462	9.5	0.0	Q0	…
02860123	19 32 16.42	+38 03 36.6	13.7	…	…	…	463	9.5	0.0	Q0	…
02969151	19 02 17.76	+38 11 27.8	11.9	…	…	…	460	9.5	0.0	Q0	…
02970244	19 03 42.34	+38 08 14.2	12.5	…	…	…	463	9.5	0.0	Q0	…

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
02972401	19 06 35.86	+38 08 59.3	13.5	…	…	…	460	9.5	0.0	Q0	…
02975832	19 11 01.99	+38 08 56.6	12.6	…	…	…	2090	44.2	1.2	Q0-Q1	…
02987660	19 23 57.46	+38 06 51.7	8.0	F2[16],A3[35]	HD 182634	δ Sct[2]	45196	169.8	95.2	Q0-Q1	Q3.1
02989746	19 25 49.34	+38 09 13.6	13.2	…	…	…	2078	44.2	1.2	Q0-Q1	…
02995525	19 30 50.23	+38 11 41.6	13.2	…	…	…	464	9.5	0.0	Q0	…
02997802	19 32 48.14	+38 08 35.9	13.2	…	…	…	2062	44.2	1.2	Q0-Q1	…
03097912	19 03 36.72	+38 12 08.2	9.4	A5[35]	BD+37-3324	binary	45378	109.5	35.3	Q0-Q1	Q2.2
03111451	19 20 37.54	+38 15 08.2	13.5	…	…	…	463	9.5	0.0	Q0	…
03119604	19 28 30.50	+38 16 09.4	10.7	…	TYC 3134-70-1	…	47547	262.8	187.3	Q0-Q1	Q4.1
03119825	19 28 42.19	+38 16 47.1	11.0	…	…	…	2090	44.2	1.2	Q0-Q1	…
03215800	19 01 03.65	+38 18 24.3	13.2	…	…	…	2070	44.2	1.6	Q0-Q1	…
03217554	19 03 51.02	+38 21 28.8	9.6	A5[35]	BD+38-3415	binary°	40426	137.7	66.3	Q0-Q1	Q2.3
03218637	19 05 31.68	+38 20 07.4	10.6	…	TYC 3120-564-1	…	40072	228.8	158.5	Q0-Q1	Q3.3
03219256	19 06 27.53	+38 21 13.9	8.3	A3[35]	HD 178306	…	58430	321.4	32.9	Q0-Q4	Q3.2
03220783	19 08 43.49	+38 19 32.8	13.6	…	…	…	460	9.5	0.0	Q0	…
03222364	19 10 59.54	+38 21 19.9	11.1	…	TYC 3121-1831-1	…	2063	44.2	1.2	Q0-Q1	…
03230227	19 20 27.02	+38 23 59.5	9.0	A5[35]	HD 181850	binary[38]	48466	44.2	1.2	Q0	Q1
03231406	19 21 43.73	+38 18 53.3	10.5	…	TYC 3134-1188-1	…	45158	169.8	95.2	Q0-Q1	Q3.1
03240556	19 31 15.98	+38 18 46.4	10.3	…	TYC 3135-607-1	…	45394	109.5	35.3	Q0-Q1	Q2.2
03245420	19 35 58.61	+38 18 21.2	10.6	…	TYC 3135-396-1	…	40135	228.8	158.5	Q0-Q1	Q3.3
03248627	19 38 54.29	+38 21 04.1	12.3	…	…	…	463	9.5	0.0	Q0	…
03327681	19 08 12.48	+38 29 02.3	11.3	…	TYC 3120-1051-1	binary⋆	44399	321.5	248.3	Q0-Q1	Q4.3
03331147	19 13 07.75	+38 27 34.3	10.1	…	TYC 3121-1178-1	…	15791	44.4	1.2	Q1	Q0
03337002	19 20 04.25	+38 24 41.0	10.8	…	TYC 3134-2162-1	binary	38681	292.5	219.3	Q0-Q1	Q4.2
03347643	19 31 16.22	+38 24 02.9	8.0	A2[35]	HD 184105	…	45121	109.0	35.4	Q0-Q1	Q2.2
03348390	19 32 00.62	+38 24 18.0	11.4	…	TYC 3135-135-1	pulsating[3]	40286	137.7	66.3	Q0-Q1	Q2.3
03354022	19 37 33.10	+38 27 51.8	12.1	…	…	…	461	9.5	0.0	Q0	…
03355066	19 38 29.66	+38 25 24.9	13.6	…	…	…	464	9.5	0.0	Q0	…
03424493	19 00 37.54	+38 30 20.2	9.6	A5[35]	BD+38-3391	…	40427	137.7	66.3	Q0-Q1	Q2.3
03425802	19 02 50.26	+38 34 04.0	11.2	…	TYC 3120-1011-1	…	43321	79.6	4.5	Q0-Q1	Q2.1
03427144	19 04 53.21	+38 35 24.4	13.4	…	…	…	460	9.5	0.0	Q0	…
03427365	19 05 12.86	+38 32 46.6	13.6	…	…	…	462	9.5	0.0	Q0	…
03429637	19 08 38.04	+38 30 31.8	7.7	kF2hA9mF3[18]	HD 178875	binary, Am star	14006	310.5	4.5	Q1-Q4	…
03437940	19 19 22.01	+38 31 49.4	8.5	F0[35]	HD 181569	…	58013	321.4	32.9	Q0-Q4	Q3.2
03440495	19 22 12.36	+38 30 32.6	10.5	…	TYC 3134-632-1	…	45140	169.8	95.2	Q0-Q1	Q3.1
03449373	19 31 35.98	+38 30 34.6	12.7	…	…	…	2062	44.2	1.2	Q0-Q1	…
03449625	19 31 49.30	+38 34 50.6	13.4	…	…	…	2034	44.2	1.9	Q0-Q1	…
03453494	19 35 31.73	+38 34 54.4	9.6	A5[35]	BD+38-3666	…	40408	137.7	66.3	Q0-Q1	Q2.3
03457434	19 39 18.86	+38 32 18.4	12.4	…	…	…	462	9.5	0.0	Q0	…
03458097	19 39 53.33	+38 33 25.9	11.7	…	…	…	2086	44.2	1.2	Q0-Q1	…
03458318	19 40 03.91	+38 35 51.6	12.8	…	…	…	2090	44.2	1.2	Q0-Q1	…
03525951	19 00 34.73	+38 40 26.4	12.9	…	…	…	462	9.5	0.0	Q0	…
03528578	19 04 56.78	+38 38 56.5	13.5	…	…	…	461	9.5	0.0	Q0	…
03539153	19 19 32.71	+38 39 04.9	11.4	…	TYC 3121-379-1	…	39889	137.7	66.3	Q0-Q1	Q2.3
03546061	19 27 13.94	+38 38 19.2	10.9	…	…	…	462	9.5	0.0	Q0	…
03558145	19 39 13.06	+38 38 05.1	11.3	…	TYC 3135-189-1	…	43958	310.5	248.3	Q1	Q4.3
03629080	19 04 07.22	+38 42 20.2	13.5	…	…	…	459	9.5	0.0	Q0	…
03633693	19 11 21.65	+38 43 48.4	12.6	…	…	…	463	9.5	0.0	Q0	…

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
03634384	19 12 20.28	+38 43 34.1	11.2	…	…	…	43854	79.6	4.5	Q0-Q1	Q2.1
03643717	19 23 43.75	+38 47 30.2	12.9	…	…	…	463	9.5	0.0	Q0	…
03644116	19 24 10.73	+38 43 01.1	10.9	…	TYC 3134-1328-1	…	38681	292.5	219.3	Q0-Q1	Q4.2
03655513	19 35 53.30	+38 47 03.7	10.5	…	TYC 3135-142-1	…	2090	44.2	1.2	Q0-Q1	…
03655608	19 35 59.16	+38 44 45.3	11.4	…	…	…	43807	321.5	248.3	Q0-Q1	Q4.3
03663141	19 42 39.17	+38 43 05.7	13.2	…	…	binary*	2067	44.2	1.6	Q0-Q1	…
03733735	19 09 01.92	+38 53 59.6	8.4	F5[35]	HD 178971	…	57376	321.4	35.3	Q0-Q4	Q2.2
03758717	19 37 42.14	+38 51 20.4	11.8	…	TYC 3135-360-1	…	2061	44.2	1.6	Q0-Q1	…
03759814	19 38 46.25	+38 51 32.5	10.7	G0[35]	TYC 3135-77-1	…	45382	109.5	35.3	Q0-Q1	Q2.2
03760002	19 38 58.01	+38 52 43.6	10.6	…	TYC 3135-708-1	…	46068	200.7	126.4	Q0-Q1	Q3.2
03760826	19 39 48.22	+38 53 47.9	8.8	A1V[17]	HD 185894	…	464	9.5	0.0	Q0	…
03761641	19 40 30.24	+38 51 59.9	11.0	A0[18]	HD 225341	…	15851	44.4	1.2	Q1	Q0
03836911	19 08 30.05	+38 54 42.7	12.5	…	…	…	2089	44.2	1.2	Q0-Q1	…
03850810	19 26 24.72	+38 58 32.7	10.0	…	TYC 3134-3-1	…	15860	44.4	1.2	Q1	Q0
03851151	19 26 47.54	+38 56 16.7	9.8	A2[35]	BD+38-3594	…	15771	44.4	1.4	Q1	Q0
03868032	19 43 07.58	+38 56 49.9	10.4	A0[18]	HD 225504	…	44909	169.8	95.3	Q0-Q1	Q3.1
03941283	19 09 43.68	+39 02 45.6	10.3	…	TYC 3120-867-1	…	45449	109.5	35.3	Q0-Q1	Q2.2
03942911	19 12 16.27	+39 04 16.9	10.8	…	TYC 3121-719-1	…	38658	292.5	219.3	Q0-Q1	Q4.2
03966357	19 38 24.10	+39 04 58.9	11.2	…	…	…	45196	109.5	35.3	Q0-Q1	Q2.2
03970729	19 42 18.60	+39 00 46.8	11.5	…	TYC 3136-1008-1	…	45175	169.8	95.2	Q0-Q1	Q3.1
04035667	18 58 29.57	+39 10 56.7	10.0	…	TYC 3119-347-1	…	15842	44.4	1.2	Q1	Q0
04044353	19 11 00.82	+39 10 15.3	9.8	A2[35]	BD+38-3465	…	15856	44.4	1.2	Q1	Q0
04048488	19 16 32.78	+39 10 30.1	11.6	A5[35]	…	binary	39583	126.8	66.5	Q1	Q2.3
04048494	19 16 33.07	+39 10 28.7	9.5	A5[35]	BD+38-3512	binary	45465	109.5	35.3	Q0-Q1	Q2.2
04069477	19 38 38.52	+39 08 25.2	11.2	…	TYC 3135-485-1	…	44118	321.5	248.3	Q0-Q1	Q4.3
04075519	19 43 50.02	+39 08 48.5	12.5	F0[18]	HD 225644	…	2070	44.2	1.6	Q0-Q1	…
04077032	19 45 03.17	+39 11 26.0	9.7	F0[35]	…	…	43905	79.6	4.5	Q0-Q1	Q2.1
04144300	19 11 26.11	+39 12 18.0	12.3	…	…	…	2075	44.2	1.2	Q0-Q1	…
04150611	19 18 58.20	+39 16 01.4	7.9	A5V[17],A2[35]	HD 181469	binary[38]	43160	109.4	35.3	Q0-Q1	Q2.2
04160876	19 29 29.16	+39 13 17.6	10.2	…	TYC 3134-81-1	…	45235	109.5	35.4	Q0-Q1	Q2.2
04164363	19 32 50.54	+39 14 26.5	11.4	…	…	…	40285	137.7	66.3	Q0-Q1	Q2.3
04168574	19 36 41.02	+39 15 17.9	10.3	…	TYC 3135-437-1	…	40321	137.7	66.3	Q0-Q1	Q2.3
04170631	19 38 33.07	+39 14 18.7	10.8	…	TYC 3135-641-1	…	38628	292.5	219.3	Q0-Q1	Q4.2
04180199	19 46 02.35	+39 12 19.7	10.1	A7[18]	HD 225718	…	15829	44.4	1.2	Q1	Q0
04252757	19 15 35.28	+39 20 07.2	10.9	…	TYC 3121-1037-1	…	38629	292.5	219.3	Q0-Q1	Q4.2
04269337	19 33 12.96	+39 22 23.8	10.9	A8II[35]	…	binary	39692	126.8	66.3	Q1	Q2.3
04281581	19 43 57.00	+39 20 47.4	9.4	A2[18]	HD 225569	…	45460	109.5	35.3	Q0-Q1	Q2.2
04383117	19 43 34.10	+39 24 24.0	11.0	A3[18]	HD 225535	…	49453	44.2	1.2	Q0	Q1
04476836	19 39 31.42	+39 34 57.8	11.5	…	…	…	45434	109.5	35.3	Q0-Q1	Q2.2
04480321	19 42 38.38	+39 33 40.4	10.3	A3[18]	HD 225479	…	45390	109.5	35.3	Q0-Q1	Q2.2
04488840	19 49 27.58	+39 32 15.3	11.4	…	TYC 3140-568-1	…	40338	137.7	66.3	Q0-Q1	Q2.3
04550962	19 14 05.11	+39 36 56.9	10.5	…	TYC 3125-3570-1	…	40112	228.8	158.5	Q0-Q1	Q3.3
04556345	19 20 28.85	+39 36 36.4	10.8	…	TYC 3138-1615-1	…	47527	262.8	187.3	Q0-Q1	Q4.1
04570326	19 36 09.02	+39 37 43.0	9.8	…	BD+39-3858	variable[4,38]	14474	321.5	4.5	Q0-Q4	…
04588487	19 51 21.82	+39 41 37.5	10.9	A0[18]	HD 226196	…	43254	310.5	248.4	Q1	Q4.3
04647763	19 18 41.14	+39 42 26.7	10.8	…	TYC 3125-307-1	…	45196	109.5	35.4	Q0-Q1	Q2.2
04649476	19 20 35.90	+39 47 01.5	9.4	A2[35]	BD+39-3732	…	45459	109.5	35.3	Q0-Q1	Q2.2

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
04671225	19 43 40.08	+39 45 33.1	10.0	A7[18]	HD 225544	…	54194	137.9	66.3	Q1	Q0,Q2.3
04677684	19 48 44.71	+39 47 32.5	10.2	A0[18]	HD 225950	…	40407	137.7	66.3	Q0-Q1	Q2.3
04758316	19 39 41.69	+39 48 04.6	11.1	…	TYC 3139-1185-1	…	47354	262.8	187.3	Q0-Q1	Q4.1
04768677	19 48 23.95	+39 52 58.0	11.2	A[18]	HD 225906	…	40676	79.6	5.1	Q0-Q1	Q2.1
04840675	19 32 57.94	+39 58 45.3	9.6	…	TYC 3139-1403-1	…	40137	228.8	158.5	Q0-Q1	Q3.3
04850899	19 43 04.49	+39 59 49.6	7.0	F0IV[19],A5[35]	HD 186505	…	451	9.5	0.0	Q0	…
04856630	19 47 46.58	+39 58 56.3	11.4	…	…	…	40317	137.7	66.3	Q0-Q1	Q2.3
04857678	19 48 44.06	+39 54 60.0	7.0	F0[35]	HD 187523	…	14420	321.5	4.7	Q0-Q4	…
04863077	19 53 13.85	+39 56 48.3	11.1	A0[18]	HD 226381	…	49510	44.2	1.2	Q0	Q1
04909697	19 08 48.00	+40 04 06.0	10.7	…	TYC 3124-2306-1	binary	47579	262.8	187.3	Q0-Q1	Q4.1
04919818	19 22 10.66	+40 03 17.1	10.7	…	TYC 3138-36-1	…	47370	262.8	187.3	Q0-Q1	Q4.1
04920125	19 22 35.04	+40 03 47.2	11.1	F0[35]	BD+39-3745	…	49479	44.2	1.2	Q0	Q1
04936524	19 40 48.31	+40 02 28.9	13.1	…	…	…	49504	44.2	1.2	Q0	Q1
04937257	19 41 27.31	+40 04 54.8	13.5	…	…	…	10188	228.7	4.9	Q0-Q3	…
04989900	18 55 25.66	+40 10 37.7	6.9	A2[35]	HD 175841	…	37933	25.9	0.0	…	Q3.3
05024150	19 41 06.58	+40 10 19.6	13.2	…	…	…	48935	33.4	0.0	…	Q1
05024454	19 41 17.02	+40 10 34.8	13.7	…	NGC 6819 609	NGC 6819	48970	33.4	0.0	…	Q1
05024455	19 41 17.02	+40 06 04.0	14.8	…	NGC 6819 960	NGC 6819	48955	33.4	0.0	…	Q1
05024456	19 41 17.04	+40 10 51.9	11.1	…	NGC 6819 550	NGC 6819	13835	309.7	4.9	Q1-Q4	…
05024750	19 41 26.59	+40 11 41.8	11.2	…	NGC 6819 975	NGC 6819	10327	228.7	4.5	Q0-Q3	…
05038228	19 52 43.85	+40 10 56.0	11.4	…	…	…	44407	321.5	248.3	Q0-Q1	Q4.3
05080290	18 59 19.10	+40 12 54.8	9.5	F8[35]	BD+40-3547	…	41935	79.6	5.0	Q0-Q1	Q2.1
05088308	19 13 27.19	+40 14 32.1	8.7	F5[35]	HD 180099	binary[38]	40304	137.7	66.3	Q0-Q1	Q2.3
05105754	19 34 31.15	+40 17 36.6	11.4	…	TYC 3139-2577-1	…	40240	137.7	66.3	Q0-Q1	Q2.3
05112786	19 41 23.69	+40 12 35.5	11.5	…	NGC 6819 972	NGC 6819	14461	321.5	4.5	Q0-Q4	…
05112932	19 41 28.99	+40 13 15.5	13.2	…	NGC 6819 995	NGC 6819	48925	33.4	0.0	…	Q1
05113797	19 42 12.62	+40 17 46.0	9.1	A3[18]	HD 225447	…	43613	79.6	4.5	Q0-Q1	Q2.1
05164767	18 53 54.19	+40 19 25.6	7.8	F2IV[20]	HD 175537	…	14422	321.5	4.6	Q0-Q4	…
05180796	19 19 49.58	+40 19 18.7	10.2	…	TYC 3125-269-1	…	44855	109.5	35.4	Q0-Q1	Q2.2
05197256	19 38 33.82	+40 19 25.7	11.0	…	TYC 3139-1882-1	binary	44430	321.5	248.3	Q0-Q1	Q4.3
05199464	19 40 45.48	+40 22 03.1	14.8	…	…	…	48927	33.4	0.0	…	Q1
05200084	19 41 20.66	+40 23 31.7	9.2	A0[39]	HD 225410	binary*	41302	79.6	5.1	Q0-Q1	Q2.1
05201088	19 42 12.05	+40 18 02.8	13.6	A3[35]	…	…	48950	33.4	0.0	…	Q1
05209712	19 49 21.98	+40 21 13.2	11.3	A2[39]	HD 226009	…	45346	109.5	35.3	Q0-Q1	Q2.2
05217733	19 55 44.76	+40 23 30.3	7.4	B1V[22],B2II[21]	HD 188891	binary	42261	28.9	0.0	…	Q4.3
05219533	19 57 09.91	+40 22 50.5	9.2	A2[39],kA2hA8mA8[23]	HD 226766	binary	49385	44.2	1.2	Q0	Q1
05272673	19 24 19.87	+40 24 27.6	10.4	…	TYC 3138-994-1	…	45175	169.8	95.2	Q0-Q1	Q3.1
05294571	19 47 12.53	+40 28 02.4	10.5	F2[39]	HD 225808	…	47206	262.8	187.3	Q0-Q1	Q4.1
05296877	19 49 04.75	+40 24 36.6	12.3	…	2MASS J19490475	variable[5,38]	28722	321.9	75.3	Q0-Q4	Q0
05356349	19 19 36.10	+40 35 07.3	8.1	A0[35]	HD 181680	binary	45292	189.7	126.4	Q1	Q3.2
05371747	19 37 43.49	+40 35 38.4	10.5	F[35]	BD+40-3811	…	45893	200.7	126.4	Q0-Q1	Q3.2
05391416	19 55 14.78	+40 33 12.8	10.2	A7[39]	HD 226570	…	45456	109.5	35.3	Q0-Q1	Q2.2
05428254	18 56 52.80	+40 37 47.4	10.5	…	TYC 3123-1722-1	…	46080	200.7	126.4	Q0-Q1	Q3.2
05436432	19 11 27.91	+40 41 26.6	9.0	A2[35]	HD 179618	…	49499	44.2	1.2	Q0	Q1
05437206	19 12 43.56	+40 37 57.1	8.4	A2[35]	HD 179936	…	46078	200.7	126.4	Q0-Q1	Q3.2
05446068	19 24 18.10	+40 38 58.8	9.7	…	BD+40-3704	binary	43937	79.6	4.5	Q0-Q1	Q2.1
05473171	19 52 17.88	+40 41 10.1	9.0	A2[39]	HD 226284	…	15859	44.4	1.2	Q1	Q0

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
05474427	19 53 21.14	+40 39 12.9	11.4	…	TYC 3141-2904-1	…	44428	321.5	248.3	Q0-Q1	Q4.3
05476495	19 54 53.11	+40 36 55.2	10.2	A3[39]	HD 226528	…	42944	79.6	4.6	Q0-Q1	Q2.1
05476864	19 55 09.22	+40 39 20.7	11.5	…	…	…	41682	68.6	5.1	Q1	Q2.1
05513861	18 57 24.53	+40 42 53.0	11.6	…	TYC 3123-2012-1	binary[38]	45178	109.5	113.0	Q0-Q1	Q2.2
05603049	19 03 43.90	+40 48 17.2	11.2	…	TYC 3124-1423-1	…	44428	321.5	248.3	Q0-Q1	Q4.3
05630362	19 39 19.25	+40 53 58.9	10.5	…	TYC 3139-1246-1	…	40134	228.8	158.5	Q0-Q1	Q3.3
05632093	19 41 04.78	+40 53 17.4	10.9	A[39]	HD 225391	…	15846	44.4	1.2	Q1	Q0
05641711	19 49 38.38	+40 53 49.8	10.4	F0[39]	HD 226029	…	40404	137.7	66.3	Q0-Q1	Q2.3
05709664	19 32 25.58	+40 54 03.0	11.3	…	TYC 3139-826-1	…	45456	109.5	35.3	Q0-Q1	Q2.2
05722346	19 45 32.76	+40 56 41.9	11.2	…	TYC 3140-925-1	…	47575	262.8	187.3	Q0-Q1	Q4.1
05724048	19 47 00.46	+40 56 10.0	11.4	…	…	…	44067	321.5	248.4	Q0-Q1	Q4.3
05724440	19 47 19.78	+40 59 39.6	7.9	A5[35]	HD 187234	…	57568	321.5	4.5	Q0-Q4	Q3.1
05724810	19 47 39.24	+40 54 41.5	10.9	A7[39]	HD 225842	binary*	15856	44.4	1.2	Q1	Q0
05768203	18 51 36.46	+41 05 27.7	10.8	…	TYC 3123-19-1	…	45448	109.5	35.3	Q0-Q1	Q2.2
05772411	18 59 59.59	+41 00 54.3	10.6	…	…	binary	37713	292.5	219.9	Q0-Q1	Q4.2
05774557	19 04 01.78	+41 01 49.6	11.0	…	TYC 3124-2058-1	…	44425	321.5	248.3	Q0-Q1	Q4.3
05785707	19 20 31.70	+41 04 48.4	9.0	A2[35]	HD 181902	…	43397	79.6	4.5	Q0-Q1	Q2.1
05810113	19 47 39.34	+41 01 32.5	11.6	…	…	binary[38]	45383	109.5	35.3	Q0-Q1	Q2.2
05857714	18 58 46.37	+41 09 56.0	11.2	…	TYC 3123-742-1	…	38656	292.5	219.3	Q0-Q1	Q4.2
05880360	19 32 23.26	+41 08 09.2	8.8	A0[35]	HD 184380	…	49507	44.2	1.2	Q0	Q1
05940273	18 55 48.17	+41 15 40.5	10.5	F0[35]	BD+41-3185	…	40102	228.8	158.5	Q0-Q1	Q3.3
05954264	19 19 27.19	+41 13 25.6	8.2	F0[35]	HD 181654	…	57187	321.5	35.3	Q0-Q4	Q2.2
05965837	19 34 06.50	+41 15 03.3	9.2	F2[35]	BD+40-3786	variable[6]	24079	228.5	4.5	Q0-Q3	Q0
05980337	19 48 24.29	+41 16 51.3	10.1	F0[39]	HD 225912	binary	43796	79.0	5.0	Q0-Q1	Q2.1
05988140	19 55 10.03	+41 17 10.1	8.9	F0[37]	HD 188774	…	10332	321.5	93.4	Q0-Q4	…
06032730	19 14 22.30	+41 18 26.4	8.7	A2[37]	HD 180349	…	46077	200.7	126.4	Q0-Q1	Q3.2
06067817	19 53 54.89	+41 23 33.4	10.2	A3[39]	HD 226443	…	43924	79.6	4.5	Q0-Q1	Q2.1
06123324	19 27 01.51	+41 29 09.1	8.7	F0[35]	HD 183281	binary	40431	137.7	66.3	Q0-Q1	Q2.3
06141372	19 46 37.94	+41 28 33.6	11.1	…	…	variable	44408	321.5	248.3	Q0-Q1	Q4.3
06142919	19 47 55.85	+41 26 58.9	10.6	…	TYC 3144-608-1	binary*	40021	228.8	158.5	Q0-Q1	Q3.3
06187665	19 01 38.06	+41 30 26.9	11.5	…	TYC 3128-1790-1	…	45465	109.5	35.3	Q0-Q1	Q2.2
06199731	19 20 31.94	+41 35 19.5	10.9	…	TYC 3142-175-1	…	15820	44.4	1.2	Q1	Q0
06268890	19 02 28.39	+41 36 11.4	11.2	…	TYC 3128-2125-1	…	45464	109.5	35.3	Q0-Q1	Q2.2
06279848	19 20 19.44	+41 39 39.9	8.9	F0[35]	HD 181877	…	2087	44.2	1.2	Q0-Q1	…
06289468	19 33 00.60	+41 39 13.4	9.4	A2[35]	BD+41-3389	…	45438	109.5	35.3	Q0-Q1	Q2.2
06301745	19 45 51.36	+41 37 54.0	10.9	…	TYC 3144-787-1	…	45248	109.5	35.4	Q0-Q1	Q2.2
06381306	19 46 36.34	+41 44 16.9	8.7	A0[35]	HD 187141	…	39980	228.8	158.5	Q0-Q1	Q3.3
06432054	19 12 09.53	+41 50 15.3	8.2	F0[35]	HD 179837	…	46058	200.7	126.4	Q0-Q1	Q3.2
06440930	19 24 33.79	+41 53 24.0	10.6	…	TYC 3142-1367-1	…	45857	200.7	126.4	Q0-Q1	Q3.2
06443122	19 27 36.34	+41 49 39.9	11.2	…	TYC 3142-1661-1	…	45463	109.5	35.3	Q0-Q1	Q2.2
06446951	19 32 35.93	+41 53 32.3	11.3	…	TYC 3143-1362-1	…	44431	321.5	248.3	Q0-Q1	Q4.3
06448112	19 34 02.57	+41 53 03.1	10.0	A2[35]	BD+41-3395	…	15813	44.4	1.2	Q1	Q0
06462033	19 48 33.72	+41 49 49.3	10.7	…	TYC 3144-646-1	…	40066	228.8	158.5	Q0-Q1	Q3.3
06500578	18 53 24.94	+41 59 16.9	10.8	…	TYC 3127-1666-1	…	38671	292.5	219.3	Q0-Q1	Q4.2
06509175	19 09 08.64	+41 56 59.8	10.0	A2[35]	BD+41-3248	…	15859	44.4	1.2	Q1	Q0
06519869	19 24 03.26	+41 56 54.4	10.5	…	TYC 3142-733-1	…	44879	169.8	95.2	Q0-Q1	Q3.1
06586052	18 58 02.14	+42 01 05.7	11.3	…	…	…	45465	109.5	35.3	Q0-Q1	Q2.2

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
06587551	19 00 54.70	+42 02 23.9	9.8	A0[35]	BD+41-3207	…	15844	44.4	1.2	Q1	Q0
06590403	19 05 53.35	+42 02 14.5	10.6	…	TYC 3128-2036-1	…	40133	228.8	158.5	Q0-Q1	Q3.3
06606229	19 27 25.34	+42 00 31.0	11.1	…	TYC 3142-717-1	…	47569	262.7	187.3	Q0-Q1	Q4.1
06614168	19 36 27.50	+42 04 26.8	11.4	…	…	…	40405	137.7	66.3	Q0-Q1	Q2.3
06629106	19 50 38.40	+42 01 23.2	10.1	F0[39]	HD 226135	…	15861	44.4	1.2	Q1	Q0
06668729	18 53 50.62	+42 10 15.8	8.6	A2[35]	HD 175536	…	46078	200.7	126.4	Q0-Q1	Q3.2
06670742	18 57 19.82	+42 07 37.5	9.3	A5[35]	BD+41-3195	…	43924	79.6	4.5	Q0-Q1	Q2.1
06678614	19 10 46.30	+42 06 40.7	10.8	…	TYC 3129-800-1	…	37918	292.5	219.4	Q0-Q1	Q4.2
06694649	19 31 01.20	+42 10 11.2	10.4	…	…	binary	45188	169.8	95.2	Q0-Q1	Q3.1
06756386	18 55 54.24	+42 12 37.9	8.7	A2[35]	HD 175939	…	15860	44.4	1.2	Q1	Q0
06756481	18 56 01.87	+42 13 34.7	9.3	F0[35]	BD+42-3197	…	43844	79.6	4.5	Q0-Q1	Q2.1
06761539	19 05 03.58	+42 13 18.7	10.3	…	TYC 3128-1341-1	…	45451	109.5	35.3	Q0-Q1	Q2.2
06776331	19 25 59.47	+42 16 45.3	10.9	…	TYC 3142-511-1	…	44411	321.5	248.3	Q0-Q1	Q4.3
06790335	19 41 30.74	+42 12 11.1	10.5	…	TYC 3144-1756-1	…	46068	200.7	126.4	Q0-Q1	Q3.2
06804821	19 54 04.99	+42 17 29.9	10.6	A[35]	HD 226454	variable[7]	40121	228.8	158.5	Q0-Q1	Q3.3
06865077	19 29 39.38	+42 23 25.4	9.8	…	TYC 3142-1206-1	…	15858	44.4	1.2	Q1	Q0
06922690	18 46 11.06	+42 24 02.5	10.4	…	TYC 3126-780-1	…	45167	169.8	95.2	Q0-Q1	Q3.1
06923424	18 47 49.73	+42 26 27.6	11.3	…	TYC 3126-1059-1	…	44223	321.5	248.4	Q0-Q1	Q4.3
06937758	19 13 01.18	+42 29 58.4	9.8	A2[35]	BD+42-3278	…	15860	44.4	1.2	Q1	Q0
06939291	19 15 18.79	+42 26 19.2	10.1	…	TYC 3129-2577-1	…	42750	79.6	4.5	Q0-Q1	Q2.1
06947064	19 25 17.66	+42 25 13.3	11.3	…	TYC 3142-1168-1	…	45456	109.5	35.3	Q0-Q1	Q2.2
06951642	19 31 05.93	+42 29 53.2	9.7	A5[35]	BD+42-3370	…	15807	44.4	1.2	Q1	Q0
06965789	19 45 41.30	+42 29 34.4	10.1	A5[35]	BD+42-3446	binary	43926	79.6	4.5	Q0-Q1	Q2.1
07007103	18 43 57.19	+42 31 05.7	11.2	…	TYC 3126-2522-1	…	38311	292.5	219.3	Q0-Q1	Q4.2
07106205	19 11 57.48	+42 40 22.6	11.4	…	TYC 3129-879-1	binary*	43945	79.6	4.5	Q0-Q1	Q2.1
07106648	19 12 39.79	+42 38 40.5	10.5	…	TYC 3129-2589-1	…	44969	169.8	95.3	Q0-Q1	Q3.1
07109598	19 16 56.81	+42 38 11.7	10.6	…	TYC 3129-2517-1	…	46064	200.7	126.4	Q0-Q1	Q3.2
07119530	19 29 19.03	+42 38 29.1	8.5	A3[35]	HD 183787	…	14473	321.5	4.5	Q0-Q4	…
07122746	19 33 10.10	+42 38 26.9	10.9	…	TYC 3143-1631-1	…	15833	44.4	1.2	Q1	Q0
07204237	19 32 01.34	+42 42 21.5	10.8	…	TYC 3143-261-1	…	47584	262.8	187.3	Q0-Q1	Q4.1
07211759	19 40 30.77	+42 47 02.9	11.0	…	TYC 3144-1426-1	…	49467	44.2	1.2	Q0	Q1
07212040	19 40 49.03	+42 47 05.6	10.9	…	TYC 3144-2042-1	…	38635	292.5	219.3	Q0-Q1	Q4.2
07215607	19 44 11.64	+42 45 09.5	10.5	…	TYC 3144-1656-1	…	47487	262.8	187.3	Q0-Q1	Q4.1
07217483	19 45 57.86	+42 45 23.1	10.6	…	TYC 3144-856-1	…	49511	44.2	1.2	Q0	Q1
07220356	19 48 28.15	+42 44 36.9	11.5	…	…	…	44194	321.5	248.4	Q0-Q1	Q4.3
07265427	19 03 27.89	+42 49 54.6	11.5	…	…	…	40413	137.7	66.3	Q0-Q1	Q2.3
07287118	19 33 31.34	+42 50 11.3	10.7	…	TYC 3143-1359-1	…	47575	262.8	187.3	Q0-Q1	Q4.1
07300387	19 47 19.51	+42 52 02.0	10.5	…	TYC 3144-1600-1	…	46064	200.7	126.4	Q0-Q1	Q3.2
07304385	19 50 51.55	+42 48 06.0	10.0	…	TYC 3145-901-1	…	10289	228.7	4.5	Q0-Q3	…
07338125	18 48 49.75	+42 55 05.4	11.1	…	TYC 3126-3094-1	…	48494	44.2	1.8	Q0	Q1
07350486	19 10 48.22	+42 54 38.6	11.3	…	…	…	45279	109.5	35.3	Q0-Q1	Q2.2
07352425	19 13 48.70	+42 57 28.8	10.6	…	TYC 3129-1319-1	…	38650	292.5	219.3	Q0-Q1	Q4.2
07352776	19 14 23.02	+42 55 27.7	11.1	…	TYC 3129-2485-1	…	49484	44.2	1.2	Q0	Q1
07385478	19 50 57.86	+42 59 45.9	11.5	…	TYC 3145-171-1	binary[38]	42442	109.5	35.3	Q0-Q1	Q2.2
07436266	19 16 34.20	+43 01 26.7	11.4	…	…	…	40402	137.7	66.3	Q0-Q1	Q2.3
07450284	19 33 37.68	+43 05 49.2	10.4	A5[35]	BD+42-3380	…	45192	169.8	95.2	Q0-Q1	Q3.1
07502559	18 48 17.69	+43 07 06.6	11.3	…	TYC 3126-2023-1	…	44216	321.5	248.3	Q0-Q1	Q4.3
07533694	19 34 12.91	+43 07 03.5	10.4	…	TYC 3143-1179-1	…	40429	137.7	66.3	Q0-Q1	Q2.3

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
07548061	19 48 15.46	+43 07 36.8	8.8	G2[24],G2Ib[41]	V1154 Cyg	Cepheid[8]	63501	321.5	319.7	Q0-Q4	Q1
07548479	19 48 36.50	+43 06 32.0	8.4	A3[35]	HD 187547	…	46077	200.7	126.4	Q0-Q1	Q3.2
07553237	19 52 43.10	+43 06 00.1	11.3	…	…	…	44428	321.5	248.3	Q0-Q1	Q4.3
07583939	18 47 32.06	+43 17 04.7	9.7	A0[35]	BD+43-3078	…	40086	228.8	158.5	Q0-Q1	Q3.3
07596250	19 11 03.60	+43 13 07.8	11.3	…	…	…	44419	321.5	248.3	Q0-Q1	Q4.3
07662076	18 50 56.93	+43 18 13.6	10.0	F0[35]	BD+43-3097	…	15812	44.4	1.2	Q1	Q0
07668791	19 05 23.64	+43 20 05.6	9.3	A2[35]	HD 178120	…	43532	79.6	4.5	Q0-Q1	Q2.1
07669848	19 07 19.99	+43 18 55.2	7.4	F2III[20]	HD 178615	…	10175	228.7	4.7	Q0-Q3	…
07694191	19 42 09.29	+43 23 37.4	10.8	…	TYC 3148-1126-1	…	38456	292.5	219.4	Q0-Q1	Q4.2
07697795	19 46 20.83	+43 22 36.0	11.0	…	TYC 3148-1808-1	…	49510	44.2	1.2	Q0	Q1
07699056	19 47 39.43	+43 20 19.4	10.5	…	TYC 3148-431-1	…	40113	228.8	158.5	Q0-Q1	Q3.3
07702705	19 50 55.42	+43 19 03.0	11.4	…	…	…	40368	137.7	66.3	Q0-Q1	Q2.3
07732458	18 49 27.38	+43 28 12.1	10.8	…	TYC 3130-150-1	…	38452	292.5	219.4	Q0-Q1	Q4.2
07742739	19 11 16.92	+43 24 24.8	11.3	…	TYC 3133-2367-1	…	44582	109.5	35.3	Q0-Q1	Q2.2
07748238	19 20 38.21	+43 29 03.7	9.5	A5[35]	HD 181985	…	40114	137.7	66.5	Q0-Q1	Q2.3
07756853	19 32 39.12	+43 26 11.2	9.0	A0[35]	HD 184449	…	49461	44.2	1.2	Q0	Q1
07767565	19 45 39.00	+43 29 43.0	9.3	A5[35]	HD 186995	binary	2069	44.2	1.2	Q0-Q1	…
07770282	19 48 33.12	+43 27 04.2	9.7	F0[35]	BD+43-3370	…	15796	44.4	1.2	Q1	Q0
07771991	19 50 06.55	+43 29 05.9	11.1	…	TYC 3149-1784-1	…	49327	44.2	1.2	Q0	Q1
07773133	19 51 13.75	+43 27 43.0	10.9	…	TYC 3149-1852-1	…	46078	200.7	126.4	Q0-Q1	Q3.2
07777435	19 55 24.38	+43 29 47.9	10.7	…	…	…	47583	262.8	187.3	Q0-Q1	Q4.1
07798339	18 41 34.99	+43 32 58.9	7.9	F0[35]	HD 173109	…	57256	321.5	35.3	Q0-Q4	Q2.2
07827131	19 33 47.14	+43 31 02.2	8.0	A2[35]	HD 184695	variable[9]	43088	30.3	0.7	…	Q3.1
07831302	19 39 00.86	+43 35 03.4	11.3	…	TYC 3147-982-1	…	44562	98.6	35.3	Q1	Q2.2
07834612	19 43 04.87	+43 35 32.8	10.3	…	TYC 3148-2091-1	…	40432	137.7	66.3	Q0-Q1	Q2.3
07842286	19 51 14.45	+43 30 41.8	9.9	A2[35]	BD+43-3384	…	15840	44.4	1.2	Q1	Q0
07842621	19 51 35.69	+43 31 10.1	11.1	…	TYC 3149-1211-1	…	43215	79.6	4.9	Q0-Q1	Q2.1
07848288	19 56 52.27	+43 30 14.8	10.8	…	TYC 3149-2143-1	binary*	38034	281.5	219.3	Q1	Q4.2
07890526	19 26 27.53	+43 40 53.8	11.3	…	TYC 3146-1192-1	…	45435	109.5	35.3	Q0-Q1	Q2.2
07900367	19 39 44.95	+43 41 45.3	11.3	…	TYC 3147-12-1	…	38681	292.5	219.3	Q0-Q1	Q4.2
07908633	19 49 06.89	+43 41 22.8	11.2	…	TYC 3148-660-1	…	45163	109.5	35.4	Q0-Q1	Q2.2
07959867	19 26 58.34	+43 44 40.1	9.8	A2[35]	BD+43-3245	…	15836	44.4	1.2	Q1	Q0
07977996	19 49 50.50	+43 46 28.6	11.5	…	TYC 3148-597-1	…	46074	200.7	126.4	Q0-Q1	Q3.2
07985370	19 56 59.74	+43 45 08.3	9.8	G5[35]	HD 189210	…	55936	321.5	4.5	Q0-Q4	Q2.1
08029546	19 28 22.46	+43 52 16.0	11.0	…	TYC 3146-1256-1	…	49145	44.2	1.2	Q0	Q1
08043961	19 46 55.49	+43 50 27.8	10.7	…	TYC 3148-1402-1	…	45467	109.5	112.9	Q0-Q1	Q2.2
08054146	19 56 53.35	+43 49 27.0	11.3	…	…	…	39284	137.7	66.5	Q0-Q1	Q2.3
08103917	19 36 07.25	+43 55 08.0	11.5	…	…	…	45192	169.8	95.2	Q0-Q1	Q3.1
08104589	19 37 00.82	+43 55 56.5	11.5	…	…	…	44217	321.5	248.3	Q0-Q1	Q4.3
08123127	19 57 04.13	+43 55 31.7	11.0	…	TYC 3149-534-1	…	86902	321.5	248.3	Q0-Q1	Q4.3
08143903	18 46 15.74	+44 00 13.4	13.8	…	…	…	13373	310.5	6.0	Q1-Q4	…
08144674	18 48 20.42	+44 00 12.4	11.6	…	TYC 3130-1700-1	…	39858	228.8	158.6	Q0-Q1	Q3.3
08145477	18 50 15.98	+44 03 16.7	14.8	…	…	…	14007	310.5	325.1	Q1-Q4	…
08149341	18 58 28.85	+44 02 41.5	10.9	…	TYC 3131-1906-1	…	46057	200.7	126.4	Q0-Q1	Q3.2
08159135	19 17 59.83	+44 01 12.6	13.8	…	…	…	12238	310.5	7.3	Q1-Q4	…
08197761	20 04 09.31	+44 04 16.0	10.7	F2[35]	BD+43-3473s	NGC 6866[10]	49023	44.2	1.2	Q0	Q1
08197788	20 04 11.18	+44 05 33.3	13.0	…	…	…	45246	109.5	35.3	Q0-Q1	Q2.2
08211500	18 46 12.19	+44 08 08.3	8.1	A5[35]	HD 173978	binary	56868	310.5	4.9	Q1-Q4	Q3.1

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
08218419	19 00 34.61	+44 08 29.0	11.9	…	…	…	14436	321.5	4.5	Q0-Q4	…
08222685	19 10 07.49	+44 08 18.5	8.9	F0V[25],F2[35]	HD 179336	…	2080	44.2	1.2	Q0-Q1	…
08223568	19 11 56.54	+44 08 49.9	11.5	F2[25]	…	…	52274	321.5	4.5	Q0-Q4	Q2.3
08223987	19 12 46.30	+44 06 18.9	14.2	…	…	…	5678	310.5	187.5	Q1,Q4	…
08230025	19 22 29.45	+44 06 16.2	10.9	F0[25]	TYC 3146-1037-1	…	15850	44.4	1.2	Q1	Q0
08245366	19 43 33.91	+44 06 19.5	11.2	…	TYC 3148-1360-1	…	40134	228.8	158.5	Q0-Q1	Q3.3
08248630	19 47 23.30	+44 07 59.0	11.2	…	TYC 3148-484-1	…	44407	321.5	248.3	Q0-Q1	Q4.3
08264061	20 03 27.94	+44 09 19.2	13.5	…	…	NGC 6866	44106	98.6	35.3	Q1	Q2.2
08264075	20 03 28.34	+44 07 55.2	13.7	…	…	NGC 6866	39585	126.8	66.3	Q1	Q2.3
08264274	20 03 39.67	+44 09 23.3	13.8	…	…	NGC 6866	39285	126.8	66.5	Q1	Q2.3
08264404	20 03 47.14	+44 09 25.7	12.2	…	…	NGC 6866	45464	109.5	35.3	Q0-Q1	Q2.2
08264546	20 03 54.84	+44 09 50.3	13.4	…	…	NGC 6866	49495	44.2	1.2	Q0	Q1
08264583	20 03 57.36	+44 09 33.6	11.3	…	HIP 98797	NGC 6866	45272	109.5	35.3	Q0-Q1	Q2.2
08264588	20 03 57.62	+44 08 37.5	10.7	…	…	NGC 6866	49512	44.2	1.2	Q0	Q1
08264617	20 03 59.35	+44 10 25.8	13.9	…	…	NGC 6866	44828	98.1	35.3	Q1	Q2.2
08264674	20 04 02.86	+44 11 55.4	11.2	…	…	…	42120	79.6	5.1	Q0-Q1	Q2.1
08264698	20 04 03.96	+44 10 20.5	12.4	…	…	…	44937	98.6	35.3	Q1	Q2.2
08283796	18 58 53.09	+44 16 40.3	14.5	…	…	…	13965	310.5	69.8	Q1-Q4	…
08293302	19 18 03.67	+44 14 36.1	13.4	…	…	…	13721	321.3	6.9	Q0-Q4	…
08323104	19 55 37.82	+44 14 32.9	9.7	kA2mF0[26]	…	…	39147	79.6	6.0	Q0-Q1	Q2.1
08330056	20 03 33.05	+44 12 06.5	13.8	…	…	…	39755	126.8	66.3	Q1	Q2.3
08330092	20 03 34.92	+44 14 50.1	13.5	…	…	…	43475	68.6	4.5	Q1	Q2.1
08330463	20 03 58.63	+44 14 09.7	14.9	…	…	…	37687	281.5	219.3	Q1	Q4.2
08330778	20 04 16.18	+44 12 04.6	13.4	…	…	…	41890	79.6	4.5	Q0-Q1	Q2.1
08352420	19 04 11.40	+44 21 44.7	12.6	…	…	…	40433	137.7	66.3	Q0-Q1	Q2.3
08355130	19 10 01.61	+44 22 29.9	10.3	F0III[25]	BD+44-3072	binary	57395	321.5	35.3	Q0-Q4	Q2.2
08355837	19 11 27.07	+44 22 46.7	13.3	…	…	…	13332	310.5	6.2	Q1-Q4	…
08397426	20 05 34.30	+44 20 09.8	11.1	…	…	…	49505	44.2	1.2	Q0	Q1
08415752	19 00 00.02	+44 27 48.5	10.7	…	TYC 3132-1272-1	…	46040	200.7	126.4	Q0-Q1	Q3.2
08429756	19 25 43.13	+44 26 26.3	10.5	…	TYC 3146-1441-1	…	46052	200.7	126.4	Q0-Q1	Q3.2
08446738	19 48 49.37	+44 24 12.6	11.1	…	TYC 3148-665-1	…	49502	44.2	1.2	Q0	Q1
08454553	19 56 37.15	+44 25 54.7	11.5	…	TYC 3149-213-1	…	40298	137.7	66.3	Q0-Q1	Q2.3
08459354	20 01 37.63	+44 24 51.1	11.1	…	TYC 3162-1077-1	…	43947	79.6	4.5	Q0-Q1	Q2.1
08460025	20 02 22.08	+44 29 31.3	13.7	…	…	…	43968	98.6	35.9	Q1	Q2.2
08460993	20 03 41.30	+44 24 54.1	11.2	…	…	…	38282	292.5	219.3	Q0-Q1	Q4.2
08479107	18 56 30.14	+44 33 02.1	14.9	…	…	…	13570	310.5	324.9	Q1-Q4	…
08482540	19 04 31.01	+44 35 20.1	14.1	…	…	…	13467	310.5	5.4	Q1-Q4	…
08488065	19 16 14.83	+44 33 57.3	14.2	…	…	…	13161	310.5	5.9	Q1-Q4	…
08489712	19 18 59.50	+44 33 43.7	8.6	A2[25]	HD 181598	…	46063	200.7	126.4	Q0-Q1	Q3.2
08499639	19 34 14.23	+44 30 13.4	10.5	…	TYC 3147-849-1	…	47548	262.7	187.3	Q0-Q1	Q4.1
08507325	19 44 27.10	+44 33 21.1	10.5	…	TYC 3148-1229-1	…	46058	200.7	126.4	Q0-Q1	Q3.2
08516008	19 53 42.72	+44 35 42.6	10.6	A[35]	…	binary⋆	47109	251.8	187.3	Q1	Q4.1
08516686	19 54 22.56	+44 34 20.0	10.9	…	TYC 3149-863-1	…	38572	292.5	219.3	Q0-Q1	Q4.2
08525286	20 03 36.36	+44 35 50.4	13.4	…	…	…	41777	68.6	5.1	Q1	Q2.1
08545456	19 00 22.73	+44 39 58.5	11.7	…	…	…	15859	44.4	1.2	Q1	Q0
08560996	19 28 46.42	+44 40 08.5	10.6	…	TYC 3146-802-1	…	40130	228.8	158.5	Q0-Q1	Q3.3
08565229	19 35 28.32	+44 40 09.6	11.1	…	TYC 3147-509-1	…	49509	44.2	1.2	Q0	Q1
08579615	19 52 44.14	+44 36 58.0	11.2	…	TYC 3149-571-1	…	44402	321.5	248.3	Q0-Q1	Q4.3

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
08583770	19 56 58.51	+44 40 59.2	10.1	B9III[35]	HD 189177	binary	55306	321.5	4.5	Q0-Q4	Q2.1
08590553	20 04 13.46	+44 40 18.9	11.2	…	…	…	44398	321.5	248.3	Q0-Q1	Q4.3
08608260	18 56 07.42	+44 47 24.9	10.9	…	TYC 3131-1633-1	…	38676	292.5	219.3	Q0-Q1	Q4.2
08623953	19 25 59.76	+44 44 45.3	9.4	A5[35]	BD+44-3134	…	45466	109.5	35.3	Q0-Q1	Q2.2
08651452	19 59 54.19	+44 42 18.6	10.8	…	TYC 3149-307-1	…	45275	109.5	35.3	Q0-Q1	Q2.2
08655712	20 04 50.98	+44 44 57.7	11.0	…	…	…	44401	321.5	248.3	Q0-Q1	Q4.3
08695156	19 36 27.74	+44 50 14.8	10.9	…	TYC 3147-395-1	…	15857	44.4	1.2	Q1	Q0
08703413	19 47 11.45	+44 50 53.6	8.7	kA2mF0[26]	HD187254	…	39574	228.8	158.6	Q0-Q1	Q3.3
08714886	19 59 10.18	+44 51 44.9	10.9	F[35]	HD 189637	…	14442	321.5	4.5	Q0-Q4	…
08717065	20 01 40.54	+44 52 47.4	10.9	…	TYC 3162-71-1	…	15850	44.4	1.2	Q1	Q0
08738244	18 57 58.94	+44 59 17.2	8.2	A3V[20]	HD 176390	…	46035	200.7	126.4	Q0-Q1	Q3.2
08742449	19 07 33.17	+44 57 56.3	14.0	…	…	…	13862	310.5	4.5	Q1-Q4	…
08746834	19 16 37.06	+44 56 01.4	13.0	…	…	…	14043	321.4	6.3	Q0-Q4	…
08747415	19 17 39.50	+44 58 05.0	11.8	…	…	…	14093	321.4	5.9	Q0-Q4	…
08748251	19 19 07.73	+44 57 54.0	11.2	F0[25]	…	…	95046	262.7	187.3	Q0-Q1	Q4.1
08750029	19 21 54.91	+44 59 42.0	9.7	A5p?[25]	BD+44-3113	…	15834	44.4	1.2	Q1	Q0
08766619	19 46 09.19	+44 59 09.8	10.8	…	…	binary	44792	98.6	35.3	Q1	Q2.2
08827821	19 40 41.38	+45 05 58.7	11.1	…	TYC 3556-3407-1	…	43942	79.6	4.5	Q0-Q1	Q2.1
08838457	19 53 09.36	+45 05 53.6	11.2	…	TYC 3558-2497-1	…	77120	292.5	219.3	Q0-Q1	Q4.2
08869302	18 58 45.58	+45 10 42.0	14.1	…	…	…	13803	310.5	4.5	Q1-Q4	…
08869892	19 00 00.74	+45 08 03.5	12.6	…	…	…	40429	137.7	66.3	Q0-Q1	Q2.3
08871304	19 02 56.93	+45 11 42.2	10.8	…	TYC 3541-1172-1	…	50616	321.5	34.8	Q0-Q4	Q4.2
08881697	19 21 36.02	+45 07 06.9	10.6	A5[25]	…	…	15854	44.4	1.2	Q1	Q0
08915335	20 03 45.55	+45 10 02.9	9.6	A2[35]	HD 190566	…	45192	169.8	95.2	Q0-Q1	Q3.1
08933391	18 52 06.41	+45 13 39.4	8.9	F0[35]	HD 175201	…	49159	44.2	1.2	Q0	Q1
08940640	19 06 33.89	+45 14 24.9	12.8	A5[25]	…	…	45195	169.8	95.2	Q0-Q1	Q3.1
08972966	19 51 32.42	+45 15 51.8	11.5	…	…	…	45194	169.8	95.2	Q0-Q1	Q3.1
08975515	19 53 45.58	+45 13 09.3	9.5	A2[35]	HD 188538	…	40206	137.7	66.5	Q0-Q1	Q2.3
09020157	19 24 43.66	+45 21 01.2	10.8	F2III[25]	BD+45-2892	…	45344	109.1	35.3	Q0-Q1	Q2.2
09020199	19 24 48.48	+45 20 48.9	8.9	F2CrEu?[35],F0V[37]	HD 182895	Ap variable[11]	15845	44.4	1.2	Q1	Q0
09052363	20 02 07.70	+45 22 07.6	10.7	A2[35]	HD 190226	…	47457	262.8	187.3	Q0-Q1	Q4.1
09072011	18 53 55.80	+45 28 35.9	10.7	…	TYC 3540-2380-1	…	45179	169.8	95.2	Q0-Q1	Q3.1
09073007	18 56 09.07	+45 26 59.2	10.6	…	TYC 3540-2491-1	…	40433	137.7	66.3	Q0-Q1	Q2.3
09073985	18 58 15.29	+45 29 45.6	13.4	…	…	…	14112	321.5	5.7	Q0-Q4	…
09077192	19 05 34.85	+45 26 47.0	14.5	…	…	…	13975	310.5	4.5	Q1-Q4	…
09108615	19 51 37.61	+45 27 04.4	11.4	…	TYC 3557-2024-1	…	42088	79.6	4.5	Q0-Q1	Q2.1
09111056	19 54 07.15	+45 24 06.7	10.5	F0[35]	BD+45-3006	…	38573	292.5	219.3	Q0-Q1	Q4.2
09117875	20 01 46.73	+45 28 35.9	7.5	kA2mF2[37]	…	…	15828	44.4	1.2	Q1	Q0
09138872	18 55 47.57	+45 31 27.5	10.1	…	TYC 3540-1966-1	…	43944	79.6	4.5	Q0-Q1	Q2.1
09143785	19 06 42.17	+45 33 12.6	12.1	A5[25]	…	…	15847	44.4	1.2	Q1	Q0
09147229	19 14 11.59	+45 34 59.1	10.7	F0V[25]	TYC 3542-1223-1	…	94344	262.8	187.3	Q0-Q1	Q4.1
09156808	19 30 53.18	+45 33 12.7	11.3	…	TYC 3556-1431-1	binary⋆	45464	109.5	35.3	Q0-Q1	Q2.2
09201644	18 52 58.58	+45 36 43.7	11.0	…	TYC 3540-3014-1	…	46072	200.7	126.4	Q0-Q1	Q3.2
09204672	18 59 58.82	+45 40 35.7	9.8	G[35]	BD+45-2812	…	14392	321.5	4.5	Q0-Q4	…
09204718	19 00 03.36	+45 36 27.5	8.8	kA3mF0[37]	HD 176843	Am star	40057	228.5	158.5	Q0-Q1	Q3.3
09210037	19 12 07.37	+45 38 11.9	13.5	…	…	…	40134	228.8	158.5	Q0-Q1	Q3.3
09216367	19 24 20.86	+45 39 16.7	12.1	A2p:[25]	…	…	15842	44.4	1.2	Q1	Q0

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
09222942	19 34 45.65	+45 41 22.1	10.5	…	TYC 3556-929-1	…	45039	169.8	95.2	Q0-Q1	Q3.1
09229318	19 43 51.82	+45 41 09.0	9.6	F0[35]	BD+45-2962	…	40433	137.7	66.3	Q0-Q1	Q2.3
09246481	20 03 33.70	+45 37 13.7	9.0	A0[35]	HD 190548	…	15840	44.4	1.2	Q1	Q0
09264399	18 53 05.98	+45 44 20.3	14.3	…	…	…	13393	310.3	7.6	Q1-Q4	…
09264462	18 53 13.32	+45 45 08.3	13.0	…	…	…	13992	320.9	5.0	Q0-Q4	…
09267042	18 58 52.06	+45 44 58.2	13.4	…	…	…	40132	228.8	158.5	Q0-Q1	Q3.3
09268087	19 01 09.07	+45 47 36.5	12.1	…	…	…	28654	322.0	4.6	Q0-Q4	Q0
09272082	19 10 33.79	+45 45 04.0	9.0	A7[27]	HD 179458	…	44436	109.5	35.4	Q0-Q1	Q2.2
09274000	19 14 57.79	+45 42 32.2	14.2	…	…	…	13243	310.5	7.0	Q1-Q4	…
09291618	19 43 36.74	+45 43 57.1	9.7	A5[35]	BD+45-2961	…	40135	228.8	158.5	Q0-Q1	Q3.3
09306095	20 00 41.90	+45 47 59.3	12.4	…	…	…	45467	109.5	35.3	Q0-Q1	Q2.2
09324334	18 49 26.86	+45 53 38.4	13.7	…	…	…	47113	251.8	187.3	Q1	Q4.1
09327993	18 57 59.76	+45 53 29.7	9.8	K0[35]	BD+45-2805	…	14398	321.5	4.6	Q0-Q4	…
09336219	19 16 36.91	+45 52 16.5	13.3	…	…	…	13911	320.7	5.7	Q0-Q4	…
09351622	19 41 26.86	+45 53 53.1	9.1	F0[35]	BD+45-2955	…	43586	79.6	4.5	Q0-Q1	Q2.1
09353572	19 43 58.61	+45 53 54.7	10.6	…	TYC 3557-1126-1	…	40133	228.8	158.5	Q0-Q1	Q3.3
09368220	20 01 18.62	+45 52 05.7	11.3	…	…	…	38680	292.5	219.3	Q0-Q1	Q4.2
09386259	18 49 12.55	+45 54 26.8	13.3	…	J18491255+4554268	…	13252	320.4	7.7	Q0-Q4	…
09391395	19 01 29.78	+45 55 14.4	11.4	…	TYC 3541-2014-1	…	40405	137.7	66.3	Q0-Q1	Q2.3
09395246	19 10 06.41	+45 58 27.0	11.8	F2[25]	…	…	15859	44.4	1.2	Q1	Q0
09408694	19 34 45.60	+45 54 16.3	11.5	…	…	…	15860	44.4	47.9	Q1	Q0
09413057	19 41 19.15	+45 57 45.8	9.6	A2[35]	BD+45-2954	…	40419	137.7	66.3	Q0-Q1	Q2.3
09450940	18 58 53.42	+46 00 17.7	12.7	…	…	…	45194	169.8	95.2	Q0-Q1	Q3.1
09451598	19 00 28.58	+46 03 02.2	13.6	…	…	…	39664	217.8	158.5	Q1	Q3.3
09453075	19 03 44.09	+46 03 46.0	12.4	…	…	…	43912	79.6	4.5	Q0-Q1	Q2.1
09458750	19 16 37.49	+46 02 11.4	13.8	…	…	…	13429	310.5	6.5	Q1-Q4	…
09473000	19 39 48.67	+46 01 38.5	10.1	…	TYC 3556-3291-1	…	15859	44.4	1.2	Q1	Q0
09489590	19 59 40.42	+46 01 56.3	10.9	…	TYC 3558-16-1	…	38682	292.5	219.3	Q0-Q1	Q4.2
09490042	20 00 11.69	+46 05 43.3	10.5	…	TYC 3558-1852-1	…	44756	169.8	95.2	Q0-Q1	Q3.1
09490067	20 00 12.86	+46 03 33.0	10.6	…	TYC 3558-1208-1	…	77094	292.5	219.3	Q0-Q1	Q4.2
09509296	18 50 55.32	+46 06 48.5	9.9	…	TYC 3540-1568-1	…	15841	44.4	1.2	Q1	Q0
09514879	19 03 49.58	+46 06 58.1	10.7	…	TYC 3541-30-1	…	63454	321.5	4.9	Q0-Q4	Q1
09520434	19 16 48.22	+46 09 49.7	14.5	…	…	…	13290	310.5	6.0	Q1-Q4	…
09520864	19 17 41.62	+46 10 17.4	11.1	…	…	…	14428	321.5	4.5	Q0-Q4	…
09532644	19 37 26.47	+46 10 07.4	12.7	…	…	…	49449	44.2	1.2	Q0	Q1
09533449	19 38 37.37	+46 11 16.9	11.3	…	TYC 3556-3494-1	…	45449	109.5	35.3	Q0-Q1	Q2.2
09533489	19 38 41.71	+46 07 21.6	13.0	…	…	…	48961	33.4	0.0	…	Q1
09550886	20 00 06.74	+46 07 30.5	11.0	…	TYC 3558-1238-1	…	44429	321.5	248.3	Q0-Q1	Q4.3
09551281	20 00 33.60	+46 11 55.4	10.4	A3[35]	HD 189916	…	45192	169.8	95.2	Q0-Q1	Q3.1
09580794	19 14 08.02	+46 16 00.1	11.3	F0V[25]	…	…	15859	44.4	1.2	Q1	Q0
09582720	19 18 17.18	+46 12 46.6	12.7	…	…	binary⋆	14440	321.5	4.6	Q0-Q4	…
09593997	19 36 47.76	+46 17 34.0	12.6	…	…	…	38532	292.5	219.3	Q0-Q1	Q4.2
09594100	19 36 55.99	+46 15 18.5	13.0	…	…	…	49454	44.2	1.2	Q0	Q1
09604762	19 50 59.64	+46 16 03.3	10.6	A5[35]	TYC 3557-1418-1	…	39877	228.8	158.6	Q0-Q1	Q3.3
09630640	18 46 31.25	+46 19 16.1	13.7	…	…	…	13939	310.5	4.5	Q1-Q4	…
09632537	18 52 00.24	+46 21 51.6	12.0	…	…	…	15861	44.4	1.2	Q1	Q0
09640204	19 10 14.09	+46 20 42.6	11.5	F5[25]	…	…	63481	321.5	4.5	Q0-Q4	Q1
09642894	19 16 18.07	+46 21 16.1	11.1	F0[25]	TYC 3542-1780-1	…	46081	200.7	126.4	Q0-Q1	Q3.2

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
09643982	19 18 38.69	+46 21 27.9	12.9	…	…	…	13969	320.7	6.5	Q0-Q4	…
09650390	19 29 17.81	+46 21 26.1	9.4	A0[35]	HD 183829	…	45231	109.5	35.3	Q0-Q1	Q2.2
09651065	19 30 25.63	+46 22 52.2	11.1	…	TYC 3556-768-1	…	49510	44.2	1.2	Q0	Q1
09654789	19 36 28.80	+46 18 39.2	13.3	…	…	…	40227	137.7	66.3	Q0-Q1	Q2.3
09655055	19 36 51.91	+46 23 20.4	11.4	A4[28]	NGC 6811 L26	NGC 6811	40429	137.7	66.3	Q0-Q1	Q2.3
09655114	19 36 58.18	+46 20 22.6	12.1	A4[28]	NGC 6811 L18	NGC 6811	52782	321.5	4.5	Q0-Q4	Q2.3
09655151	19 37 01.18	+46 22 59.4	13.2	A4[28]	NGC 6811 L16	NGC 6811	48853	33.4	0.0	…	Q1
09655177	19 37 03.24	+46 19 25.7	10.9	A4[28]	NGC 6811 L70	NGC 6811	43883	79.6	4.5	Q0-Q1	Q2.1
09655393	19 37 21.38	+46 19 53.3	12.6	…	…	…	47574	262.8	187.3	Q0-Q1	Q4.1
09655422	19 37 24.10	+46 23 52.1	11.5	A4[28]	NGC 6811 L39	NGC 6811	45605	189.7	126.4	Q1	Q3.2
09655433	19 37 24.86	+46 18 39.0	11.9	B7[28]	NGC 6811 L114	NGC 6811, binary⋆	12994	310.5	6.8	Q1-Q4	…
09655438	19 37 25.22	+46 19 35.7	12.3	…	…	…	47505	262.8	187.3	Q0-Q1	Q4.1
09655487	19 37 29.21	+46 22 39.1	13.1	…	…	…	48956	33.4	0.0	…	Q1
09655501	19 37 31.22	+46 21 31.9	12.4	A5[28]	NGC 6811 L49	NGC 6811	47543	262.8	187.3	Q0-Q1	Q4.1
09655514	19 37 32.11	+46 19 15.0	11.5	A4[28]	NGC 6811 L113	NGC 6811, binary	63523	321.5	4.5	Q0-Q4	Q1
09655800	19 37 53.16	+46 18 28.8	12.7	…	…	…	77242	292.5	219.3	Q0-Q1	Q4.2
09656348	19 38 45.29	+46 18 23.6	10.3	…	TYC 3556-3198-1	…	49500	44.2	1.2	Q0	Q1
09664869	19 50 12.10	+46 18 52.3	11.2	…	TYC 3557-368-1	…	49510	44.2	1.2	Q0	Q1
09673293	20 00 11.23	+46 19 17.0	10.6	A0[35]	HD 189861	…	39895	228.8	158.6	Q0-Q1	Q3.3
09693282	18 51 14.90	+46 26 56.1	10.4	…	TYC 3540-1359-1	…	45385	109.5	35.3	Q0-Q1	Q2.2
09696853	18 59 33.43	+46 24 11.3	11.3	…	TYC 3541-967-1	…	41869	79.6	5.1	Q0-Q1	Q2.1
09699950	19 06 55.32	+46 25 08.0	13.4	…	…	…	40133	228.8	158.5	Q0-Q1	Q3.3
09700145	19 07 23.57	+46 28 21.7	12.7	…	…	…	40426	137.7	66.3	Q0-Q1	Q2.3
09700322	19 07 50.71	+46 29 11.9	12.7	…	…	…	45194	169.8	95.2	Q0-Q1	Q3.1
09700679	19 08 42.53	+46 24 14.8	9.9	G2III[25]	BD+46-2633	…	40416	137.7	66.3	Q0-Q1	Q2.3
09703601	19 15 25.03	+46 28 10.6	14.3	…	…	…	13495	310.5	5.7	Q1-Q4	…
09716107	19 36 56.76	+46 26 58.0	13.1	…	…	…	48446	33.4	0.1	…	Q1
09716350	19 37 17.98	+46 27 45.3	12.5	…	…	binary⋆	49401	44.2	1.2	Q0	Q1
09716947	19 38 11.95	+46 28 02.5	12.9	…	…	…	49302	44.2	1.2	Q0	Q1
09760531	19 06 59.78	+46 32 20.4	9.5	F0[35]	BD+46-2621	…	43946	79.6	4.5	Q0-Q1	Q2.1
09762713	19 12 12.26	+46 30 50.3	11.1	F0[25]	…	…	40134	228.8	158.5	Q0-Q1	Q3.3
09764712	19 16 49.58	+46 32 01.7	13.9	…	…	…	13158	310.5	6.3	Q1-Q4	…
09764965	19 17 24.91	+46 35 35.2	8.9	A5mp[25]	HD 181206	Ap or Am star	49507	44.2	1.2	Q0	Q1
09773512	19 32 21.77	+46 35 29.8	10.0	A2[35]	BD+46-2714	…	15860	44.4	1.2	Q1	Q0
09775385	19 35 24.70	+46 35 26.9	11.1	…	TYC 3556-1982-1	…	43914	79.6	4.5	Q0-Q1	Q2.1
09775454	19 35 32.02	+46 35 22.3	8.2	F1IV[29]	HD 185115	hybrid[15]	10327	228.7	4.5	Q0-Q3	…
09776474	19 37 00.19	+46 31 14.2	13.0	…	…	…	63426	321.5	4.5	Q0-Q4	Q1
09777532	19 38 31.06	+46 31 34.1	10.9	…	TYC 3556-3228-1	…	57342	321.5	4.5	Q0-Q4	Q3.1
09790479	19 55 05.57	+46 35 05.1	9.9	A2[35]	HD 188833	…	15822	44.4	1.2	Q1	Q0
09812351	18 46 10.32	+46 37 51.0	7.9	A0[35]	HD 174019	…	45192	169.8	95.2	Q0-Q1	Q3.1
09813078	18 48 21.55	+46 41 43.7	11.9	…	…	…	15859	44.4	1.2	Q1	Q0
09818269	19 00 40.73	+46 39 58.7	11.4	…	…	…	15851	44.4	1.2	Q1	Q0
09836020	19 35 43.10	+46 40 03.0	12.8	…	…	…	14463	321.5	4.5	Q0-Q4	…
09845907	19 49 30.46	+46 40 01.7	11.6	…	…	…	15860	44.4	1.2	Q1	Q0
09851142	19 55 12.05	+46 39 55.9	7.6	kA5hA7mF3[20], A7pCrEu[40]	V2094 Cyg	Am star, or α^2 CVn[12]	47787	310.5	4.5	Q1-Q4	Q2.3
09874181	18 51 26.57	+46 46 48.0	10.8	…	…	…	38670	292.5	219.3	Q0-Q1	Q4.2

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
09881909	19 10 03.58	+46 42 16.1	11.4	F2[25]	…	…	43845	79.6	4.5	Q0-Q1	Q2.1
09885882	19 18 45.05	+46 44 27.8	14.1	…	…	…	13809	310.5	5.0	Q1-Q4	…
09909300	19 53 27.17	+46 45 39.5	11.5	…	…	…	88778	321.5	248.3	Q0-Q1	Q4.3
09913481	19 58 20.76	+46 45 55.9	10.9	…	TYC 3558-637-1	…	13759	44.1	4.6	Q1	Q0
09944208	19 13 58.44	+46 50 00.2	14.2	…	…	…	13980	310.5	4.5	Q1-Q4	…
09944730	19 15 11.54	+46 48 52.2	14.1	…	…	…	13980	310.5	4.6	Q1-Q4	…
09970568	19 55 01.15	+46 52 29.2	9.6	A2[35]	HD 188832	…	40424	137.7	66.3	Q0-Q1	Q2.3
09991621	18 44 43.25	+46 55 47.6	13.9	…	…	…	13276	310.5	6.1	Q1-Q4	…
09991766	18 45 08.02	+46 58 02.0	14.2	…	…	…	13495	310.5	5.7	Q1-Q4	…
09994789	18 52 50.45	+46 59 48.0	13.8	…	…	…	13322	310.5	6.4	Q1-Q4	…
09995464	18 54 26.02	+46 59 11.5	13.2	…	…	…	14360	321.5	4.9	Q0-Q4	…
10000056	19 05 07.51	+46 59 01.5	14.2	…	…	…	36583	28.9	3.9	…	Q4.2
10002897	19 11 41.71	+46 55 12.7	12.2	…	…	…	15853	44.4	1.2	Q1	Q0
10004510	19 14 55.08	+46 55 02.6	14.2	…	…	…	13941	310.5	4.5	Q1-Q4	…
10006158	19 18 07.39	+46 57 26.2	9.7	K0[35]	BD+46-2665	…	14431	321.5	4.5	Q0-Q4	…
10014548	19 32 14.23	+46 54 20.9	10.7	…	TYC 3560-2590-1	…	47550	262.8	187.3	Q0-Q1	Q4.1
10030943	19 54 12.43	+46 56 12.6	11.3	…	TYC 3562-2361-1	…	38677	292.5	219.3	Q0-Q1	Q4.2
10035772	20 00 05.26	+46 54 22.8	11.1	…	TYC 3562-32-1	…	43903	79.6	4.5	Q0-Q1	Q2.1
10056217	18 50 47.52	+47 00 23.3	12.9	…	…	…	13699	320.6	6.8	Q0-Q4	…
10056297	18 51 00.24	+47 00 11.3	13.4	…	…	…	40137	228.8	158.5	Q0-Q1	Q3.3
10057129	18 52 50.38	+47 00 27.8	13.9	…	…	…	13930	310.5	4.9	Q1-Q4	…
10062593	19 04 12.91	+47 03 05.0	13.3	…	…	…	14399	321.5	4.6	Q0-Q4	…
10064111	19 07 24.91	+47 05 13.2	10.3	A5[35]	BD+46-2624	binary	44462	109.5	35.9	Q0-Q1	Q2.2
10065244	19 09 47.30	+47 04 34.5	12.3	…	…	…	43945	79.6	4.5	Q0-Q1	Q2.1
10068892	19 17 00.31	+47 05 38.4	11.4	…	…	…	14433	321.5	4.6	Q0-Q4	…
10069934	19 18 56.14	+47 05 14.4	11.3	…	TYC 3547-470-1	…	88326	321.5	248.3	Q0-Q1	Q4.3
10073601	19 24 48.70	+47 02 41.1	11.5	…	TYC 3547-20-1	…	433213	321.6	4.5	…	Q0-Q4.3
10090345	19 49 00.12	+47 05 05.2	11.3	…	TYC 3561-258-1	…	45170	109.5	35.4	Q0-Q1	Q2.2
10096499	19 55 54.07	+47 05 24.2	6.9	A3V[30]	HD 189013	…	37977	25.9	0.0	…	Q3.3
10119517	18 45 55.46	+47 07 21.6	9.9	…	TYC 3544-1245-1	…	52795	321.5	4.5	Q0-Q4	Q2.3
10130777	19 10 00.34	+47 11 12.1	12.6	…	…	…	40348	137.7	66.3	Q0-Q1	Q2.3
10134600	19 17 02.93	+47 08 52.0	13.6	…	…	…	14282	321.3	4.9	Q0-Q4	…
10134800	19 17 24.60	+47 08 32.4	11.8	…	…	…	15858	44.4	1.2	Q1	Q0
10140513	19 26 25.46	+47 06 05.4	11.0	…	…	…	435810	321.6	4.5	…	Q0-Q4.3
10140665	19 26 38.47	+47 06 08.0	12.1	…	…	…	432553	321.6	4.5	…	Q0-Q4.3
10164569	19 57 20.35	+47 09 58.8	11.4	…	TYC 3562-1846-1	…	39573	137.7	66.5	Q0-Q1	Q2.3
10206340	19 24 58.82	+47 14 57.3	11.2	B1	V850 Cyg	binary[13]	403034	321.6	324.3	…	Q0-Q4.3
10208303	19 28 12.58	+47 14 04.0	11.9	…	…	…	432367	321.6	4.5	…	Q0-Q4.3
10208345	19 28 17.04	+47 17 14.6	11.6	…	…	…	46069	200.7	126.4	Q0-Q1	Q3.2
10213987	19 37 05.16	+47 17 19.5	11.4	…	TYC 3560-2645-1	binary*	39155	126.8	66.7	Q1	Q2.3
10253943	18 47 24.48	+47 18 05.7	10.2	…	TYC 3544-2546-1	…	43944	79.6	4.5	Q0-Q1	Q2.1
10254547	18 48 46.27	+47 22 26.3	13.9	…	…	…	13393	310.5	5.6	Q1-Q4	…
10264728	19 10 59.66	+47 20 21.6	9.9	A2[35]	BD+47-2769	…	15840	44.4	1.2	Q1	Q0
10266959	19 15 19.42	+47 22 59.2	15.0	…	…	…	13598	310.5	5.6	Q1-Q4	…
10273246	19 26 05.76	+47 21 30.1	10.9	…	…	…	432872	321.6	4.5	…	Q0-Q4.3
10273384	19 26 19.54	+47 23 36.7	11.5	…	…	…	436154	321.6	4.5	…	Q0-Q4.3
10273960	19 27 17.42	+47 18 39.2	11.7	…	…	…	431979	321.6	4.5	…	Q0-Q4.3
10274244	19 27 44.74	+47 18 34.9	11.5	…	…	…	373959	321.6	35.3	…	Q0-Q4.3

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
10281360	19 38 39.22	+47 23 24.5	11.1	…	TYC 3560-1923-1	…	43712	30.0	0.0	Q1	Q3.2
10289211	19 48 58.75	+47 23 25.7	10.2	A2[35]	BD+47-2927	…	45449	109.5	35.3	Q0-Q1	Q2.2
10338279	19 25 28.94	+47 26 07.8	12.0	…	…	…	436158	321.6	4.5	…	Q0-Q4.3
10339342	19 27 05.35	+47 24 08.2	12.0	…	…	…	432133	321.6	4.5	…	Q0-Q4.3
10340511	19 28 56.16	+47 24 44.0	11.6	…	…	…	431104	321.6	4.5	…	Q0-Q4.3
10341072	19 29 46.20	+47 24 09.4	9.0	F8[35]	HD 183954	…	147978	109.7	4.5	…	Q0-Q2.2
10355055	19 49 16.61	+47 24 27.3	9.3	A2[35]	HD 187709	…	45466	109.5	35.3	Q0-Q1	Q2.2
10361229	19 56 08.93	+47 28 30.5	10.9	…	TYC 3562-1455-1	…	40046	137.7	66.3	Q0-Q1	Q2.3
10383933	18 44 15.65	+47 34 09.2	13.3	…	…	…	13729	320.9	5.8	Q0-Q4	…
10385459	18 48 19.39	+47 32 07.6	10.5	…	TYC 3544-2086-1	…	10335	228.7	4.5	Q0-Q4	Q4.1
10389037	18 56 44.62	+47 32 01.8	10.4	K[35]	BD+47-2721	…	14423	321.5	4.6	Q0-Q4	…
10394332	19 08 02.76	+47 33 08.8	13.3	…	…	…	14457	321.5	4.5	Q0-Q4	…
10448764	18 44 12.41	+47 40 31.0	10.8	…	…	…	45194	169.8	95.2	Q0-Q1	Q3.1
10450550	18 48 44.04	+47 36 50.9	13.2	…	…	…	13719	321.2	4.6	Q0-Q4	…
10450675	18 49 01.15	+47 36 27.9	12.8	…	…	…	13804	321.4	6.2	Q0-Q4	…
10451090	18 49 55.92	+47 38 14.4	9.2	A2[35]	HD 174789	…	43946	79.6	4.5	Q0-Q1	Q2.1
10451250	18 50 15.94	+47 38 22.5	14.1	…	…	…	13274	310.5	5.7	Q1-Q4	…
10453475	18 55 16.63	+47 37 33.0	14.2	…	…	…	13907	310.1	4.5	Q1-Q4	…
10467969	19 23 32.47	+47 40 28.6	12.0	…	…	…	431107	321.6	4.5	…	Q0-Q4.3
10471914	19 30 03.02	+47 36 18.6	10.7	…	TYC 3560-2319-1	…	47572	262.8	187.3	Q0-Q1	Q4.1
10484808	19 48 04.58	+47 40 45.0	10.6	…	TYC 3561-1801-1	…	40134	228.8	158.5	Q0-Q1	Q3.3
10526137	19 11 42.82	+47 45 27.1	10.2	M7[31]	TYC 3546-1494-1	…	13014	320.5	8.2	Q0-Q4	…
10526615	19 12 39.94	+47 47 43.4	14.4	…	…	…	13450	310.4	6.0	Q1-Q4	…
10533506	19 24 50.42	+47 43 47.5	11.5	…	…	…	433130	321.6	4.5	…	Q0-Q4.3
10533616	19 25 00.91	+47 47 49.8	9.6	A5[35]	BD+47-2828	…	40147	137.7	66.5	Q0-Q1	Q2.3
10534629	19 26 43.27	+47 46 08.7	11.3	…	…	…	431681	321.6	4.5	…	Q0-Q4.3
10536147	19 29 11.93	+47 44 43.0	11.6	…	…	…	449999	321.9	4.5	Q0-Q4	Q0-Q4.3
10537907	19 32 08.18	+47 42 28.8	9.9	F0[35]	BD+47-2856	…	15860	44.4	1.2	Q1	Q0
10549292	19 48 10.56	+47 45 33.3	11.0	…	…	…	44427	321.5	248.3	Q0-Q1	Q4.3
10549371	19 48 16.15	+47 42 28.8	9.5	A5[35]	BD+47-2922	…	43939	79.6	4.5	Q0-Q1	Q2.1
10586837	19 03 02.38	+47 48 48.9	12.4	…	…	…	45316	109.5	35.3	Q0-Q1	Q2.2
10590857	19 11 38.54	+47 53 45.3	10.0	F0[35]	BD+47-2773	…	15851	44.4	1.2	Q1	Q0
10604429	19 34 36.46	+47 50 14.0	9.9	F0[35]	BD+47-2868	binary⋆	52538	137.9	101.1	…	Q0-Q2.3
10615125	19 48 58.92	+47 51 56.6	10.3	…	…	…	40385	137.7	66.3	Q0-Q1	Q2.3
10647493	18 51 45.14	+47 57 29.4	11.7	…	…	…	15860	44.4	1.2	Q1	Q0
10647611	18 52 04.49	+47 59 54.2	12.0	…	…	…	15851	44.4	1.2	Q1	Q0
10647860	18 52 37.75	+47 55 26.2	13.3	…	…	…	13667	321.0	7.4	Q0-Q4	…
10648728	18 54 35.76	+47 56 52.3	11.4	…	…	…	44102	321.5	248.4	Q0-Q1	Q4.3
10652134	19 02 08.28	+47 55 45.2	11.9	…	…	…	11249	252.5	4.5	Q0-Q4	…
10658302	19 15 07.68	+47 54 19.0	13.1	…	…	…	43591	79.6	4.5	Q0-Q1	Q2.1
10658802	19 16 03.00	+47 57 27.0	11.9	…	…	…	15854	44.4	1.2	Q1	Q0
10663892	19 24 45.10	+47 58 53.9	11.8	…	…	…	430810	321.6	4.5	…	Q0-Q4.3
10664703	19 26 02.47	+47 58 53.9	10.9	…	TYC 3547-1575-1	…	44427	321.5	248.3	Q0-Q1	Q4.3
10664975	19 26 28.49	+47 58 11.7	7.6	A2[35]	HD 183280	…	38016	25.9	0.0	…	Q3.3
10675762	19 43 05.02	+47 57 32.6	10.9	…	TYC 3561-371-1	…	15842	44.4	1.2	Q1	Q0
10684587	19 53 36.67	+47 59 53.1	11.0	…	TYC 3562-461-1	…	44430	321.5	248.3	Q0-Q1	Q4.3
10684673	19 53 42.41	+47 58 27.2	11.1	…	TYC 3562-805-1	…	49511	44.2	1.2	Q0	Q1
10685653	19 54 50.30	+47 55 43.1	11.1	…	TYC 3562-301-1	…	49465	44.2	1.2	Q0	Q1

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
10686752	19 56 03.43	+47 58 55.8	11.3	…	TYC 3562-707-1	…	45455	109.5	35.3	Q0-Q1	Q2.2
10709716	18 45 29.64	+48 05 33.0	13.9	…	…	…	13501	310.5	6.1	Q1-Q4	…
10713398	18 53 42.43	+48 02 25.8	11.2	…	TYC 3544-1186-1	…	15860	44.4	1.2	Q1	Q0
10717871	19 03 14.88	+48 02 56.6	10.5	…	TYC 3545-2523-1	…	40421	137.7	66.3	Q0-Q1	Q2.3
10723718	19 15 05.93	+48 00 40.9	14.2	…	…	…	13650	310.5	5.9	Q1-Q4	…
10730618	19 26 30.48	+48 05 34.8	10.5	…	TYC 3547-1205-1	…	411665	321.6	7.3	…	Q0-Q4.3
10775968	18 45 15.58	+48 06 56.6	10.6	…	TYC 3544-733-1	…	39910	228.8	158.6	Q0-Q1	Q3.3
10777541	18 48 50.14	+48 06 45.9	14.1	…	…	…	12652	310.5	7.3	Q1-Q4	…
10777903	18 49 40.42	+48 07 13.9	10.2	…	BD+47-2705	…	43945	79.6	4.5	Q0-Q1	Q2.1
10778640	18 51 17.76	+48 06 19.5	13.8	…	…	…	13190	310.5	7.4	Q1-Q4	…
10783150	19 01 20.76	+48 08 30.9	13.1	…	…	…	11299	252.5	4.5	Q0-Q4	…
10788451	19 12 37.80	+48 08 15.5	11.1	…	TYC 3546-1364-1	…	40136	228.8	158.5	Q0-Q1	Q3.3
10797526	19 27 49.37	+48 10 36.3	8.3	B5[32]	HD 183558	…	147727	109.7	4.5	…	Q0-Q2.2
10797849	19 28 20.69	+48 10 57.2	10.8	…	TYC 3547-1020-1	binary	435432	321.6	5.1	…	Q0-Q4.3
10813970	19 50 47.21	+48 10 17.3	11.3	…	TYC 3561-1538-1	…	40408	137.7	66.3	Q0-Q1	Q2.3
10815466	19 52 28.63	+48 10 28.0	11.2	…	TYC 3561-434-1	binary*	43946	79.6	4.5	Q0-Q1	Q2.1
10853783	19 13 30.60	+48 12 21.2	11.0	…	TYC 3546-374-1	…	44428	321.5	248.3	Q0-Q1	Q4.3
10861649	19 27 58.37	+48 17 37.9	12.1	…	…	…	431057	321.6	4.5	…	Q0-Q4.3
10902738	18 45 46.99	+48 23 01.6	12.5	…	…	…	9706	217.8	5.4	Q1-Q3	…
10920182	19 27 36.17	+48 19 09.9	11.8	…	…	…	430256	321.6	4.5	…	Q0-Q4.3
10920273	19 27 45.77	+48 19 45.4	11.9	…	…	…	430371	321.6	4.5	…	Q0-Q4.3
10920447	19 28 04.97	+48 18 27.6	11.2	…	TYC 3547-1099-1	…	44429	321.5	248.3	Q0-Q1	Q4.3
10971674	19 19 09.79	+48 26 53.3	13.8	…	…	…	12734	310.5	5.7	Q1-Q4	…
10975247	19 26 34.37	+48 29 14.9	11.1	…	…	…	48556	44.2	1.3	Q0	Q1
10977859	19 31 37.99	+48 26 33.1	8.8	A2[35]	HD 184333	…	49510	44.2	1.2	Q0	Q1
10988009	19 48 08.23	+48 27 37.8	10.2	…	TYC 3561-622-1	…	43947	79.6	4.5	Q0-Q1	Q2.1
11013201	18 48 00.07	+48 32 32.0	9.3	A2[35]	BD+48-2768	…	43656	79.6	4.5	Q0-Q1	Q2.1
11017401	18 59 53.81	+48 33 17.0	14.6	…	…	…	10873	241.5	150.6	Q1-Q4	…
11020521	19 07 39.65	+48 34 19.4	11.4	…	…	…	338509	252.7	5.1	…	Q0-Q4.1
11021188	19 09 15.58	+48 33 38.9	11.3	…	…	…	342509	252.7	4.5	…	Q0-Q4.1
11027270	19 22 35.14	+48 35 49.5	11.3	…	TYC 3547-1058-1	…	88810	321.5	248.3	Q0-Q1	Q4.3
11067972	18 48 26.30	+48 36 16.9	14.3	…	…	…	12550	310.5	7.2	Q1-Q4	…
11069435	18 52 28.25	+48 40 08.7	14.5	…	…	…	13300	310.5	5.9	Q1-Q4	…
11082830	19 24 46.87	+48 38 19.8	10.9	…	TYC 3547-759-1	binary	38597	292.5	219.3	Q0-Q1	Q4.2
11090405	19 39 12.38	+48 36 24.2	9.6	A5[35]	BD+48-2925	…	40423	137.7	66.3	Q0-Q1	Q2.3
11122763	18 52 27.24	+48 47 55.6	13.9	…	…	…	13297	310.5	5.8	Q1-Q4	…
11125764	19 01 09.67	+48 42 57.5	11.1	…	TYC 3545-69-1	…	49041	33.4	0.0	…	Q1
11127190	19 04 37.85	+48 46 32.4	11.4	…	…	…	15856	44.4	1.2	Q1	Q0
11128041	19 06 59.26	+48 43 27.7	10.8	…	…	…	339574	252.7	4.6	…	Q0-Q4.1
11128126	19 07 12.19	+48 47 45.1	11.3	…	…	…	338231	252.7	5.1	…	Q0-Q4.1
11129289	19 10 15.19	+48 44 32.1	11.7	…	…	…	336245	252.7	5.1	…	Q0-Q4.1
11180361	19 04 04.61	+48 52 00.3	7.7	A2/3V[20]	HD 177876	…	39548	217.8	158.5	Q1	Q3.3
11182716	19 10 24.26	+48 50 41.5	12.0	…	…	…	337715	252.7	5.1	…	Q0-Q4.1
11183399	19 12 06.29	+48 52 21.4	12.8	…	…	…	11324	252.5	4.6	Q0-Q4	…
11183539	19 12 25.80	+48 50 21.2	10.8	…	TYC 3550-456-1	…	45180	169.8	95.2	Q0-Q1	Q3.1
11193046	19 32 45.31	+48 52 07.6	9.6	A2[35]	BD+48-2912	…	40255	137.7	66.3	Q0-Q1	Q2.3
11197934	19 41 29.06	+48 48 22.0	11.0	…	TYC 3565-514-1	…	44324	321.5	248.3	Q0-Q1	Q4.3
11199412	19 43 51.58	+48 48 07.5	10.9	…	TYC 3565-674-1	…	58160	321.6	248.3	Q1	Q0-Q4.3

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
11230518	18 55 50.50	+48 55 32.1	13.6	…	…	…	10454	241.5	5.7	Q1-Q4	…
11232922	19 02 17.33	+48 54 33.0	14.1	…	…	…	10290	241.5	6.2	Q1-Q4	…
11233189	19 02 52.42	+48 56 31.6	13.5	…	…	…	10545	251.5	5.6	Q0-Q4	…
11234888	19 07 00.22	+48 56 07.0	11.9	…	…	…	337220	252.7	5.1	…	Q0-Q4.1
11235721	19 09 10.61	+48 55 39.1	11.9	…	…	…	338373	252.7	5.1	…	Q0-Q4.1
11236253	19 10 39.34	+48 56 39.3	12.0	…	…	…	328959	252.7	5.1	…	Q0-Q4.1
11240653	19 19 53.18	+48 54 03.6	10.6	…	TYC 3551-523-1	…	77272	292.5	219.3	Q0-Q1	Q4.2
11253226	19 43 39.62	+48 55 44.2	8.4	F5[35]	HD 186700	…	56546	321.5	35.3	Q0-Q4	Q2.2
11285767	19 01 12.19	+49 02 05.6	10.3	F2[35]	BD+48-2815	…	45466	109.5	35.3	Q0-Q1	Q2.2
11288686	19 08 39.31	+49 03 12.5	11.8	…	TYC 3550-892-1	…	15861	44.4	1.2	Q1	Q0
11290197	19 12 40.70	+49 02 36.3	11.4	…	TYC 3550-42-1	…	337111	252.7	5.1	…	Q0-Q4.1
11309335	19 48 47.21	+49 05 50.0	10.5	…	TYC 3565-1318-1	…	45182	169.8	95.2	Q0-Q1	Q3.1
11340063	19 04 11.66	+49 10 52.6	14.4	…	…	…	10617	241.5	4.9	Q1-Q4	…
11340713	19 05 42.79	+49 08 47.4	13.0	…	…	…	46076	200.7	126.4	Q0-Q1	Q3.2
11342032	19 09 19.63	+49 11 48.3	12.8	…	…	…	11332	252.5	4.5	Q0-Q4	…
11393580	19 06 05.35	+49 17 49.7	11.5	…	…	…	340340	252.7	4.5	…	Q0-Q4.1
11394216	19 07 48.43	+49 14 02.1	12.0	…	…	…	338263	252.7	5.1	…	Q0-Q4.1
11395018	19 09 55.49	+49 15 04.5	10.8	…	TYC 3550-300-1	…	335442	252.7	5.1	…	Q0-Q4.1
11395028	19 09 57.86	+49 16 44.4	11.7	…	…	…	336659	252.7	4.5	…	Q0-Q4.1
11395392	19 10 54.34	+49 17 04.6	12.6	…	…	…	45461	109.5	35.3	Q0-Q1	Q2.2
11402951	19 27 32.81	+49 15 23.5	8.1	kF3hA9mF5[14]	HD 183489	Am star[14]	28721	322.0	4.5	Q0-Q4	Q0
11445774	19 05 21.00	+49 18 01.6	11.9	…	…	…	341474	252.7	5.1	…	Q0-Q4.1
11445913	19 05 40.63	+49 18 20.8	8.5	kA7hA9mF5[14]	HD 178327	Am, hybrid[14,16]	24170	228.5	4.5	Q0-Q3	Q0
11446143	19 06 19.22	+49 20 52.2	11.8	…	…	…	334372	252.7	5.1	…	Q0-Q4.1
11446181	19 06 24.36	+49 22 19.3	11.9	…	…	…	338310	252.7	4.8	…	Q0-Q4.1
11447883	19 11 04.92	+49 19 22.3	9.8	F0[35]	BD+49-2951	…	351517	253.0	4.5	Q0-Q4	Q0-Q4.1
11447953	19 11 13.92	+49 22 41.1	11.3	…	…	…	342439	252.7	4.5	…	Q0-Q4.1
11448266	19 12 02.93	+49 18 46.2	11.5	…	…	…	339553	252.7	4.5	…	Q0-Q4.1
11449931	19 15 46.08	+49 19 42.5	12.1	…	…	…	12780	320.0	7.8	Q0-Q4	…
11454008	19 24 45.94	+49 23 03.2	11.1	…	TYC 3551-2195-1	…	94458	262.8	187.5	Q0-Q1	Q4.1
11494765	18 57 57.77	+49 24 56.4	11.1	…	TYC 3549-1627-1	…	49461	44.2	1.2	Q0	Q1
11497012	19 03 53.04	+49 25 39.1	9.7	F0[35]	BD+49-2927	…	49507	44.2	1.2	Q0	Q1
11498538	19 07 46.85	+49 29 07.3	7.3	F5[35]	HD 178874	…	104958	79.7	4.5	…	Q0-Q2.1
11499354	19 09 50.93	+49 25 10.5	12.0	…	…	…	298877	252.7	30.9	…	Q0-Q4.1
11499453	19 10 05.35	+49 25 47.5	10.7	…	TYC 3550-1330-1	…	342562	252.7	4.5	…	Q0-Q4.1
11502075	19 16 07.75	+49 28 46.6	14.2	…	…	…	13788	309.6	4.6	Q1-Q4	…
11508397	19 29 38.30	+49 29 48.4	10.7	…	…	…	38643	292.5	219.3	Q0-Q1	Q4.2
11509728	19 32 21.24	+49 27 49.4	9.7	A2[32]	BD+49-3039	…	15835	44.4	1.6	Q1	Q0
11515690	19 42 55.30	+49 25 27.0	10.6	…	TYC 3565-580-1	…	38114	292.5	219.4	Q0-Q1	Q4.2
11549609	19 04 23.64	+49 32 58.2	13.2	…	…	…	10898	252.1	4.8	Q0-Q4	…
11551622	19 10 12.67	+49 33 08.0	13.9	…	…	…	10369	241.5	5.7	Q1-Q4	…
11572666	19 51 22.80	+49 35 28.8	9.9	…	TYC 3565-1155-1	…	15857	44.4	1.2	Q1	Q0
11602449	19 08 13.78	+49 39 07.6	9.9	…	TYC 3550-1718-1	…	15855	44.4	1.2	Q1	Q0
11607193	19 19 29.78	+49 41 07.8	12.6	…	…	…	14393	321.5	4.6	Q0-Q4	…
11612274	19 30 41.54	+49 39 10.7	10.6	…	TYC 3564-1819-1	…	40115	228.8	158.5	Q0-Q1	Q3.3
11622328	19 47 56.14	+49 39 14.1	9.5	A2[33]	BD+49-3109	…	2089	44.2	1.2	Q0-Q1	…
11651083	19 01 15.65	+49 46 57.8	11.3	…	…	…	11057	252.5	4.6	Q0-Q4	…
11651147	19 01 26.57	+49 45 14.1	13.8	…	…	…	10423	241.3	5.5	Q1-Q4	…

Table 1. continued.

KIC ID	RA (J2000)	Dec (J2000)	Kp	Spectral Type	Name	Variable	N Datapoints	ΔT (d)	δT (d)	Quarters LC	Quarters SC
11653958	19 08 57.19	+49 44 22.2	11.9	…	…	…	335138	252.7	4.5	…	Q0-Q4.1
11654210	19 09 41.76	+49 47 37.4	11.9	…	…	…	334440	252.7	4.5	…	Q0-Q4.1
11657840	19 18 15.26	+49 45 33.7	15.0	…	…	…	13043	310.5	6.1	Q1-Q4	…
11661993	19 27 55.78	+49 45 43.5	9.4	F2[33]	BD+49-3018	…	45466	109.5	35.3	Q0-Q1	Q2.2
11671429	19 45 48.82	+49 47 11.6	11.0	…	TYC 3565-1003-1	…	41580	321.5	248.3	Q0-Q1	Q4.3
11700370	18 57 38.28	+49 51 03.6	10.6	…	TYC 3549-677-1	…	39786	228.7	158.6	Q0-Q1	Q3.3
11700604	18 58 21.74	+49 53 55.7	11.1	…	TYC 3549-914-1	…	49100	44.2	1.3	Q0	Q1
11706449	19 13 34.66	+49 51 01.2	11.0	…	…	…	14384	321.5	4.9	Q0-Q4	…
11706564	19 13 51.17	+49 51 34.5	12.4	…	…	…	14380	321.5	4.8	Q0-Q4	…
11707341	19 15 32.38	+49 51 13.6	13.8	…	…	…	13915	310.5	4.8	Q1-Q4	…
11708170	19 17 18.50	+49 51 00.8	7.2	F2[35]	HD 181252	…	57638	321.5	35.3	Q0-Q4	Q2.2
11714150	19 30 25.78	+49 53 09.0	10.3	…	TYC 3564-231-1	…	39814	137.7	66.4	Q0-Q1	Q2.3
11718839	19 39 17.64	+49 48 06.1	10.9	…	TYC 3564-891-1	…	44372	321.5	248.3	Q0-Q1	Q4.3
11753169	19 03 04.37	+49 54 06.3	14.7	…	…	…	10563	241.5	5.7	Q1-Q4	…
11754974	19 08 15.94	+49 57 15.4	12.7	…	…	…	45195	169.8	156.1	Q0-Q1	Q3.1
11821140	19 41 26.98	+50 03 11.0	10.0	F0[33]	BD+49-3081	…	15800	44.4	1.2	Q1	Q0
11822666	19 43 57.53	+50 04 31.8	10.7	…	…	…	47515	262.8	187.3	Q0-Q1	Q4.1
11824964	19 47 43.10	+50 05 14.2	10.6	…	TYC 3565-247-1	…	39824	228.8	158.6	Q0-Q1	Q3.3
11874676	19 47 15.31	+50 11 20.1	10.1	A5[35]	BD+49-3106	…	15861	44.4	1.2	Q1	Q0
11874898	19 47 35.95	+50 06 09.4	11.0	…	TYC 3565-1373-1	…	15858	44.4	1.2	Q1	Q0
11910256	19 17 46.56	+50 16 17.4	10.6	…	…	binary⋆	46863	251.8	187.5	Q1	Q4.1
11910642	19 18 33.77	+50 17 00.6	10.2	…	TYC 3550-1782-1	…	45401	109.5	35.3	Q0-Q1	Q2.2
11973705	19 46 42.58	+50 21 01.3	9.1	B9[34]	HD 234999	…	28668	322.0	4.6	Q0-Q4	Q0
12018834	19 38 48.29	+50 24 13.8	10.8	…	TYC 3564-274-1	…	95146	262.8	187.3	Q0-Q1	Q4.1
12020590	19 42 20.35	+50 27 38.8	10.0	…	TYC 3565-859-1	…	15830	44.4	1.4	Q1	Q0
12058428	19 18 05.66	+50 33 35.9	11.1	…	TYC 3550-895-1	…	49055	44.2	1.2	Q0	Q1
12062443	19 27 48.05	+50 31 10.2	10.9	…	TYC 3551-450-1	…	15826	44.4	1.6	Q1	Q0
12068180	19 39 22.42	+50 32 03.4	10.4	…	TYC 3564-1358-1	…	40428	137.7	66.3	Q0-Q1	Q2.3
12102187	19 04 01.97	+50 37 26.3	11.1	…	TYC 3549-88-1	…	49308	44.2	1.2	Q0	Q1
12117689	19 40 37.25	+50 38 31.5	10.8	…	TYC 3568-996-1	…	45441	109.5	35.3	Q0-Q1	Q2.2
12122075	19 48 15.07	+50 39 11.8	10.7	…	TYC 3569-391-1	binary⋆	47568	262.8	187.3	Q0-Q1	Q4.1
12216817	19 43 11.14	+50 53 45.6	10.7	…	TYC 3569-368-1	…	40433	137.7	66.3	Q0-Q1	Q2.3
12217281	19 44 00.38	+50 53 13.2	9.9	F2[34]	HD 234984	…	15841	44.4	1.2	Q1	Q0
12353648	19 18 07.97	+51 10 47.5	9.6	A2[34]	HD 234859	…	40397	137.7	66.3	Q0-Q1	Q2.3
12647070	19 21 51.14	+51 42 20.1	10.7	…	TYC 3555-1407-1	…	47581	262.8	187.3	Q0-Q1	Q4.1
12784394	19 19 51.41	+52 05 39.6	9.8	A5[34]	HD 234869	…	15729	44.4	1.6	Q1	Q0

Notes. [(1)] P = 9.3562 d, eclipsing binary (Hartman et al. 2004) [(2)] P = 0.0665 d (Henry et al. 2001) [(3)] P = 4.0303 d, pulsating star (Hartman et al. 2004) [(4)] P = 0.5607 d (Hartman et al. 2004) [(5)] P = 0.1886 d (Hartman et al. 2004) [(6)] P = 0.2948 d (Hartman et al. 2004) [(7)] P = 35.9 d (Watson 2006) [(8)] P = 4.924 d (Pigulski et al. 2009) [(9)] P = 2.18 d (Magalashvili & Kumishvili 1976) [(10)] P = 0.066677 d (Watson 2006) [(11)] P = 0.38414 d (Watson 2006) [(12)] P = 8.4803 d (Otero 2007); 8.480322 d (Carrier et al. 2002) [(13)] P = 4.56427 d, eclipsing binary (Malkov et al. 2006) [(14)] Abt (1984) [(15)] Grigahcène et al. (2010) [(16)] Henry et al. (2001) [(17)] Sato & Kuji (1990) [(18)] Cannon (1925) [(19)] Abt (2004) [(20)] Grenier et al. (1999) [(21)] Hill & Lynas-Gray (1977) [(22)] Guetter (1968) [(23)] Abt & Cardona (1984) [(24)] Perryman et al. (1997) [(25)] Macrae (1952) [(26)] Floquet (1975) [(27)] Floquet (1970) [(28)] Lindoff (1972) [(29)] Moore & Paddock (1950) [(30)] Bidelman, Ratcliff & Svolopoulos (1988) [(31)] Stephenson (1986) [(32)] Vyssotsky (1958) [(33)] Hill & Schilt (1952) [(34)] Cannon (1927) [(35)] Kharchenko & Roeser (2009) [(36)] Eclipsing binary (Prša et al. 2011) [(37)] Balona et al. (2011c) [(38)] Eclipsing binary (Slawson et al. 2011) [(39)] Wright et al. (2003) [(40)] Hoffleit (1951) [(41)] Molenda-Żakowicz et al. (2008)
⋆: binarity is suspected by inspection of Digitized Sky Survey and 2MASS images
°: spectroscopic binary

Table 2. Effective temperature (in K), $\log g$ (in dex), and $v \sin i$ values (in km s^{-1}) for the 750 sample stars

	$T_{\rm eff}$ (K)					$\log g$ (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
01162150	6870	...	...	...	**6870 ±290**[a]	3.47	...	...	**3.5 ±0.3**[a]	...	...
01294756	8410	...	...	...	**8410 ±290**[a]	3.92	...	...	**3.9 ±0.3**[a]	...	...
01432149	7270	...	...	...	**7270 ±290**[a]	3.99	...	...	**4.0 ±0.3**[a]	...	...
01571152°	7050	6500±130[b]	7000± 75[g]	...	**7000 ± 75**[g]	3.16	4.49±0.21[b]	4.15±0.26[g]	**4.2 ±0.26**[g]	91±13[g]	...
01571717	8110	...	...	...	**8110 ±290**[a]	3.98	...	...	**4.0 ±0.3**[a]	...	...
01573064	4639	...	...	...	**4639 ±290**[a]	2.54	...	...	**2.5 ±0.3**[a]	...	...
01718594	7500	...	...	...	**7500 ±290**[a]	3.95	...	...	**4.0 ±0.3**[a]	...	...
01995489	...	6410±120[b]	...	...	**6410 ±120**[b]	...	4.43±0.21[b]	...	**4.43 ±0.21**[b]	...	...
02020966	...	6560±130[b]	...	...	**6560±130**[b]	...	3.50±0.23[b]	...	**3.50 ±0.23**[b]	...	...
02162283	6680	...	...	...	**6680 ±290**[a]	4.07	...	...	**4.1 ±0.3**[a]	...	...
02163434	4590	...	...	...	**4590 ±290**[a]	2.67	...	...	**2.7 ±0.3**[a]	...	...
02166218	7150	7070± 80[g]	...	...	**7070 ± 80**[g]	3.35	3.84±0.21[b]	2.69±0.19[g]	**2.69 ±0.19**[g]	100± 3[g]	...
02168333	8140	...	...	...	**8140 ±290**[a]	3.83	...	...	**3.8 ±0.3**[a]	...	...
02300165	7140	...	...	...	**7140 ±290**[a]	3.58	...	...	**3.6 ±0.3**[a]	...	...
02303365	7280	...	...	...	**7280 ±290**[a]	3.65	...	...	**3.7 ±0.3**[a]	...	...
02306469	4600	...	...	...	**4600 ±290**[a]	2.42	...	...	**2.4 ±0.3**[a]	...	...
02306716	4670	...	...	...	**4670 ±290**[a]	2.32	...	...	**2.3 ±0.3**[a]	...	...
02310479	4440	...	...	...	**4440 ±290**[a]	2.02	...	...	**2.0 ±0.3**[a]	...	...
02311130	4640	...	...	...	**4640 ±290**[a]	2.31	...	...	**2.3 ±0.3**[a]	...	...
02423932	...	...	...	...	**...**	...	...	...	**...**	...	...
02439660	7990	...	...	...	**7990 ±290**[a]	3.95	...	...	**4.0 ±0.3**[a]	...	...
02443055	4590	...	...	...	**4590 ±290**[a]	2.52	...	...	**2.5 ±0.3**[a]	...	...
02444598	...	...	...	...	**...**	...	...	...	**...**	...	...
02556297	4590	...	...	...	**4590 ±290**[a]	2.48	...	...	**2.5 ±0.3**[a]	...	...
02556387	...	...	...	...	**...**	...	...	...	**...**	...	...
02557115	4340	...	...	...	**4340 ±290**[a]	2.22	...	...	**2.2 ±0.3**[a]	...	...
02557430	6250	...	...	...	**6250 ±290**[a]	4.10	...	...	**4.1 ±0.3**[a]	...	...
02558273	6440	...	...	...	**6440 ±290**[a]	4.19	...	...	**4.2 ±0.3**[a]	...	...
02568519	6170	...	...	...	**6170 ±290**[a]	4.46	...	...	**4.5 ±0.3**[a]	...	...
02569639	8020	...	...	...	**8020 ±290**[a]	4.12	...	...	**4.1 ±0.3**[a]	...	...
02571868	7930	...	...	...	**7930 ±290**[a]	3.56	...	...	**3.6 ±0.3**[a]	...	...
02572386	...	...	...	...	**...**	...	...	...	**...**	...	...
02575161	...	6940±150[b]	...	...	**6940 ±150**[b]	...	4.00±0.21[b]	...	**4.00 ±0.21**[b]	...	...
02578251	...	6610±130[b]	...	...	**6610 ±130**[b]	...	4.23±0.21[b]	...	**4.23 ±0.21**[b]	...	...
02583658	4620	...	...	...	**4620 ±290**[a]	2.44	...	...	**2.4 ±0.3**[a]	...	...
02584202	...	...	...	...	**...**	...	...	...	**...**	...	...
02584908	8180	...	...	...	**8180 ±290**[a]	3.70	...	...	**3.7 ±0.3**[a]	...	...
02694337	7290	...	...	...	**7290 ±290**[a]	3.99	...	...	**4.0 ±0.3**[a]	...	...
02707479	7280	...	...	...	**7280 ±290**[a]	4.10	...	...	**4.1 ±0.3**[a]	...	...
02718596	4850	...	...	...	**4850 ±290**[a]	2.63	...	...	**2.6 ±0.3**[a]	...	...
02720582	7060	...	...	...	**7060 ±290**[a]	4.17	...	...	**4.2 ±0.3**[a]	...	...
02834796	4570	...	...	...	**4570 ±290**[a]	2.34	...	...	**2.3 ±0.3**[a]	...	...
02835795	...	6690±130[b]	...	...	**6690 ±130**[b]	...	3.74±0.22[b]	...	**3.74 ±0.22**[b]	...	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
02853280	7320	…	…	…	**7320 ±290**[a]	3.59	…	…	**3.6 ±0.3**[a]	…	…
02855687	4770	…	…	…	**4770 ±290**[a]	2.52	…	…	**2.5 ±0.3**[a]	…	…
02860123	4620	…	…	…	**4620 ±290**[a]	2.53	…	…	**2.5 ±0.3**[a]	…	…
02969151	4700	…	…	…	**4700 ±290**[a]	2.37	…	…	**2.4 ±0.3**[a]	…	…
02970244	4720	…	…	…	**4720 ±290**[a]	2.24	…	…	**2.2 ±0.3**[a]	…	…
02972401	4660	…	…	…	**4660 ±290**[a]	2.59	…	…	**2.6 ±0.3**[a]	…	…
02975832	…	…	…	…	**…**	…	…	…	**…**	…	…
02987660	7310	…	…	…	**7310 ±290**[a]	3.59	…	…	**3.6 ±0.3**[a]	…	…
02989746	…	…	…	…	**…**	…	……	**…**	…	…	
02995525	4850	…	…	…	**4850 ±290**[a]	2.64	…	…	**2.6 ±0.3**[a]	…	…
02997802	…	…	…	…	**…**	…	…	…	**…**	…	…
03097912	7880	…	…	…	**7880 ±290**[a]	3.56	…	…	**3.6 ±0.3**[a]	…	…
03111451	…	…	…	…	**…**	…	…	…	**…**	…	…
03119604	8210	…	…	…	**8210 ±290**[a]	4.04	…	…	**4.0 ±0.3**[a]	…	…
03119825	…	…	…	…	**…**	…	…	…	**…**	…	…
03215800	…	…	…	…	**…**	…	…	…	**…**	…	…
03217554°	7800	7830±120[g]	…	…	**7830 ±120**[g]	3.50	3.69±0.09[g]	…	**3.69 ±0.09**[g]	228±18[g]	…
03218637	7190	…	…	…	**7190 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
03219256	7290	7500±150[i]	…	…	**7500 ±150**[i]	3.56	3.6± 0.1[i]	…	**3.6 ±0.1**[i]	90± 5[i]	…
03220783	4590	…	…	…	**4590 ±290**[a]	2.58	…	…	**2.6 ±0.3**[a]	…	…
03222364	…	6750±130[b]	…	…	**6750 ±130**[b]	…	3.82±0.21[b]	…	**3.82 ±0.21**[b]	…	…
03230227	7970	…	…	…	**7970 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
03231406	7800	…	…	…	**7800 ±290**[a]	3.76	…	…	**3.8 ±0.3**[a]	…	…
03240556	8420	…	…	…	**8420 ±290**[a]	3.85	…	…	**3.9 ±0.3**[a]	…	…
03245420	7870	…	…	…	**7870 ±290**[a]	3.66	…	…	**3.7 ±0.3**[a]	…	…
03248627	4660	…	…	…	**4660 ±290**[a]	2.32	…	…	**2.3 ±0.3**[a]	…	…
03327681	6500	…	…	…	**6500 ±290**[a]	3.68	…	…	**3.7 ±0.3**[a]	…	…
03331147	7020	…	…	…	**7020 ±290**[a]	3.55	…	…	**3.6 ±0.3**[a]	…	…
03337002	7200	…	…	…	**7200 ±290**[a]	3.60	…	…	**3.6 ±0.3**[a]	…	…
03347643	6780	…	…	…	**6780 ±290**[a]	4.07	…	…	**4.1 ±0.3**[a]	…	…
03348390	7140	6850±150[b]	…	…	**6850 ±150**[b]	4.02	4.10±0.21[b]	…	**4.10 ±0.21**[b]	…	…
03354022	4810	…	…	…	**4810 ±290**[a]	2.26	…	…	**2.3 ±0.3**[a]	…	…
03355066	4900	…	…	…	**4900 ±290**[a]	2.74	…	…	**2.7 ±0.3**[a]	…	…
03424493	7230	…	…	…	**7230 ±290**[a]	3.44	…	…	**3.4 ±0.3**[a]	…	…
03425802	8050	…	…	…	**8050 ±290**[a]	4.06	…	…	**4.1 ±0.3**[a]	…	…
03427144	4790	…	…	…	**4790 ±290**[a]	2.55	…	…	**2.5 ±0.3**[a]	…	…
03427365	4900	…	…	…	**4900 ±290**[a]	2.48	…	…	**2.5 ±0.3**[a]	…	…
03429637	6960	7200±150[i]	…	…	**7200 ±150**[i]	3.42	4.0± 0.1[i]	…	**4.0 ±0.1**[i]	50± 5[i]	…
03437940	7430	7342±162[e]	7700±120[i]	…	**7700 ±120**[i]	3.86	3.3 ±0.2[e]	4.1± 0.2[i]	**4.1 ±0.2**[i]	120± 5[i]	…
03440495	7410	…	…	…	**7410 ±290**[a]	3.93	…	…	**3.9 ±0.3**[a]	…	…
03449373	…	…	…	…	**…**	…	…	…	**…**	…	…
03449625	…	…	…	…	**…**	…	…	…	**…**	…	…
03453494	7810	7750± 70[g]	…	…	**7750 ± 70**[g]	3.84	3.6 ±0.3[g]	…	**3.6 ±0.3**[g]	210±15[g]	…

Table 2. continued.

	$T_{\rm eff}$ (K)					$\log g$ (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
03457434	4570	…	…	…	**4570 ±290**[a]	2.39	…	…	**2.4 ±0.3**[a]	…	…
03458097	…	…	…	…	**…**	…	…	…	**…**	…	…
03458318	…	…	…	…	**…**	…	…	…	**…**	…	…
03525951	4570	…	…	…	**4570 ±290**[a]	2.47	…	…	**2.5 ±0.3**[a]	…	…
03528578	5020	…	…	…	**5020 ±290**[a]	2.78	…	…	**2.8 ±0.3**[a]	…	…
03539153	7310	6790±140[b]	…	…	**6790 ±140**[b]	3.81	3.73±0.21[b]	…	**3.73 ±0.21**[b]	…	…
03546061	4770	…	…	…	**4770 ±290**[a]	2.34	…	…	**2.3 ±0.3**[a]	…	…
03558145	7340	…	…	…	**7340 ±290**[a]	4.11	…	…	**4.1 ±0.3**[a]	…	…
03629080	4830	…	…	…	**4830 ±290**[a]	2.74	…	…	**2.7 ±0.3**[a]	…	…
03633693	4530	…	…	…	**4530 ±290**[a]	2.38	…	…	**2.4 ±0.3**[a]	…	…
03634384	7480	…	…	…	**7480 ±290**[a]	3.86	…	…	**3.9 ±0.3**[a]	…	…
03643717	4410	…	…	…	**4410 ±290**[a]	2.02	…	…	**2.0 ±0.3**[a]	…	…
03644116	7500	…	…	…	**7500 ±290**[a]	4.11	…	…	**4.1 ±0.3**[a]	…	…
03655513	…	…	…	…	**…**	…	…	…	**…**	…	…
03655608	6600	…	…	…	**6600 ±290**[a]	4.33	…	…	**4.3 ±0.3**[a]	…	…
03663141	…	…	…	…	**…**	…	…	…	**…**	…	…
03733735	6440	6671±76[c]	6760± 0[d]	6546± 0[o]	**6671 ± 76**[c]	4.03	4.31±0.10[d]	…	**4.3 ±0.1**[d]	…	…
03758717	…	…	…	…	**…**	…	…	…	**…**	…	…
03759814	4890	…	…	…	**4890 ±290**[a]	3.51	…	…	**3.5 ±0.3**[a]	…	…
03760002	7030	…	…	…	**7030 ±290**[a]	4.04	…	…	**4.0 ±0.3**[a]	…	…
03760826	8640	…	…	…	**8640 ±290**[a]	3.42	…	…	**3.4 ±0.3**[a]	…	…
03761641	8150	…	…	…	**8150 ±290**[a]	4.10	…	…	**4.1 ±0.3**[a]	…	…
03836911	…	…	…	…	**…**	…	…	…	**…**	…	…
03850810	7300	…	…	…	**7300 ±290**[a]	3.56	…	…	**3.6 ±0.3**[a]	…	…
03851151	8190	…	…	…	**8190 ±290**[a]	4.10	…	…	**4.1 ±0.3**[a]	…	…
03868032	8340	…	…	…	**8340 ±290**[a]	4.04	…	…	**4.0 ±0.3**[a]	…	…
03941283	7800	…	…	…	**7800 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
03942911	7310	…	…	…	**7310 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
03966357	7460	…	…	…	**7460 ±290**[a]	3.59	…	…	**3.6 ±0.3**[a]	…	…
03970729	7160	…	…	…	**7160 ±290**[a]	4.14	…	…	**4.1 ±0.3**[a]	…	…
04035667	7960	…	…	…	**7960 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
04044353	8300	…	…	…	**8300 ±290**[a]	3.56	…	…	**3.6 ±0.3**[a]	…	…
04048488	5900	…	…	…	**5900 ±290**[a]	4.21	…	…	**4.2 ±0.3**[a]	…	…
04048494	7620	…	…	…	**7620 ±290**[a]	3.95	…	…	**4.0 ±0.3**[a]	…	…
04069477	7190	…	…	…	**7190 ±290**[a]	3.80	…	…	**3.8 ±0.3**[a]	…	…
04075519	…	…	…	…	**…**	…	…	…	**…**	…	…
04077032	6790	…	…	…	**6790 ±290**[a]	4.05	…	…	**4.1 ±0.3**[a]	…	…
04144300	…	…	…	…	**…**	…	…	…	**…**	…	…
04150611	6620	…	…	…	**6620 ±290**[a]	4.05	…	…	**4.1 ±0.3**[a]	…	…
04160876	8290	…	…	…	**8290 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…
04164363	7480	6470±120[b]	…	…	**6470 ±120**[b]	3.83	3.84±0.22[b]	…	**3.84 ±0.22**[b]	…	…
04168574	7710	…	…	…	**7710 ±290**[a]	3.50	…	…	**3.5 ±0.3**[a]	…	…
04170631	7500	…	…	…	**7500 ±290**[a]	3.47	…	…	**3.5 ±0.3**[a]	…	…

Table 2. continued.

	$T_{\rm eff}$ (K)					$\log g$ (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
04180199	7220	...	...	...	**7220 ±290**[a]	3.91	...	...	**3.9 ±0.3**[a]	...	...
04252757	7650	...	...	...	**7650 ±290**[a]	3.72	...	...	**3.7 ±0.3**[a]	...	...
04269337	8000	...	...	...	**8000 ±290**[a]	3.58	...	...	**3.6 ±0.3**[a]	...	...
04281581	8140	...	...	...	**8140 ±290**[a]	3.84	...	...	**3.8 ±0.3**[a]	...	...
04383117	8250	...	...	...	**8250 ±290**[a]	3.63	...	...	**3.6 ±0.3**[a]	...	...
04476836	6760	...	...	...	**6760 ±290**[a]	3.88	...	...	**3.9 ±0.3**[a]	...	...
04480321	7150	...	...	...	**7150 ±290**[a]	3.87	...	...	**3.9 ±0.3**[a]	...	...
04488840	7130	...	...	...	**7130 ±290**[a]	3.54	...	...	**3.5 ±0.3**[a]	...	...
04550962	7290	...	...	...	**7290 ±290**[a]	3.54	...	...	**3.5 ±0.3**[a]	...	...
04556345	7290	...	...	...	**7290 ±290**[a]	3.87	...	...	**3.9 ±0.3**[a]	...	...
04570326	...	7000±150[i]	...	...	**7000 ±150**[i]	...	4.0± 0.3[i]	...	**4.0 ±0.3**[i]	80±20[i]	...
04588487	7860	...	...	...	**7860 ±290**[a]	3.98	...	...	**4.0 ±0.3**[a]	...	...
04647763	6890	6850±140[b]	...	...	**6850 ±140**[b]	4.05	3.56±0.22[b]	...	**3.56 ±0.22**[b]	...	...
04649476	8330	...	...	...	**8330 ±290**[a]	3.87	...	...	**3.9 ±0.3**[a]	...	...
04671225	8230	...	...	...	**8230 ±290**[a]	3.27	...	...	**3.3 ±0.3**[a]	...	...
04677684	7860	...	...	...	**7860 ±290**[a]	3.32	...	...	**3.3 ±0.3**[a]	...	...
04758316	6980	...	...	...	**6980 ±290**[a]	4.07	...	...	**4.1 ±0.3**[a]	...	...
04768677	8360	...	...	...	**8360 ±290**[a]	3.97	...	...	**4.0 ±0.3**[a]	...	...
04840675	7110	...	...	...	**7110 ±290**[a]	3.55	...	...	**3.6 ±0.3**[a]	...	...
04850899	...	7132±163[e]	7244± 0[d]	...	**7132 ±163**[e]	...	4.2±0.2[e]	4.26±0.05[d]	**4.26 ±0.05**[d]	...	...
04856630	7350	...	...	...	**7350 ±290**[a]	3.89	...	...	**3.9 ±0.3**[a]	...	...
04857678	...	6668± 0[o]	...	...	**6680 ±290**[o]	...	...	...	**...**	...	...
04863077	7520	...	...	...	**7520 ±290**[a]	3.90	...	...	**3.9 ±0.3**[a]	...	...
04909697	7820	...	...	...	**7820 ±290**[a]	3.92	...	...	**3.9 ±0.3**[a]	...	...
04919818	7320	...	...	...	**7320 ±290**[a]	3.97	...	...	**4.0 ±0.3**[a]	...	...
04920125	7630	...	...	...	**7630 ±290**[a]	3.62	...	...	**3.6 ±0.3**[a]	...	...
04936524	7470	...	...	...	**7470 ±290**[a]	3.79	...	...	**3.8 ±0.3**[a]	...	...
04937257	...	...	...	...	**...**	...	...	...	**...**	...	...
04989900	7900	...	...	...	**7900 ±290**[a]	3.51	...	...	**3.5 ±0.3**[a]	...	...
05024150	5250	...	...	...	**5250 ±290**[a]	...	...	...	**...**	...	...
05024454	6210	...	...	...	**6210 ±290**[a]	4.11	...	...	**4.1 ±0.3**[a]	...	...
05024455	6760	...	...	...	**6760 ±290**[a]	4.44	...	...	**4.4 ±0.3**[a]	...	...
05024456	4300	...	...	...	**4300 ±290**[a]	...	...	...	**...**	...	...
05024750	...	...	...	...	**...**	...	...	...	**...**	...	...
05038228	6740	...	...	...	**6740 ±290**[a]	4.13	...	...	**4.1 ±0.3**[a]	...	...
05080290	5140	...	...	...	**5140 ±290**[a]	3.58	...	...	**3.6 ±0.3**[a]	...	...
05088308	6570	6740± 50[g]	...	...	**6740 ± 50**[g]	4.04	2.70±0.13[g]	...	**2.70 ±0.13**[g]	41± 1[g]	...
05105754	7090	...	...	...	**7090 ±290**[a]	4.13	...	...	**4.1 ±0.3**[a]	...	...
05112786	...	...	...	...	**...**	...	...	...	**...**	...	...
05112932	...	...	...	...	**...**	...	...	...	**...**	...	...
05113797	8140	...	...	...	**8140 ±290**[a]	3.83	...	...	**3.8 ±0.3**[a]	...	...
05164767	...	6576±121[e]	6960± 80[g]	6982± 0[o]	**6960 ± 80**[g]	...	3.11±0.19[e]	4.01±0.37[g]	**3.11 ±0.19**[e]	162± 9[g]	...
05180796	7450	...	...	...	**7450 ±290**[a]	3.89	...	...	**3.9 ±0.3**[a]	...	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
05197256	7610	...	...	...	**7610 ±290**[a]	3.88	...	...	**3.9 ±0.3**[a]	...	...
05199464	6080	...	...	...	**6080 ±290**[a]	4.53	...	...	**4.5 ±0.3**[a]	...	...
05200084	7470	...	...	...	**7470 ±290**[a]	3.84	...	...	**3.8 ±0.3**[a]	...	...
05201088	5450	...	...	...	**5450 ±290**[a]	...	...	...	**...**	...	...
05209712	8360	...	...	...	**8360 ±290**[a]	3.95	...	...	**4.0 ±0.3**[a]	...	...
05217733	9120	...	...	...	**9120 ±290**[a]	4.22	...	...	**4.2 ±0.3**[a]	...	...
05219533	7410	...	...	...	**7410 ±290**[a]	3.94	...	...	**3.9 ±0.3**[a]	115[n]	...
05272673	7120	...	...	...	**7120 ±290**[a]	3.76	...	...	**3.8 ±0.3**[a]	...	...
05294571	6580	...	...	...	**6580 ±290**[a]	4.07	...	...	**4.1 ±0.3**[a]	...	...
05296877	6660	6500±200[i]	...	...	**6500 ±200**[i]	4.11	3.8± 0.3[i]	...	**3.8 ±0.3**[i]	200±20[i]	...
05356349	8290	...	...	...	**8290 ±290**[a]	3.91	...	...	**3.9 ±0.3**[a]	...	...
05371747	7070	...	...	...	**7070 ±290**[a]	4.03	...	...	**4.0 ±0.3**[a]	...	...
05391416	8060	...	...	...	**8060 ±290**[a]	3.89	...	...	**3.9 ±0.3**[a]	...	...
05428254	7390	...	...	...	**7390 ±290**[a]	3.93	...	...	**3.9 ±0.3**[a]	...	...
05436432	8330	...	...	...	**8330 ±290**[a]	3.90	...	...	**3.9 ±0.3**[a]	...	...
05437206	7710	...	...	...	**7710 ±290**[a]	3.67	...	...	**3.7 ±0.3**[a]	...	...
05446068°	5340	5980±120[g]	...	...	**5980 ±120**[g]	4.48	3.58±0.28[g]	...	**3.58 ±0.28**[g]	11± 1[g]	...
05473171	7450	...	...	...	**7450 ±290**[a]	3.63	...	...	**3.6 ±0.3**[a]	...	...
05474427	6880	...	...	...	**6880 ±290**[a]	4.14	...	...	**4.1 ±0.3**[a]	...	...
05476495	7360	...	...	...	**7360 ±290**[a]	3.92	...	...	**3.9 ±0.3**[a]	...	...
05476864	6580	6550±120[b]	...	...	**6550 ±120**[b]	4.11	3.72±0.22[b]	...	**3.72 ±0.22**[b]	...	...
05513861	6170	6610±140[b]	...	...	**6610 ±140**[b]	4.43	4.48±0.21[b]	...	**4.48 ±0.21**[b]	...	...
05603049	8000	...	...	...	**8000 ±290**[a]	3.71	...	...	**3.7 ±0.3**[a]	...	...
05630362	7360	...	...	...	**7360 ±290**[a]	3.53	...	...	**3.5 ±0.3**[a]	...	...
05632093	8090	...	...	...	**8090 ±290**[a]	4.07	...	...	**4.1 ±0.3**[a]	...	...
05641711	7160	...	...	...	**7160 ±290**[a]	3.97	...	...	**4.0 ±0.3**[a]	...	...
05709664	7200	...	...	...	**7200 ±290**[a]	4.04	...	...	**4.0 ±0.3**[a]	...	...
05722346	6670	...	...	...	**6670 ±290**[a]	4.21	...	...	**4.2 ±0.3**[a]	...	...
05724048	6520	...	...	...	**6520 ±290**[a]	4.08	...	...	**4.1 ±0.3**[a]	...	...
05724440	7290	7699± 81[c]	7537±186[e]	7350±120[i]	**7350 ±120**[i]	3.57	3.98±0.21[e]	3.6± 0.3[i]	**3.6 ±0.3**[i]	220± 5[i]	...
05724810	7330	...	...	...	**7330 ±290**[a]	3.88	...	...	**3.9 ±0.3**[a]	...	...
05768203	6450	...	...	...	**6450 ±290**[a]	3.95	...	...	**3.9 ±0.3**[a]	...	...
05772411	6760	...	...	...	**6760 ±290**[a]	4.18	...	...	**4.2 ±0.3**[a]	...	...
05774557	7050	...	...	...	**7050 ±290**[a]	3.99	...	...	**4.0 ±0.3**[a]	...	...
05785707	8010	7940± 80[g]	...	...	**7940 ± 80**[g]	3.62	3.44±0.26[g]	...	**3.44 ±0.26**[g]	170±11[g]	...
05810113	6360	6480±120[b]	...	...	**6480 ±120**[b]	4.22	3.60±0.23[b]	...	**3.60 ±0.23**[b]	...	...
05857714	6710	...	...	...	**6710 ±290**[a]	3.80	...	...	**3.8 ±0.3**[a]	...	...
05880360	7690	...	...	...	**7690 ±290**[a]	3.64	...	...	**3.6 ±0.3**[a]	...	...
05940273	8010	...	...	...	**8010 ±290**[a]	3.59	...	...	**3.6 ±0.3**[a]	...	...
05954264	6720	6900±146[e]	...	...	**6900 ±146**[e]	4.15	3.86±0.21[e]	...	**3.86 ±0.21**[e]	...	...
05965837	6520	6975±200[i]	...	...	**6975 ±200**[i]	4.15	4.0± 0.4[i]	...	**4.0 ±0.3**[i]	20±10[i]	...
05980337	7680	...	...	...	**7680 ±290**[a]	3.76	...	...	**3.8 ±0.3**[a]	...	...
05988140	7450	7267±163[e]	7400±150[i]	...	**7400 ±150**[i]	3.54	3.32±0.23[e]	3.7± 0.3[i]	**3.32 ±0.23**[e]	70±20[i]	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
06032730	7110	...	...	...	**7110 ±290**[a]	3.79	...	...	**3.8 ±0.3**[a]	...	...
06067817	7840	...	...	...	**7840 ±290**[a]	3.86	...	...	**3.9 ±0.3**[a]	...	...
06123324	6670	6700±130[b]	6641±123[e]	...	**6700 ±130**[b]	3.40	3.09±0.23[b]	3.06±0.21[e]	**3.1 ±0.3**[b]	...	...
06141372	7080	...	...	...	**7080 ±290**[a]	4.21	...	...	**4.2 ±0.3**[a]	...	...
06142919	7000	...	...	...	**7000 ±290**[a]	4.02	...	...	**4.0 ±0.3**[a]	...	...
06187665	6880	6025± 60[c]	6025± 0[d]	...	**6025 ± 60**[c]	4.01	4.27±0.11[d]	...	**4.27 ±0.11**[d]	...	...
06199731	7850	...	...	...	**7850 ±290**[a]	3.55	...	...	**3.6 ±0.3**[a]	...	...
06268890	7280	...	...	...	**7280 ±290**[a]	3.49	...	...	**3.5 ±0.3**[a]	...	...
06279848	...	6826±140[e]	...	...	**6826 ±140**[e]	...	3.8±0.2[e]	...	**3.8 ±0.2**[e]	...	...
06289468	8270	8150±100[g]	...	...	**8150 ±100**[g]	3.74	3.29±0.09[g]	...	**3.29 ±0.09**[g]	148± 7[g]	...
06301745	6790	6740±130[b]	...	...	**6740 ±130**[b]	4.13	4.01±0.21[b]	...	**4.01 ±0.21**[b]	...	...
06381306	8060	...	...	...	**8060 ±290**[a]	3.63	...	...	**3.6 ±0.3**[a]	...	...
06432054	7090	7287±167[e]	7400±150[l]	...	**7400 ±150**[l]	3.85	3.81±0.19[e]	3.9±0.2[l]	**3.81 ±0.19**[e]	...	...
06440930	8320	...	...	...	**8320 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
06443122	7480	...	...	...	**7480 ±290**[a]	3.54	...	...	**3.5 ±0.3**[a]	...	...
06446951	7380	...	...	...	**7380 ±290**[a]	4.06	...	...	**4.1 ±0.3**[a]	...	...
06448112	8150	...	...	...	**8150 ±290**[a]	4.01	...	...	**4.0 ±0.3**[a]	...	...
06462033	8390	...	...	...	**8390 ±290**[a]	4.32	...	...	**4.3 ±0.3**[a]	...	...
06500578	7840	...	...	...	**7840 ±290**[a]	3.64	...	...	**3.6 ±0.3**[a]	...	...
06509175	7300	7520± 60[g]	...	...	**7520 ± 60**[g]	3.52	3.29±0.3[g]	...	**3.3 ±0.3**[g]	132± 8[g]	...
06519869	7150	...	...	...	**7150 ±290**[a]	3.80	...	...	**3.8 ±0.3**[a]	...	...
06586052	7520	...	...	...	**7520 ±290**[a]	4.05	...	...	**4.1 ±0.3**[a]	...	...
06587551	8380	8870±190[g]	...	...	**8870 ±190**[g]	3.93	3.78±0.09[g]	...	**3.78 ±0.09**[g]	138± 9[g]	...
06590403	7030	...	...	...	**7030 ±290**[a]	3.93	...	...	**3.9 ±0.3**[a]	...	...
06606229	6750	...	...	...	**6750 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
06614168	7270	...	...	...	**7270 ±290**[a]	4.14	...	...	**4.1 ±0.3**[a]	...	...
06629106	7070	...	...	...	**7070 ±290**[a]	3.95	...	...	**4.0 ±0.3**[a]	...	...
06668729	7770	...	...	...	**7770 ±290**[a]	3.48	...	...	**3.5 ±0.3**[a]	...	...
06670742	7450	6386± 62[c]	...	...	**6386 ± 62**[c]	3.61	...	...	**3.6 ±0.3**[a]	...	...
06678614	7410	...	...	...	**7410 ±290**[a]	3.85	...	...	**3.9 ±0.3**[a]	...	...
06694649	7750	...	...	...	**7750 ±290**[a]	3.66	...	...	**3.7 ±0.3**[a]	...	...
06756386	7990	7900± 70[g]	...	...	**7900 ± 70**[g]	3.51	3.17±0.10[g]	...	**3.2 ±0.1**[g]	190±12[g]	...
06756481	7310	...	...	...	**7310 ±290**[a]	3.52	...	...	**3.5 ±0.3**[a]	...	...
06761539	7240	...	...	...	**7240 ±290**[a]	4.04	...	...	**4.0 ±0.3**[a]	...	...
06776331	7650	...	...	...	**7650 ±290**[a]	3.72	...	...	**3.7 ±0.3**[a]	...	...
06790335	7690	...	...	...	**7690 ±290**[a]	3.52	...	...	**3.5 ±0.3**[a]	...	...
06804821	7480	...	...	...	**7480 ±290**[a]	3.65	...	...	**3.7 ±0.3**[a]	...	...
06865077	7770	...	...	...	**7770 ±290**[a]	3.62	...	...	**3.6 ±0.3**[a]	...	...
06922690	7320	...	...	...	**7320 ±290**[a]	3.61	...	...	**3.6 ±0.3**[a]	...	...
06923424	7060	...	...	...	**7060 ±290**[a]	4.16	...	...	**4.2 ±0.3**[a]	...	...
06937758	7840	...	...	...	**7840 ±290**[a]	3.47	...	...	**3.5 ±0.3**[a]	...	...
06939291	7140	...	...	...	**7140 ±290**[a]	3.52	...	...	**3.5 ±0.3**[a]	...	...
06947064	8170	...	...	...	**8170 ±290**[a]	3.91	...	...	**3.9 ±0.3**[a]	...	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
06951642	7180	…	…	…	**7180 ±290**[a]	3.37	…	…	**3.4 ±0.3**[a]	…	…
06965789	7650	…	…	…	**7650 ±290**[a]	3.39	…	…	**3.4 ±0.3**[a]	…	…
07007103	6910	…	…	…	**6910 ±290**[a]	4.06	…	…	**4.1 ±0.3**[a]	…	…
07106205	6970	6900±140[b]	…	…	**6900 ±140**[b]	4.05	3.73±0.21[b]	…	**3.73 ±0.21**[b]	…	…
07106648	7010	…	…	…	**7010 ±290**[a]	4.11	…	…	**4.1 ±0.3**[a]	…	…
07109598	7270	…	…	…	**7270 ±290**[a]	4.08	…	…	**4.1 ±0.3**[a]	…	…
07119530	7780	7608±190[e]	7500±200[i]	…	**7500 ±200**[i]	3.49	3.26±0.21[e]	3.6± 0.3[i]	**3.26 ±0.21**[e]	200±20[i]	…
07122746	8340	7740±200[b]	…	…	**7740 ±200**[b]	3.84	4.00±0.18[b]	…	**4.00 ±0.18**[b]	…	…
07204237	8070	…	…	…	**8070 ±290**[a]	4.05	…	…	**4.1 ±0.3**[a]	…	…
07211759	8220	…	…	…	**8220 ±290**[a]	3.77	…	…	**3.8 ±0.3**[a]	…	…
07212040	7500	…	…	…	**7500 ±290**[a]	3.97	…	…	**4.0 ±0.3**[a]	…	…
07215607	6530	…	…	…	**6530 ±290**[a]	4.06	…	…	**4.1 ±0.3**[a]	…	…
07217483	6940	…	…	…	**6940 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
07220356	6340	…	…	…	**6340 ±290**[a]	4.26	…	…	**4.3 ±0.3**[a]	…	…
07265427	7560	…	…	…	**7560 ±290**[a]	4.13	…	…	**4.1 ±0.3**[a]	…	…
07287118	7850	…	…	…	**7850 ±290**[a]	3.76	…	…	**3.8 ±0.3**[a]	…	…
07300387	7000	…	…	…	**7000 ±290**[a]	3.60	…	…	**3.6 ±0.3**[a]	…	…
07304385	6890	…	…	…	**6890 ±290**[a]	3.60	…	…	**3.6 ±0.3**[a]	…	…
07338125	7860	…	…	…	**7860 ±290**[a]	3.96	…	…	**4.0 ±0.3**[a]	…	…
07350486	7290	…	…	…	**7290 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…
07352425	6890	…	…	…	**6890 ±290**[a]	4.07	…	…	**4.1 ±0.3**[a]	…	…
07352776	7460	…	…	…	**7460 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
07385478	6480	…	…	…	**6480 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
07436266	7020	…	…	…	**7020 ±290**[a]	4.05	…	…	**4.1 ±0.3**[a]	…	…
07450284	7930	…	…	…	**7930 ±290**[a]	3.74	…	…	**3.7 ±0.3**[a]	…	…
07502559	7470	…	…	…	**7470 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
07533694	7860	…	…	…	**7860 ±290**[a]	3.80	…	…	**3.8 ±0.3**[a]	…	…
07548061	5000	5370 ±120[q]	…	…	**5370 ±120**[q]	2.42	1.50±0.35[q]	…	**2.4 ±0.3**[a]	12± 2[q]	…
07548479	7340	7500±250[l]	…	…	**7500 ±250**[l]	3.84	3.90±0.25[l]	…	**3.90 ±0.25**[l]	10± 2[l]	…
07553237	6930	…	…	…	**6930 ±290**[a]	4.12	…	…	**4.1 ±0.3**[a]	…	…
07583939	8310	…	…	…	**8310 ±290**[a]	3.95	…	…	**3.9 ±0.3**[a]	…	…
07596250	6870	…	…	…	**6870 ±290**[a]	3.90	…	…	**3.9 ±0.3**[a]	…	…
07662076	7050	…	…	…	**7050 ±290**[a]	4.01	…	…	**4.0 ±0.3**[a]	…	…
07668791	8150	…	…	…	**8150 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
07669848	…	…	…	…	**…**	…	…	…	**…**	19[o]	19.4±2.0[n]
07694191	7850	…	…	…	**7850 ±290**[a]	3.54	…	…	**3.5 ±0.3**[a]	…	…
07697795	7480	…	…	…	**7480 ±290**[a]	3.56	…	…	**3.6 ±0.3**[a]	…	…
07699056	7410	…	…	…	**7410 ±290**[a]	3.67	…	…	**3.7 ±0.3**[a]	…	…
07702705	7310	6710±130[b]	…	…	**6710 ±130**[b]	4.00	2.88±0.23[b]	…	**2.88 ±0.23**[b]	…	…
07732458	7550	…	…	…	**7550 ±290**[a]	3.64	…	…	**3.6 ±0.3**[a]	…	…
07742739	7170	…	…	…	**7170 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
07748238	7230	7260± 64[g]	…	…	**7260 ± 64**[g]	3.47	4.06±0.28[g]	…	**4.06 ±0.28**[g]	119± 6[g]	…
07756853	8060	…	…	…	**8060 ±290**[a]	3.94	…	…	**3.9 ±0.3**[a]	…	…

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
07767565	...	...	...	...	**...**	...	...	...	**...**	...	...
07770282	7450	...	...	...	**7450 ±290**[a]	3.50	...	...	**3.5 ±0.3**[a]	...	...
07771991	7300	...	...	...	**7300 ±290**[a]	3.53	...	...	**3.5 ±0.3**[a]	...	...
07773133	6640	...	...	...	**6640 ±290**[a]	3.52	...	...	**3.5 ±0.3**[a]	...	...
07777435	8120	...	...	...	**8120 ±290**[a]	3.75	...	...	**3.8 ±0.3**[a]	...	...
07798339	6680	6880±144[e]	6700±200[i]	6745± 0[o]	**6880 ±144**[e]	3.40	3.90±0.21[e]	3.7± 0.3[i]	**3.90 ±0.21**[e]	15.4±2.0[n]	15± 5[g,i]
07827131	8290	...	...	...	**8290 ±290**[a]	3.49	...	...	**3.5 ±0.3**[a]	...	...
07831302	8160	...	...	...	**8160 ±290**[a]	3.86	...	...	**3.9 ±0.3**[a]	...	...
07834612	7450	...	...	...	**7450 ±290**[a]	3.67	...	...	**3.7 ±0.3**[a]	...	...
07842286	7660	...	...	...	**7660 ±290**[a]	3.77	...	...	**3.8 ±0.3**[a]	...	...
07842621	7620	...	...	...	**7620 ±290**[a]	3.54	...	...	**3.5 ±0.3**[a]	...	...
07848288	7380	...	...	...	**7380 ±290**[a]	3.52	...	...	**3.5 ±0.3**[a]	...	...
07890526	7080	...	...	...	**7080 ±290**[a]	4.07	...	...	**4.1 ±0.3**[a]	...	...
07900367	6970	...	...	...	**6970 ±290**[a]	4.14	...	...	**4.1 ±0.3**[a]	...	...
07908633	7840	...	...	...	**7840 ±290**[a]	3.73	...	...	**3.7 ±0.3**[a]	...	...
07959867	8480	...	...	...	**8480 ±290**[a]	3.90	...	...	**3.9 ±0.3**[a]	...	...
07977996	7120	...	...	...	**7120 ±290**[a]	3.77	...	...	**3.8 ±0.3**[a]	...	...
07985370	5610	...	...	...	**5610 ±290**[a]	4.60	...	...	**4.6 ±0.3**[a]	...	...
08029546	7120	...	...	...	**7120 ±290**[a]	3.89	...	...	**3.9 ±0.3**[a]	...	...
08043961	6350	...	...	...	**6350 ±290**[a]	3.62	...	...	**3.6 ±0.3**[a]	...	...
08054146	8150	6770± 150[b]	...	...	**6770 ±150**[b]	3.67	3.08± 0.27[b]	...	**3.7 ±0.3**[a]	...	...
08103917	7130	...	...	...	**7130 ±290**[a]	4.16	...	...	**4.2 ±0.3**[a]	...	...
08104589	6510	...	...	...	**6510 ±290**[a]	4.29	...	...	**4.3 ±0.3**[a]	...	...
08123127	7160	...	...	...	**7160 ±290**[a]	3.69	...	...	**3.7 ±0.3**[a]	...	...
08143903	3680	...	...	...	**3680 ±290**[a]	4.22	...	...	**4.2 ±0.3**[a]	...	...
08144674	7290	...	...	...	**7290 ±290**[a]	3.85	...	...	**3.9 ±0.3**[a]	...	...
08145477	6800	...	...	...	**6800 ±290**[a]	4.06	...	...	**4.1 ±0.3**[a]	...	...
08149341	7540	...	...	...	**7540 ±290**[a]	4.00	...	...	**4.0 ±0.3**[a]	...	...
08159135	5020	...	...	...	**5020 ±290**[a]	4.14	...	...	**4.1 ±0.3**[a]	...	...
08197761	7070	...	...	...	**7070 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
08197788	8010	7500±150[i]	...	...	**7500 ±150**[i]	3.98	4.0± 0.3[i]	...	**4.0 ±0.3**[i]	230±20[i]	...
08211500	7400	...	...	...	**7400 ±290**[a]	3.91	...	...	**3.9 ±0.3**[a]	...	...
08218419	4550	...	...	...	**4550 ±290**[a]	2.20	...	...	**2.2 ±0.3**[a]	...	...
08222685	...	...	...	...	**...**	...	...	...	**...**	...	...
08223568	6790	6740±140[b]	...	...	**6740 ±140**[b]	3.88	4.38±0.21[b]	...	**4.38 ±0.21**[b]	...	...
08223987	5550	...	...	...	**5550 ±290**[a]	4.45	...	...	**4.5 ±0.3**[a]	...	...
08230025	7280	...	...	...	**7280 ±290**[a]	3.48	...	...	**3.5 ±0.3**[a]	...	...
08245366	...	...	...	...	**...**	...	...	...	**...**	...	...
08248630	7310	...	...	...	**7310 ±290**[a]	3.74	...	...	**3.7 ±0.3**[a]	...	...
08264061	7230	...	...	...	**7230 ±290**[a]	4.10	...	...	**4.1 ±0.3**[a]	...	...
08264075	7650	...	...	...	**7650 ±290**[a]	4.06	...	...	**4.1 ±0.3**[a]	...	...
08264274	7640	...	...	...	**7640 ±290**[a]	3.74	...	...	**3.7 ±0.3**[a]	...	...
08264404	7890	7500±200[i]	...	...	**7500 ±200**[i]	3.73	3.7± 0.3[i]	...	**3.7 ±0.3**[i]	250±20[i]	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
08264546	7630	…	…	…	**7630 ±290**[a]	3.96	…	…	**4.0 ±0.3**[a]	…	…
08264583	8360	7240±160[b]	…	…	**7240 ±160**[b]	3.64	2.97±0.22[b]	…	**3.97 ±0.22**[b]	…	…
08264588	…	…	…	…	**…**	…	…	…	**…**	…	…
08264617	7310	…	…	…	**7310 ±290**[a]	4.12	…	…	**4.1 ±0.3**[a]	…	…
08264674	8030	…	…	…	**8030 ±290**[a]	3.69	…	…	**3.7 ±0.3**[a]	…	…
08264698	8010	7500±200[i]	…	…	**7500 ±200**[i]	3.79	3.9± 0.2[i]	…	**3.9 ±0.2**[i]	210±20[i]	…
08283796	5500	…	…	…	**5500 ±290**[a]	4.05	…	…	**4.1 ±0.3**[a]	…	…
08293302	6450	…	…	…	**6450 ±290**[a]	4.22	…	…	**4.2 ±0.3**[a]	…	…
08323104	7590	…	…	…	**7590 ±290**[a]	3.92	…	…	**3.9 ±0.3**[a]	…	…
08330056	7240	…	…	…	**7240 ±290**[a]	4.10	…	…	**4.1 ±0.3**[a]	…	…
08330092	6900	…	…	…	**6900 ±290**[a]	4.12	…	…	**4.1 ±0.3**[a]	…	…
08330463	6020	…	…	…	**6020 ±290**[a]	4.86	…	…	**4.9 ±0.3**[a]	…	…
08330778	7620	…	…	…	**7620 ±290**[a]	4.03	…	…	**4.0 ±0.3**[a]	…	…
08352420	6560	…	…	…	**6560 ±290**[a]	4.30	…	…	**4.3 ±0.3**[a]	…	…
08355130	7040	…	…	…	**7040 ±290**[a]	4.11	…	…	**4.1 ±0.3**[a]	…	…
08355837	5860	…	…	…	**5860 ±290**[a]	4.30	…	…	**4.3 ±0.3**[a]	…	…
08397426	7030	…	…	…	**7030 ±290**[a]	3.55	…	…	**3.6 ±0.3**[a]	…	…
08415752	7780	…	…	…	**7780 ±290**[a]	4.00	…	…	**4.0 ±0.3**[a]	…	…
08429756	7360	…	…	…	**7360 ±290**[a]	3.67	…	…	**3.7 ±0.3**[a]	…	…
08446738	7150	…	…	…	**7150 ±290**[a]	3.93	…	…	**3.9 ±0.3**[a]	…	…
08454553	6670	…	…	…	**6670 ±290**[a]	3.58	…	…	**3.6 ±0.3**[a]	…	…
08459354	7430	…	…	…	**7430 ±290**[a]	3.62	…	…	**3.6 ±0.3**[a]	…	…
08460025	…	…	…	…	**…**	…	…	…	**…**	…	…
08460993	6710	…	…	…	**6710 ±290**[a]	3.98	…	…	**4.0 ±0.3**[a]	…	…
08479107	5050	…	…	…	**5050 ±290**[a]	4.52	…	…	**4.5 ±0.3**[a]	…	…
08482540	6360	…	…	…	**6360 ±290**[a]	4.33	…	…	**4.3 ±0.3**[a]	…	…
08488065	6190	…	…	…	**6190 ±290**[a]	4.20	…	…	**4.2 ±0.3**[a]	…	…
08489712	8350	…	…	…	**8350 ±290**[a]	3.52	…	…	**3.5 ±0.3**[a]	…	…
08499639	6580	…	…	…	**6580 ±290**[a]	4.12	…	…	**4.1 ±0.3**[a]	…	…
08507325	7140	…	…	…	**7140 ±290**[a]	3.43	…	…	**3.4 ±0.3**[a]	…	…
08516008	8320	…	…	…	**8320 ±290**[a]	3.60	…	…	**3.6 ±0.3**[a]	…	…
08516686	8240	…	…	…	**8240 ±290**[a]	4.02	…	…	**4.0 ±0.3**[a]	…	…
08525286	7350	…	…	…	**7350 ±290**[a]	4.19	…	…	**4.2 ±0.3**[a]	…	…
08545456	7860	…	…	…	**7860 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
08560996	7870	…	…	…	**7870 ±290**[a]	3.61	…	…	**3.6 ±0.3**[a]	…	…
08565229	7740	…	…	…	**7740 ±290**[a]	3.88	…	…	**3.9 ±0.3**[a]	…	…
08579615	8260	…	…	…	**8260 ±290**[a]	3.98	…	…	**4.0 ±0.3**[a]	…	…
08583770	7660	9000±200[i]	…	…	**9000 ±200**[i]	3.47	3.0± 0.2[i]	…	**3.0 ±0.2**[i]	130±10[i]	…
08590553	7300	…	…	…	**7300 ±290**[a]	3.98	…	…	**4.0 ±0.3**[a]	…	…
08608260	7890	…	…	…	**7890 ±290**[a]	3.91	…	…	**3.9 ±0.3**[a]	…	…
08623953	7730	7720± 50[g]	…	…	**7720 ± 50**[g]	3.74	3.47±0.08[g]	…	**3.47 ±0.08**[g]	84± 4[g]	…
08651452	6940	…	…	…	**6940 ±290**[a]	4.07	…	…	**4.1 ±0.3**[a]	…	…
08655712	7380	…	…	…	**7380 ±290**[a]	3.45	…	…	**3.4 ±0.3**[a]	…	…

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
08695156	7640	…	…	…	**7640 ±290**[a]	3.37	…	…	**3.4 ±0.3**[a]	…	…
08703413	7710	…	…	…	**7710 ±290**[a]	3.77	…	…	**3.8 ±0.3**[a]	…	…
08714886	9140	19 000±0[f]	…	…	**19 000±290**[f]	4.09	4.3[f]	…	**4.3 ±0.3**[f]	…	…
08717065	7440	…	…	…	**7440 ±290**[a]	3.76	…	…	**3.8 ±0.3**[a]	…	…
08738244	8170	8260±160[g]	…	…	**8260 ±160**[g]	4.15	3.25±0.12[g]	…	**3.25 ±0.12**[g]	133± 8[g]	…
08742449	5580	…	…	…	**5580 ±290**[a]	4.38	…	…	**4.4 ±0.3**[a]	…	…
08746834	4690	…	…	…	**4690 ±290**[a]	3.28	…	…	**3.3 ±0.3**[a]	…	…
08747415	5030	…	…	…	**5030 ±290**[a]	3.51	…	…	**3.5 ±0.3**[a]	…	…
08748251	6800	…	…	…	**6800 ±290**[a]	4.15	…	…	**4.2 ±0.3**[a]	…	…
08750029	…	7340± 60[g]	…	…	**7340 ± 60**[g]	…	3.72±0.3[g]	…	**3.7 ±0.3**[g]	165± 8[g]	…
08766619	6990	6570±120[b]	…	…	**6570 ±120**[b]	3.81	3.59±0.22[b]	…	**3.59 ±0.22**[b]	…	…
08827821	7390	…	…	…	**7390 ±290**[a]	3.69	…	…	**3.7 ±0.3**[a]	…	…
08838457	6200	…	…	…	**6200 ±290**[a]	3.85	…	…	**3.9 ±0.3**[a]	…	…
08869302	7280	…	…	…	**7280 ±290**[a]	4.18	…	…	**4.2 ±0.3**[a]	…	…
08869892	…	…	…	…	**…**	…	…	…	**…**	…	…
08871304	7150	…	…	…	**7150 ±290**[a]	3.43	…	…	**3.4 ±0.3**[a]	…	…
08881697	7730	…	…	…	**7730 ±290**[a]	3.86	…	…	**3.9 ±0.3**[a]	…	…
08915335	7770	…	…	…	**7770 ±290**[a]	3.48	…	…	**3.5 ±0.3**[a]	…	…
08933391	7630	7616±193[e]	…	…	**7616 ±193**[e]	3.69	3.71±0.19[e]	…	**3.71 ±0.19**[e]	…	…
08940640	…	…	…	…	**…**	…	…	…	**…**	…	…
08972966	7660	…	…	…	**7660 ±290**[a]	3.80	…	…	**3.8 ±0.3**[a]	…	…
08975515	7180	…	…	…	**7180 ±290**[a]	3.90	…	…	**3.9 ±0.3**[a]	…	…
09020157	6960	6880±150[b]	…	…	**6880 ±150**[b]	3.97	4.12±0.21[b]	…	**4.12 ±0.21**[b]	…	…
09020199	6540	…	…	…	**6540 ±290**[a]	3.98	…	…	**4.0 ±0.3**[a]	…	…
09052363	7610	…	…	…	**7610 ±290**[a]	3.74	…	…	**3.7 ±0.3**[a]	…	…
09072011	…	…	…	…	**…**	…	…	…	**…**	…	…
09073007	…	…	…	…	**…**	…	…	…	**…**	…	…
09073985	5990	…	…	…	**5990 ±290**[a]	4.37	…	…	**4.4 ±0.3**[a]	…	…
09077192	4750	…	…	…	**4750 ±290**[a]	4.40	…	…	**4.4 ±0.3**[a]	…	…
09108615	6710	…	…	…	**6710 ±290**[a]	3.81	…	…	**3.8 ±0.3**[a]	…	…
09111056	6800	…	…	…	**6800 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…
09117875	…	…	…	…	**…**	…	…	…	**…**	…	…
09138872	7500	…	…	…	**7500 ±290**[a]	4.03	…	…	**4.0 ±0.3**[a]	…	…
09143785	7600	…	…	…	**7600 ±290**[a]	4.25	…	…	**4.3 ±0.3**[a]	…	…
09147229	7300	…	…	…	**7300 ±290**[a]	3.57	…	…	**3.6 ±0.3**[a]	…	…
09156808	7070	…	…	…	**7070 ±290**[a]	3.94	…	…	**3.9 ±0.3**[a]	…	…
09201644	…	…	…	…	**…**	…	…	…	**…**	…	…
09204672	4030	…	…	…	**4030 ±290**[a]	1.82	…	…	**1.8 ±0.3**[a]	…	…
09204718	7150	…	…	…	**7150 ±290**[a]	3.93	…	…	**3.9 ±0.3**[a]	…	…
09210037	…	…	…	…	**…**	…	…	…	**…**	…	…
09216367	7840	…	…	…	**7840 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…
09222942	7000	…	…	…	**7000 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
09229318	7140	…	…	…	**7140 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
09246481	8050	...	...	...	**8050 ±290**[a]	3.79	...	...	**3.8 ±0.3**[a]	...	...
09264399	5060	...	...	...	**5060 ±290**[a]	4.46	...	...	**4.5 ±0.3**[a]	...	...
09264462	4870	...	...	...	**4870 ±290**[a]	3.31	...	...	**3.3 ±0.3**[a]	...	...
09267042	8130	...	...	...	**8130 ±290**[a]	3.81	...	...	**3.8 ±0.3**[a]	...	...
09268087	...	...	...	...	**...**	...	...	...	**...**	...	...
09272082	...	...	...	...	**...**	...	...	...	**...**	...	...
09274000	5660	...	...	...	**5660 ±290**[a]	4.46	...	...	**4.5 ±0.3**[a]	...	...
09291618	7610	...	...	...	**7610 ±290**[a]	3.61	...	...	**3.6 ±0.3**[a]	...	...
09306095	6340	...	...	...	**6340 ±290**[a]	4.63	...	...	**4.6 ±0.3**[a]	...	...
09324334	7250	...	...	...	**7250 ±290**[a]	4.06	...	...	**4.1 ±0.3**[a]	...	...
09327993	4600	...	...	...	**4600 ±290**[a]	2.37	...	...	**2.4 ±0.3**[a]	...	...
09336219	6520	...	...	...	**6520 ±290**[a]	4.26	...	...	**4.3 ±0.3**[a]	...	...
09351622	7450	...	...	...	**7450 ±290**[a]	3.53	...	...	**3.5 ±0.3**[a]	...	...
09353572	7190	...	...	...	**7190 ±290**[a]	3.99	...	...	**4.0 ±0.3**[a]	...	...
09368220	6660	...	...	...	**6660 ±290**[a]	4.10	...	...	**4.1 ±0.3**[a]	...	...
09386259	5810	...	...	...	**5810 ±290**[a]	4.30	...	...	**4.3 ±0.3**[a]	...	...
09391395	7310	...	...	...	**7310 ±290**[a]	3.96	...	...	**4.0 ±0.3**[a]	...	...
09395246	...	...	...	...	**...**	...	...	...	**...**	...	...
09408694	7480	6810±130[b]	...	...	**6810 ±130**[b]	3.62	3.80±0.19[b]	...	**3.80 ±0.19**[b]	...	...
09413057	8470	8630±140[g]	...	...	**8630 ±140**[g]	3.87	3.62±0.07[g]	...	**3.62±0.07**[g]	165± 8[g]	...
09450940	8210	...	...	...	**8210 ±290**[a]	4.21	...	...	**4.2 ±0.3**[a]	...	...
09451598	6060	...	...	...	**6060 ±290**[a]	4.56	...	...	**4.6 ±0.3**[a]	...	...
09453075	8060	...	...	...	**8060 ±290**[a]	4.00	...	...	**4.0 ±0.3**[a]	...	...
09458750	5070	...	...	...	**5070 ±290**[a]	3.69	...	...	**3.7 ±0.3**[a]	...	...
09473000	7130	...	...	...	**7130 ±290**[a]	3.88	...	...	**3.9 ±0.3**[a]	...	...
09489590	7160	...	...	...	**7160 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
09490042	7060	...	...	...	**7060 ±290**[a]	3.98	...	...	**4.0 ±0.3**[a]	...	...
09490067	6880	...	...	...	**6880 ±290**[a]	4.07	...	...	**4.1 ±0.3**[a]	...	...
09509296	7400	...	...	...	**7400 ±290**[a]	3.61	...	...	**3.6 ±0.3**[a]	...	...
09514879	5880	...	...	...	**5880 ±290**[a]	4.10	...	...	**4.1 ±0.3**[a]	...	...
09520434	...	...	...	...	**...**	...	...	...	**...**	...	...
09520864	...	...	...	...	**...**	...	...	...	**...**	...	...
09532644	7300	...	...	...	**7300 ±290**[a]	3.56	...	...	**3.6 ±0.3**[a]	...	...
09533449	...	...	...	...	**...**	...	...	...	**...**	...	...
09533489	...	...	...	...	**...**	...	...	...	**...**	...	...
09550886	7490	...	...	...	**7490 ±290**[a]	3.89	...	...	**3.9 ±0.3**[a]	...	...
09551281	7450	...	...	...	**7450 ±290**[a]	3.65	...	...	**3.7 ±0.3**[a]	...	...
09580794	7300	...	...	...	**7300 ±290**[a]	4.05	...	...	**4.1 ±0.3**[a]	...	...
09582720	5620	...	...	...	**5620 ±290**[a]	4.49	...	...	**4.5 ±0.3**[a]	...	...
09593997	7620	...	...	...	**7620 ±290**[a]	3.62	...	...	**3.6 ±0.3**[a]	...	...
09594100	6520	...	...	...	**6520 ±290**[a]	4.51	...	...	**4.5 ±0.3**[a]	...	...
09604762	7290	...	...	...	**7290 ±290**[a]	3.77	...	...	**3.8 ±0.3**[a]	...	...
09630640	6530	...	...	...	**6530 ±290**[a]	4.10	...	...	**4.1 ±0.3**[a]	...	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
09632537	7820	...	...	...	**7820 ±290**[a]	3.83	...	...	**3.8 ±0.3**[a]	...	...
09640204	6440	...	...	...	**6440 ±290**[a]	4.25	...	...	**4.3 ±0.3**[a]	...	...
09642894	7050	...	...	...	**7050 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
09643982	6580	...	...	...	**6580 ±290**[a]	4.20	...	...	**4.2 ±0.3**[a]	...	...
09650390	8390	...	...	...	**8390 ±290**[a]	3.68	...	...	**3.7 ±0.3**[a]	...	...
09651065	7390	7010±150[b]	...	...	**7010 ±150**[b]	3.67	3.82±0.21[b]	...	**3.82 ±0.21**[b]	...	...
09654789	6990	...	...	...	**6990 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
09655055	7620	...	...	...	**7620 ±290**[a]	3.48	...	...	**3.5 ±0.3**[a]	...	...
09655114	7750	7400±200[i]	...	...	**7400 ±200**[i]	3.78	3.9± 0.3[i]	...	**3.9 ±0.3**[i]	150±20[i]	...
09655151	7060	...	...	...	**7060 ±290**[a]	4.18	...	...	**4.2 ±0.3**[a]	...	...
09655177	6900	...	...	...	**6900 ±290**[a]	3.87	...	...	**3.9 ±0.3**[a]	...	...
09655393	7570	...	...	...	**7570 ±290**[a]	4.06	...	...	**4.1 ±0.3**[a]	...	...
09655422	7600	...	...	...	**7600 ±290**[a]	3.38	...	...	**3.4 ±0.3**[a]	...	...
09655433	8300	...	...	...	**8300 ±290**[a]	...	...	...	**...**	...	...
09655438	6970	...	...	...	**6970 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
09655487	...	...	...	...	**...**	...	...	...	**...**	...	...
09655501	7740	...	...	...	**7740 ±290**[a]	3.88	...	...	**3.9 ±0.3**[a]	...	...
09655514	7440	...	...	...	**7440 ±290**[a]	3.61	...	...	**3.6 ±0.3**[a]	...	...
09655800	6780	...	...	...	**6780 ±290**[a]	4.16	...	...	**4.2 ±0.3**[a]	...	...
09656348	7670	7190±160[b]	...	...	**7190 ±160**[b]	3.52	3.9±0.2[b]	...	**3.9 ±0.2**[b]	...	...
09664869	7190	...	...	...	**7190 ±290**[a]	3.99	...	...	**4.0 ±0.3**[a]	...	...
09673293	8230	...	...	...	**8230 ±290**[a]	3.87	...	...	**3.9 ±0.3**[a]	...	...
09693282	...	...	...	...	**...**	...	...	...	**...**	...	...
09696853	7130	...	...	...	**7130 ±290**[a]	4.14	...	...	**4.1 ±0.3**[a]	...	...
09699950	...	...	...	...	**...**	...	...	...	**...**	...	...
09700145	7590	...	...	...	**7590 ±290**[a]	4.03	...	...	**4.0 ±0.3**[a]	...	...
09700322	...	6700±100[m]	...	...	**6700 ±100**[m]	...	3.7± 0.1[m]	...	**3.7 ±0.1**[m]	19± 1[m]	...
09700679	5070	...	...	...	**5070 ±290**[a]	4.45	...	...	**4.5 ±0.3**[a]	...	...
09703601	5720	...	...	...	**5720 ±290**[a]	4.89	...	...	**4.9 ±0.3**[a]	...	...
09716107	7460	...	...	...	**7460 ±290**[a]	3.65	...	...	**3.7 ±0.3**[a]	...	...
09716350	...	...	...	...	**...**	...	...	...	**...**	...	...
09716947	7300	...	...	...	**7300 ±290**[a]	4.04	...	...	**4.0 ±0.3**[a]	...	...
09760531	6740	...	...	...	**6740 ±290**[a]	4.03	...	...	**4.0 ±0.3**[a]	...	...
09762713	6960	...	...	...	**6960 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
09764712	6020	...	...	...	**6020 ±290**[a]	4.68	...	...	**4.7 ±0.3**[a]	...	...
09764965	7460	7470± 45[g]	...	...	**7470 ± 45**[g]	4.09	3.78±0.19[g]	...	**3.78 ±0.19**[g]	85± 3[g]	...
09773512	7960	...	...	...	**7960 ±290**[a]	3.70	...	...	**3.7 ±0.3**[a]	...	...
09775385	7450	...	...	...	**7450 ±290**[a]	4.05	...	...	**4.5 ±0.3**[a]	...	...
09775454	...	7109±159[e]	7050±150[i]	...	**7050 ±150**[i]	...	3.91±0.21[e]	4.0± 0.3[i]	**3.91 ±0.21**[i]	70± 5[i]	...
09776474	...	...	...	...	**...**	...	...	...	**...**	...	...
09777532	...	...	...	...	**...**	...	...	...	**...**	...	...
09790479	7840	...	...	...	**7840 ±290**[a]	4.04	...	...	**4.0 ±0.3**[a]	...	...
09812351	7790	7847± 87[g]	...	...	**7847 ± 87**[g]	3.47	3.15±0.23[g]	...	**3.15 ±0.23**[g]	56± 4[g]	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
09813078	...	6811±138[b]	...	...	**6811 ±138**[b]	...	3.67±0.21[b]	...	**3.67 ±0.21**[b]	...	...
09818269	...	...	...	...	**...**	...	...	...	**...**	...	...
09836020	7480	...	...	...	**7480 ±290**[a]	4.09	...	...	**4.1 ±0.3**[a]	...	...
09845907	7940	...	...	...	**7940 ±290**[a]	4.03	...	...	**4.0 ±0.3**[a]	...	...
09851142	6800	7047±156[e]	...	...	**7047 ±156**[e]	3.95	3.97±0.21[e]	...	**3.97 ±0.21**[e]	...	...
09874181	7180	...	...	...	**7180 ±290**[a]	4.08	...	...	**4.1 ±0.3**[a]	...	...
09881909	6810	...	...	...	**6810 ±290**[a]	3.86	...	...	**3.9 ±0.3**[a]	...	...
09885882	5090	...	...	...	**5090 ±290**[a]	2.63	...	...	**2.6 ±0.3**[a]	...	...
09909300	6670	...	...	...	**6670 ±290**[a]	4.19	...	...	**4.2 ±0.3**[a]	...	...
09913481	7410	...	...	...	**7410 ±290**[a]	3.53	...	...	**3.5 ±0.3**[a]	...	...
09944208	7040	...	...	...	**7040 ±290**[a]	4.29	...	...	**4.3 ±0.3**[a]	...	...
09944730	5920	...	...	...	**5920 ±290**[a]	4.18	...	...	**4.2 ±0.3**[a]	...	...
09970568	7790	...	...	...	**7790 ±290**[a]	3.64	...	...	**3.6 ±0.3**[a]	...	...
09991621	5270	...	...	...	**5270 ±290**[a]	4.35	...	...	**4.4 ±0.3**[a]	...	...
09991766	6050	...	...	...	**6050 ±290**[a]	4.25	...	...	**4.3 ±0.3**[a]	...	...
09994789	5290	...	...	...	**5290 ±290**[a]	3.85	...	...	**3.9 ±0.3**[a]	...	...
09995464	4850	...	...	...	**4850 ±290**[a]	2.64	...	...	**2.6 ±0.3**[a]	...	...
10000056	8200	...	...	...	**8200 ±290**[a]	3.96	...	...	**4.0 ±0.3**[a]	...	...
10002897	7490	...	...	...	**7490 ±290**[a]	3.74	...	...	**3.7 ±0.3**[a]	...	...
10004510	4340	...	...	...	**4340 ±290**[a]	4.60	...	...	**4.6 ±0.3**[a]	...	...
10006158	4680	...	...	...	**4680 ±290**[a]	2.39	...	...	**2.4 ±0.3**[a]	...	...
10014548	7160	...	...	...	**7160 ±290**[a]	3.92	...	...	**3.9 ±0.3**[a]	...	...
10030943	6700	...	...	...	**6700 ±290**[a]	4.30	...	...	**4.3 ±0.3**[a]	...	...
10035772	7290	...	...	...	**7290 ±290**[a]	3.48	...	...	**3.5 ±0.3**[a]	...	...
10056217	6000	...	...	...	**6000 ±290**[a]	4.28	...	...	**4.3 ±0.3**[a]	...	...
10056297	7160	...	...	...	**7160 ±290**[a]	4.03	...	...	**4.0 ±0.3**[a]	...	...
10057129	4860	...	...	...	**4860 ±290**[a]	3.17	...	...	**3.2 ±0.3**[a]	...	...
10062593	5270	...	...	...	**5270 ±290**[a]	4.93	...	...	**4.9 ±0.3**[a]	...	...
10064111	7220	...	...	...	**7220 ±290**[a]	4.05	...	...	**4.1 ±0.3**[a]	...	...
10065244	7260	...	...	...	**7260 ±290**[a]	3.98	...	...	**4.0 ±0.3**[a]	...	...
10068892	4610	...	...	...	**4610 ±290**[a]	2.29	...	...	**2.3 ±0.3**[a]	...	...
10069934	7060	...	...	...	**7060 ±290**[a]	4.01	...	...	**4.0 ±0.3**[a]	...	...
10073601	7100	6680±130[b]	...	...	**6680 ±130**[b]	4.09	3.47±0.22[b]	...	**3.47 ±0.22**[b]	...	...
10090345	7190	...	...	...	**7190 ±290**[a]	3.94	...	...	**3.9 ±0.3**[a]	...	...
10096499	7780	8021±218[e]	...	...	**8012 ±218**[e]	4.13	3.91±0.16[e]	...	**3.91 ±0.16**[e]	...	...
10119517	6230	6450± 80[g]	...	...	**6450 ± 80**[g]	4.38	4.3 ±0.2[g]	...	**4.3 ±0.2**[g]	78± 4[g]	...
10130777	8020	...	...	...	**8020 ±290**[a]	3.71	...	...	**3.7 ±0.3**[a]	...	...
10134600	5010	...	...	...	**5010 ±290**[a]	3.06	...	...	**3.1 ±0.3**[a]	...	...
10134800	7910	...	...	...	**7910 ±290**[a]	3.71	...	...	**3.7 ±0.3**[a]	...	...
10140513	5880	6030±100[b]	...	...	**6030 ±100**[b]	3.96	4.30±0.22[b]	...	**4.30 ±0.22**[b]	...	...
10140665	6620	...	...	...	**6620 ±290**[a]	4.37	...	...	**4.4 ±0.3**[a]	...	...
10164569	7720	7130±150[b]	...	...	**7130 ±150**[b]	3.66	2.90±0.22[b]	...	**2.90 ±0.22**[b]	...	...
10206340	5210	5760± 80[b]	...	...	**5760 ± 80**[b]	4.46	4.48±0.22[b]	...	**4.48 ±0.22**[b]	...	...

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
10208303	6380	6310±120[b]	…	…	**6310 ±120**[b]	4.17	4.05±0.22[b]	…	**4.05 ±0.22**[b]	…	…
10208345	7150	…	…	…	**7150 ±290**[a]	4.01	…	…	**4.0 ±0.3**[a]	…	…
10213987	7830	…	…	…	**7830 ±290**[a]	3.94	…	…	**3.9 ±0.3**[a]	…	…
10253943	7740	…	…	…	**7740 ±290**[a]	3.70	…	…	**3.7 ±0.3**[a]	…	…
10254547	5880	…	…	…	**5880 ±290**[a]	4.84	…	…	**4.8 ±0.3**[a]	…	…
10264728	7790	…	…	…	**7790 ±290**[a]	3.85	…	…	**3.9 ±0.3**[a]	…	…
10266959	5050	…	…	…	**5050 ±290**[a]	4.40	…	…	**4.4 ±0.3**[a]	…	…
10273246	6070	6300±120[b]	…	…	**6300 ±120**[b]	4.15	4.54±0.21[b]	…	**4.54 ±0.21**[b]	…	…
10273384	6970	6220±110[b]	…	…	**6220 ±110**[b]	3.96	3.79±0.25[b]	…	**3.79 ±0.25**[b]	…	…
10273960	6660	6460±130[b]	…	…	**6460 ±130**[b]	4.44	4.13±0.22[b]	…	**4.13 ±0.22**[b]	…	…
10274244	5210	…	…	…	**5210 ±290**[a]	4.53	…	…	**4.5 ±0.3**[a]	…	…
10281360	7530	…	…	…	**7530 ±290**[a]	4.05	…	…	**4.1 ±0.3**[a]	…	…
10289211	7900	…	…	…	**7900 ±290**[a]	3.73	…	…	**3.7 ±0.3**[a]	…	…
10338279	5400	…	…	…	**5400 ±290**[a]	4.47	…	…	**4.5 ±0.3**[a]	…	…
10339342	5950	…	…	…	**5950 ±290**[a]	4.19	…	…	**4.2 ±0.3**[a]	…	…
10340511	5850	…	…	…	**5850 ±290**[a]	4.40	…	…	**4.4 ±0.3**[a]	…	…
10341072	6300	…	…	…	**6300 ±290**[a]	4.18	…	…	**4.2 ±0.3**[a]	…	…
10355055	8110	…	…	…	**8110 ±290**[a]	3.74	…	…	**3.7 ±0.3**[a]	…	…
10361229	6980	…	…	…	**6980 ±290**[a]	4.03	…	…	**4.0 ±0.3**[a]	…	…
10383933	5100	…	…	…	**5100 ±290**[a]	4.27	…	…	**4.3 ±0.3**[a]	…	…
10385459	6920	…	…	…	**6920 ±290**[a]	4.23	…	…	**4.2 ±0.3**[a]	…	…
10389037	4710	…	…	…	**4710 ±290**[a]	2.19	…	…	**2.2 ±0.3**[a]	…	…
10394332	4920	…	…	…	**4920 ±290**[a]	4.47	…	…	**4.5 ±0.3**[a]	…	…
10448764	7400	…	…	…	**7400 ±290**[a]	4.00	…	…	**4.0 ±0.3**[a]	…	…
10450550	4970	…	…	…	**4970 ±290**[a]	3.63	…	…	**3.6 ±0.3**[a]	…	…
10450675	6420	…	…	…	**6420 ±290**[a]	4.12	…	…	**4.1 ±0.3**[a]	…	…
10451090	7580	7640± 60[g]	…	…	**7640 ± 60**[g]	4.13	3.74±0.19[g]	…	**3.74 ±0.19**[g]	44± 2[g]	…
10451250	5650	…	…	…	**5650 ±290**[a]	4.06	…	…	**4.1 ±0.3**[a]	…	…
10453475	5200	…	…	…	**5200 ±290**[a]	4.47	…	…	**4.5 ±0.3**[a]	…	…
10467969	8850	…	…	…	**8850 ±290**[a]	4.09	…	…	**4.1 ±0.3**[a]	…	…
10471914	7290	…	…	…	**7290 ±290**[a]	3.95	…	…	**4.0 ±0.3**[a]	…	…
10484808	8140	…	…	…	**8140 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
10526137	3180	…	…	…	**3180 ±290**[a]	…	…	…	**…**	…	…
10526615	6080	…	…	…	**6080 ±290**[a]	4.62	…	…	**4.6 ±0.3**[a]	…	…
10533506	6510	…	…	…	**6510 ±290**[a]	4.18	…	…	**4.2 ±0.3**[a]	…	…
10533616	8320	…	…	…	**8320 ±290**[a]	3.77	…	…	**3.8 ±0.3**[a]	…	…
10534629	6070	…	…	…	**6070 ±290**[a]	3.94	…	…	**3.9 ±0.3**[a]	…	…
10536147	12 490	20 800±0[f]	…	…	**20 800±290**[f]	5.89	3.8[f]	…	**3.8 ±0.3**[f]	195±10[f]	…
10537907	7500	…	…	…	**7500 ±290**[a]	3.45	…	…	**3.4 ±0.3**[a]	…	…
10549292	7740	…	…	…	**7740 ±290**[a]	3.94	…	…	**3.9 ±0.3**[a]	…	…
10549371	6970	…	…	…	**6970 ±290**[a]	3.95	…	…	**4.0 ±0.3**[a]	…	…
10586837	7020	…	…	…	**7020 ±290**[a]	4.23	…	…	**4.2 ±0.3**[a]	…	…
10590857	7560	…	…	…	**7560 ±290**[a]	3.76	…	…	**3.8 ±0.3**[a]	…	…

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
10604429	7620	7200 ±200[p]	…	…	**7200 ±200**[p]	3.53	3.5 ±0.5[p]	…	**3.5 ±0.3**[a]	60[p]	…
10615125	7160	…	…	…	**7160 ±290**[a]	3.59	…	…	**3.6 ±0.3**[a]	…	…
10647493	…	…	…	…	**…**	…	…	…	**…**	…	…
10647611	7130	…	…	…	**7130 ±290**[a]	3.97	…	…	**4.0 ±0.3**[a]	…	…
10647860	5460	…	…	…	**5460 ±290**[a]	4.61	…	…	**4.6 ±0.3**[a]	…	…
10648728	6600	…	…	…	**6600 ±290**[a]	4.08	…	…	**4.1 ±0.3**[a]	…	…
10652134	6880	…	…	…	**6880 ±290**[a]	4.17	…	…	**4.2 ±0.3**[a]	…	…
10658302	14 810	15 900±0[f]	…	…	**15 900±290**[f]	6.08	3.9[f]	…	**3.9 ±0.3**[f]	…	…
10658802	7480	…	…	…	**7480 ±290**[a]	4.11	…	…	**4.1 ±0.3**[a]	…	…
10663892	5960	6020±100[b]	…	…	**6020 ±100**[b]	4.32	4.9±0.2[b]	…	**4.9 ±0.2**[b]	…	…
10664703	7630	…	…	…	**7630 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…
10664975	7950	6641±123[e]	…	…	**6641 ±123**[e]	3.58	…	…	**3.6 ±0.3**[a]	…	…
10675762	7220	…	…	…	**7220 ±290**[a]	3.59	…	…	**3.6 ±0.3**[a]	…	…
10684587	7290	…	…	…	**7290 ±290**[a]	3.83	…	…	**3.8 ±0.3**[a]	…	…
10684673	7110	…	…	…	**7110 ±290**[a]	3.91	…	…	**3.9 ±0.3**[a]	…	…
10685653	7970	…	…	…	**7970 ±290**[a]	3.90	…	…	**3.9 ±0.3**[a]	…	…
10686752	7270	…	…	…	**7270 ±290**[a]	3.95	…	…	**4.0 ±0.3**[a]	…	…
10709716	6050	…	…	…	**6050 ±290**[a]	4.35	…	…	**4.4 ±0.3**[a]	…	…
10713398	…	…	…	…	**…**	…	…	…	**…**	…	…
10717871	7290	…	…	…	**7290 ±290**[a]	3.50	…	…	**3.5 ±0.3**[a]	…	…
10723718	5370	…	…	…	**5370 ±290**[a]	4.18	…	…	**4.2 ±0.3**[a]	…	…
10730618	6200	…	…	…	**6200 ±290**[a]	4.22	…	…	**4.2 ±0.3**[a]	…	…
10775968	7490	…	…	…	**7490 ±290**[a]	3.84	…	…	**3.8 ±0.3**[a]	…	…
10777541	…	…	…	…	**…**	…	…	…	**…**	…	…
10777903	7320	…	…	…	**7320 ±290**[a]	3.53	…	…	**3.5 ±0.3**[a]	…	…
10778640	6390	…	…	…	**6390 ±290**[a]	4.16	…	…	**4.2 ±0.3**[a]	…	…
10783150	7340	…	…	…	**7340 ±290**[a]	3.93	…	…	**3.9 ±0.3**[a]	…	…
10788451	8790	…	…	…	**8790 ±290**[a]	4.02	…	…	**4.0 ±0.3**[a]	…	…
10797526	11 710	23 600±5600[f]	20 870±0[f]	…	**20 870±5600**[f]	4.41	3.2±0.0[f]	…	**3.2 ±0.3**[f]	…	…
10797849	6020	…	…	…	**6020 ±290**[a]	4.20	…	…	**4.2 ±0.3**[a]	…	…
10813970	7420	…	…	…	**7420 ±290**[a]	3.61	…	…	**3.6 ±0.3**[a]	…	…
10815466	8310	…	…	…	**8310 ±290**[a]	3.86	…	…	**3.9 ±0.3**[a]	…	…
10853783	7830	…	…	…	**7830 ±290**[a]	3.88	…	…	**3.9 ±0.3**[a]	…	…
10861649	5900	…	…	…	**5900 ±290**[a]	4.18	…	…	**4.2 ±0.3**[a]	…	…
10902738	4640	…	…	…	**4640 ±290**[a]	2.47	…	…	**2.5 ±0.3**[a]	…	…
10920182	5930	…	…	…	**5930 ±290**[a]	4.24	…	…	**4.2 ±0.3**[a]	…	…
10920273	5570	…	…	…	**5570 ±290**[a]	4.09	…	…	**4.1 ±0.3**[a]	…	…
10920447	7900	…	…	…	**7900 ±290**[a]	3.98	…	…	**4.0 ±0.3**[a]	…	…
10971674	5530	…	…	…	**5530 ±290**[a]	4.31	…	…	**4.3 ±0.3**[a]	…	…
10975247	7780	…	…	…	**7780 ±290**[a]	…	…	…	**3.9 ±0.3**[a]	…	…
10977859	8050	8190± 70[g]	…	…	**8190 ± 70**[g]	3.94	3.61±0.07[g]	…	**3.61 ±0.07**[g]	63± 3[g]	…
10988009	7320	…	…	…	**7320 ±290**[a]	4.00	…	…	**4.0 ±0.3**[a]	…	…
11013201	7780	7200±200[p]	…	…	**7200 ±200**[p]	3.82	3.5±0.2[p]	…	**3.5 ±0.2**[p]	100[p]	…

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
11017401	5410	…	…	…	**5410 ±290**[a]	4.39	…	…	**4.4 ±0.3**[a]	…	…
11020521	6670	…	…	…	**6670 ±290**[a]	4.31	…	…	**4.3 ±0.3**[a]	…	…
11021188	7320	…	…	…	**7320 ±290**[a]	4.15	…	…	**4.2 ±0.3**[a]	…	…
11027270	6850	…	…	…	**6850 ±290**[a]	3.91	…	…	**3.9 ±0.3**[a]	…	…
11067972	5990	…	…	…	**5990 ±290**[a]	4.46	…	…	**4.5 ±0.3**[a]	…	…
11069435	5590	…	…	…	**5590 ±290**[a]	4.55	…	…	**4.6 ±0.3**[a]	…	…
11082830	7020	…	…	…	**7020 ±290**[a]	3.96	…	…	**4.0 ±0.3**[a]	…	…
11090405	7710	…	…	…	**7710 ±290**[a]	3.71	…	…	**3.7 ±0.3**[a]	…	…
11122763	6530	…	…	…	**6530 ±290**[a]	4.28	…	…	**4.3 ±0.3**[a]	…	…
11125764	7980	…	…	…	**7980 ±290**[a]	3.85	…	…	**3.9 ±0.3**[a]	…	…
11127190	7630	…	…	…	**7630 ±290**[a]	3.72	…	…	**3.7 ±0.3**[a]	…	…
11128041	5670	…	…	…	**5670 ±290**[a]	4.47	…	…	**4.5 ±0.3**[a]	…	…
11128126	5940	…	…	…	**5940 ±290**[a]	4.32	…	…	**4.3 ±0.3**[a]	…	…
11129289	5990	…	…	…	**5990 ±290**[a]	4.31	…	…	**4.3 ±0.3**[a]	…	…
11180361	8330	…	…	…	**8330 ±290**[a]	3.55	…	…	**3.6 ±0.3**[a]	…	…
11182716	5390	…	…	…	**5390 ±290**[a]	4.22	…	…	**4.2 ±0.3**[a]	…	…
11183399	7260	…	…	…	**7260 ±290**[a]	4.03	…	…	**4.0 ±0.3**[a]	…	…
11183539	7470	…	…	…	**7470 ±290**[a]	3.51	…	…	**3.5 ±0.3**[a]	…	…
11193046	8170	…	…	…	**8170 ±290**[a]	3.70	…	…	**3.7 ±0.3**[a]	…	…
11197934	7860	…	…	…	**7860 ±290**[a]	3.68	…	…	**3.7 ±0.3**[a]	…	…
11199412	7470	…	…	…	**7470 ±290**[a]	3.70	…	…	**3.7 ±0.3**[a]	…	…
11230518	6140	…	…	…	**6140 ±290**[a]	4.38	…	…	**4.4 ±0.3**[a]	…	…
11232922	…	…	…	…	**…**	…	…	…	**…**	…	…
11233189	…	…	…	…	**…**	…	…	…	**…**	…	…
11234888	5940	…	…	…	**5940 ±290**[a]	4.33	…	…	**4.3 ±0.3**[a]	…	…
11235721	5740	…	…	…	**5740 ±290**[a]	4.33	…	…	**4.3 ±0.3**[a]	…	…
11236253	5430	…	…	…	**5430 ±290**[a]	4.45	…	…	**4.5 ±0.3**[a]	…	…
11240653	6460	…	…	…	**6460 ±290**[a]	4.12	…	…	**4.1 ±0.3**[a]	…	…
11253226	6470	6736± 75[c]	6800±400[h]	6622± 0[o]	**6736 ± 75**[c]	4.18	4.2± 0.1[h]	…	**4.2 ±0.1**[h]	19± 1[h]	…
11285767	7460	…	…	…	**7460 ±290**[a]	3.65	…	…	**3.7 ±0.3**[a]	…	…
11288686	…	…	…	…	**…**	…	…	…	**…**	…	…
11290197	6340	…	…	…	**6340 ±290**[a]	4.30	…	…	**4.3 ±0.3**[a]	…	…
11309335	7280	…	…	…	**7280 ±290**[a]	3.86	…	…	**3.9 ±0.3**[a]	…	…
11340063	4900	…	…	…	**4900 ±290**[a]	3.10	…	…	**3.1 ±0.3**[a]	…	…
11340713	…	…	…	…	**…**	…	…	…	**…**	…	…
11342032	…	…	…	…	**…**	…	…	…	**…**	…	…
11393580	3850	…	…	…	**3850 ±290**[a]	4.45	…	…	**4.5 ±0.3**[a]	…	…
11394216	5140	…	…	…	**5140 ±290**[a]	4.19	…	…	**4.2 ±0.3**[a]	…	…
11395018	5420	5740±80[b]	…	…	**5740 ± 80**[b]	4.47	3.65±0.24[b]	…	**3.65 ±0.24**[b]	…	…
11395028	5320	5720±80[b]	…	…	**5320 ±290**[a]	4.42	4.26±0.23[b]	…	**4.26 ±0.23**[b]	…	…
11395392	…	…	…	…	**…**	…	…	…	**…**	…	…
11402951	…	7150±120[i]	7250±100[k]	…	**7250 ±100**[k]	…	3.5± 0.1[i]	3.5± 0.1[k]	**3.5 ±0.1**[k]	100± 2[i]	…
11445774	6110	6210±110[b]	…	…	**6210 ±290**[b]	4.33	4.64±0.20[b]	…	**4.6 ±0.2**[b]	…	…

Table 2. continued.

	$T_{\rm eff}$ (K)					log g (dex)				$v \sin i$ (km s^{-1})	
KIC ID	KIC[a]	Literature	Literature	Literature	**Adopted***	KIC[a]	Literature	Literature	**Adopted***	Spectra	Spectra
11445913	6950	7200±120[i]	7250±100[k]	…	**7250 ±100**[k]	3.89	3.5± 0.2[i]	3.5± 0.2[k]	**3.5 ±0.2**[k]	51± 1[k]	…
11446143	4300	…	…	…	**4300 ±290**[a]	4.47	…	…	**4.5 ±0.3**[a]	…	…
11446181	5770	…	…	…	**5770 ±290**[a]	4.38	…	…	**4.4 ±0.3**[a]	…	…
11447883	6690	6800±400[h]	…	…	**6690 ±290**[a]	4.07	4.2± 0.1[h]	…	**4.2 ±0.1**[h]	105± 3[h]	…
11447953	6410	…	…	…	**6410 ±290**[a]	4.43	…	…	**4.4 ±0.3**[a]	…	…
11448266	5980	6110±110[b]	…	…	**6110 ±110**[b]	4.27	4.69±0.20[b]	…	**4.7 ±0.2**[b]	…	…
11449931	5940	6130±110[b]	…	…	**6130 ±110**[b]	4.52	4.84±0.20[b]	…	**4.8 ±0.2**[b]	…	…
11454008	6870	…	…	…	**6870 ±290**[a]	3.79	…	…	**3.8 ±0.3**[a]	…	…
11494765	7050	…	…	…	**7050 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
11497012	7660	…	…	…	**7660 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
11498538	6290	6410± 70[c]	6450± 80[g]	6441± 0[o]	**6410 ± 70**[c]	4.04	3.30±0.41[g]	…	**3.3 ±0.3**[g]	40± 1[g]	45[o]
11499354	5780	6020±100[b]	…	…	**6020 ±100**[b]	4.47	4.39±0.22[b]	…	**4.39 ±0.22**[b]	…	…
11499453	5810	…	…	…	**5810 ±290**[a]	4.38	…	…	**4.4 ±0.3**[a]	…	…
11502075	3980	…	…	…	**3980 ±290**[a]	4.57	…	…	**4.6 ±0.3**[a]	…	…
11508397	7460	…	…	…	**7460 ±290**[a]	3.52	…	…	**3.5 ±0.3**[a]	…	…
11509728	7790	…	…	…	**7790 ±290**[a]	3.73	…	…	**3.7 ±0.3**[a]	…	…
11515690	6460	…	…	…	**6460 ±290**[a]	4.11	…	…	**4.1 ±0.3**[a]	…	…
11549609	5580	…	…	…	**5580 ±290**[a]	4.56	…	…	**4.6 ±0.3**[a]	…	…
11551622	5690	…	…	…	**5690 ±290**[a]	4.50	…	…	**4.5 ±0.3**[a]	…	…
11572666	7040	…	…	…	**7040 ±290**[a]	3.49	…	…	**3.5 ±0.3**[a]	…	…
11602449	7390	…	…	…	**7390 ±290**[a]	3.83	…	…	**3.8 ±0.3**[a]	…	…
11607193	7210	…	…	…	**7210 ±290**[a]	4.14	…	…	**4.1 ±0.3**[a]	…	…
11612274	7470	…	…	…	**7470 ±290**[a]	3.62	…	…	**3.6 ±0.3**[a]	…	…
11622328	…	…	…	…	**…**	…	…	…	**…**	…	…
11651083	…	…	…	…	**…**	…	…	…	**…**	…	…
11651147	6030	…	…	…	**6030 ±290**[a]	4.48	…	…	**4.5 ±0.3**[a]	…	…
11653958	6620	6450±120[b]	…	…	**6450 ±120**[b]	4.25	4.20±0.21[b]	…	**4.20 ±0.21**[b]	…	…
11654210	6060	6200±110[b]	…	…	**6200 ±110**[b]	4.46	4.63±0.21[b]	…	**4.63 ±0.21**[b]	…	…
11657840	6120	…	…	…	**6120 ±290**[a]	4.66	…	…	**4.7 ±0.3**[a]	…	…
11661993	7200	…	…	…	**7200 ±290**[a]	3.93	…	…	**3.9 ±0.3**[a]	…	…
11671429	7360	…	…	…	**7360 ±290**[a]	3.58	…	…	**3.6 ±0.3**[a]	…	…
11700370	8290	…	…	…	**8290 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
11700604	7630	…	…	…	**7630 ±290**[a]	3.85	…	…	**3.9 ±0.3**[a]	…	…
11706449	…	…	…	…	**…**	…	…	…	**…**	…	…
11706564	4550	…	…	…	**4550 ±290**[a]	2.35	…	…	**2.4 ±0.3**[a]	…	…
11707341	4210	…	…	…	**4210 ±290**[a]	4.58	…	…	**4.6 ±0.3**[a]	…	…
11708170	6640	6776± 79[c]	6918± 0[d]	6714± 0[o]	**6776 ± 79**[c]	4.15	4.21±0.07[d]	…	**4.21 ±0.07**[d]	…	…
11714150	8270	…	…	…	**8270 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
11718839	8260	…	…	…	**8260 ±290**[a]	3.78	…	…	**3.8 ±0.3**[a]	…	…
11753169	7210	…	…	…	**7210 ±290**[a]	3.94	…	…	**3.9 ±0.3**[a]	…	…
11754974	…	…	…	…	**…**	…	…	…	**…**	…	…
11821140	8050	…	…	…	**8050 ±290**[a]	3.85	…	…	**3.9 ±0.3**[a]	…	…
11822666	8440	…	…	…	**8440 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…

Table 2. continued.

KIC ID	$T_{\rm eff}$ (K) KIC[a]	Literature	Literature	Literature	**Adopted**[⋆]	$\log g$ (dex) KIC[a]	Literature	Literature	**Adopted**[⋆]	$v \sin i$ (km s^{-1}) Spectra	Spectra
11824964	7190	…	…	…	**7190 ±290**[a]	3.97	…	…	**4.0 ±0.3**[a]	…	…
11874676	8220	…	…	…	**8220 ±290**[a]	4.00	…	…	**4.0 ±0.3**[a]	…	…
11874898	7010	6650±130[b]	…	…	**6650 ±130**[b]	3.96	3.72±0.22[b]	…	**3.72 ±0.22**[b]	…	…
11910256	7130	…	…	…	**7130 ±290**[a]	3.53	…	…	**3.5 ±0.3**[a]	…	…
11910642	7660	…	…	…	**7660 ±290**[a]	3.59	…	…	**3.6 ±0.3**[a]	…	…
11973705°	7400	11 898±0[f]	7300±300[i]	11 150±0[j]	**11 150±290**[j]	4.04	4.2± 0.3[i]	3.96[j]	**4.0 ±0.3**[j]	120±20[i]	103±10[j]
12018834	7270	…	…	…	**7270 ±290**[a]	4.00	…	…	**4.0 ±0.3**[a]	…	…
12020590	8020	…	…	…	**8020 ±290**[a]	3.67	…	…	**3.7 ±0.3**[a]	…	…
12058428	7110	…	…	…	**7110 ±290**[a]	3.99	…	…	**4.0 ±0.3**[a]	…	…
12062443	7380	…	…	…	**7380 ±290**[a]	3.97	…	…	**4.0 ±0.3**[a]	…	…
12068180	7460	…	…	…	**7460 ±290**[a]	3.78	…	…	**3.8 ±0.3**[a]	…	…
12102187	7030	…	…	…	**7030 ±290**[a]	4.13	…	…	**4.1 ±0.3**[a]	…	…
12117689	6910	…	…	…	**6910 ±290**[a]	4.09	…	…	**4.1 ±0.3**[a]	…	…
12122075	7120	…	…	…	**7120 ±290**[a]	3.89	…	…	**3.9 ±0.3**[a]	…	…
12216817	6680	…	…	…	**6680 ±290**[a]	3.81	…	…	**3.8 ±0.3**[a]	…	…
12217281	7130	…	…	…	**7130 ±290**[a]	3.71	…	…	**3.7 ±0.3**[a]	…	…
12353648	7410	7190± 45[g]	…	…	**7190 ± 45**[g]	3.47	3.60±0.26[g]	…	**3.60 ±0.26**[g]	189±12[g]	…
12647070	7280	…	…	…	**7280 ±290**[a]	3.87	…	…	**3.9 ±0.3**[a]	…	…
12784394	7850	…	…	…	**7850 ±290**[a]	3.61	…	…	**3.6 ±0.3**[a]	…	…

Notes. °: spectroscopic binary; **Values derived from photometry:** [(a)] KIC Catalogue, Latham et al. (2005) [(b)] SPM photometry, this paper [(c)] Masana, Jordi, & Ribas (2006) [(d)] Allende Prieto & Lambert (1999) [(e)] Hauck & Mermilliod (1998); **Values derived from photometry or spectroscopy:** [(f)] Balona et al. (2011b) **Values derived from spectroscopy:** [(g)] TLS spectra, this paper [(h)] SOPHIE spectra, this paper [(i)] Catanzaro et al. (2011) [(j)] Lehmann et al. (2011) [(k)] Balona et al. (2011c) [(l)] Antoci et al., private communication [(m)] Breger et al. (2011) [(n)] Glebocki & Stawikowski (2000) [(o)] Nordström et al. (2004) [(p)] Catanzaro et al. (2010) [(q)] Molenda-Żakowicz et al. (2008); ⋆: the estimated errors on the KIC values are 290 K for $T_{\rm eff}$ and 0.3 dex for $\log g$ (see text).

Table 3. Classification and characterization of δ Sct, γ Dor, and hybrid stars

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	(Freq Range)$_{\gamma Dor}$ (d^{-1})	(Freq Range)$_{\delta Sct}$ (d^{-1})	Amplitude$_{high}$ (ppm)	Freq$_{high}$ (d^{-1})	Flag
					δ Sct stars					
01162150	δ Sct	136	0	136	204	...	[4.0, 35.5]	1857	16.408	...
01571717	δ Sct	98	0	98	126	...	[5.4, 56.5]	767	41.235	•
01718594	δ Sct	53	0	53	139	...	[5.4, 76.1]	1674	18.328	...
02303365	δ Sct	37	0	37	162	...	[5.0, 34.8]	7340	14.806	...
02439660	δ Sct	36	0	36	51	...	[15.9, 79.5]	829	42.967	...
02571868	δ Sct	189	0	189	345	...	[4.0, 52.7]	1766	20.550	...
02572386	δ Sct	12	0	12	59	...	[9.1, 12.1]	1091	9.481	•
02987660	δ Sct	186	0	186	537	...	[4.3, 64.0]	3610	15.049	...
03217554	δ Sct	138	0	138	446	...	[4.0, 56.1]	2407	5.604	...
03219256	δ Sct	355	0	355	532	...	[4.0, 79.7]	1431	17.857	...
03347643	δ Sct	93	0	93	164	...	[4.2, 68.2]	654	29.695	...
03425802	δ Sct	16	0	16	30	...	[24.3, 44.4]	643	31.693	...
03429637	δ Sct	18	0	18	29	...	[9.3, 19.4]	1640	10.338	...
03440495	δ Sct	8	0	8	9	...	[4.1, 21.7]	332	15.973	...
03458318	δ Sct	16	0	16	47	...	[7.0, 23.0]	1147	13.490	...
03558145	δ Sct	81	0	81	140	...	[4.0, 44.2]	2891	22.122	...
03634384	δ Sct	208	0	208	573	...	[4.4, 68.7]	1584	11.648	...
03644116	δ Sct	75	0	75	95	...	[6.5, 42.6]	1325	30.022	...
03655513	δ Sct	12	0	12	46	...	[5.2, 12.6]	2848	8.333	...
03760002	δ Sct	86	0	86	159	...	[7.3, 33.1]	2246	16.260	...
03761641	δ Sct	62	0	62	149	...	[11.6, 74.6]	506	37.307	...
03850810	δ Sct	104	0	104	422	...	[4.5, 51.1]	1936	14.462	...
03941283	δ Sct	114	0	114	173	...	[9.4, 69.1]	1067	33.270	...
03942911	δ Sct	190	0	190	295	...	[4.3, 52.9]	1220	29.490	...
04035667	δ Sct	31	0	31	78	...	[4.8, 79.0]	552	46.399	...
04048494	δ Sct	87	0	87	254	...	[9.9, 42.0]	4701	14.364	...
04077032	δ Sct	274	0	274	869	...	[4.6, 75.8]	3707	14.482	...
04168574	δ Sct	43	0	42	139	...	[4.4, 18.9]	1495	7.989	...
04252757	δ Sct	135	0	135	332	...	[5.0, 36.5]	3961	21.480	...
04269337	δ Sct	106	0	106	297	...	[5.0, 69.1]	1552	35.215	•
04383117	δ Sct	11	0	11	12	...	[22.8, 45.1]	399	26.259	...
04647763	δ Sct	142	0	142	494	...	[4.1, 74.2]	3973	23.717	...
04649476	δ Sct	88	0	88	195	...	[4.3, 46.7]	1544	20.699	...
04840675	δ Sct	49	0	49	63	...	[4.5, 47.4]	1168	22.069	...
04856630	δ Sct	124	0	124	373	...	[4.4, 48.7]	2680	19.582	...
04863077	δ Sct	160	0	160	631	...	[4.1, 40.9]	2399	20.992	...
04909697	δ Sct	321	0	321	496	...	[4.3, 73.2]	1118	19.045	...
04936524	δ Sct	30	0	29	75	...	[10.2, 54.9]	2458	28.039	...
05080290	δ Sct	4	0	4	11	...	[4.0, 21.5]	332	21.543	...
05209712	δ Sct	85	0	85	165	...	[5.4, 65.2]	931	14.048	...
05272673	δ Sct	71	0	71	184	...	[4.5, 32.1]	9479	16.809	...
05391416	δ Sct	120	0	120	401	...	[4.0, 61.9]	2740	9.621	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	(Freq Range)$_{\gamma Dor}$ (d^{-1})	(Freq Range)$_{\delta Sct}$ (d^{-1})	Amplitude$_{high}$ (ppm)	Freq$_{high}$ (d^{-1})	Flag
05428254	δ Sct	168	0	168	285	...	[4.2, 66.2]	2775	19.161	...
05474427	δ Sct	129	0	129	283	...	[4.1, 31.1]	5363	14.816	...
05603049	δ Sct	118	0	118	209	...	[4.0, 48.5]	2163	24.345	...
05632093	δ Sct	53	0	53	153	...	[4.5, 75.8]	623	47.616	...
05709664	δ Sct	25	0	24	46	...	[4.2, 29.0]	823	19.440	...
05768203	δ Sct	3	0	3	5	...	[7.8, 17.0]	1269	7.808	...
05774557	δ Sct	60	0	60	133	...	[4.7, 35.4]	3426	13.855	...
05785707	δ Sct	99	0	99	200	...	[4.4, 71.3]	1036	41.279	...
06586052	δ Sct	78	0	78	219	...	[4.1, 49.2]	4161	20.880	...
06590403	δ Sct	99	0	99	410	...	[4.1, 51.3]	17926	5.007	...
06606229	δ Sct	35	0	35	85	...	[4.2, 49.7]	4403	6.417	...
06629106	δ Sct	25	0	25	95	...	[4.5, 27.0]	2608	16.943	...
06668729	δ Sct	228	0	228	463	...	[4.1, 48.9]	2003	21.164	...
06790335	δ Sct	447	0	447	1080	...	[4.0, 51.7]	3374	20.265	...
06804821	δ Sct	20	0	20	26	...	[12.8, 23.3]	730	14.518	...
06865077	δ Sct	53	0	53	215	...	[5.3, 73.1]	2102	24.163	...
06937758	δ Sct	73	0	73	257	...	[4.4, 67.2]	4883	20.077	...
06939291	δ Sct	21	0	21	36	...	[7.5, 27.6]	725	17.876	...
06947064	δ Sct	6	0	6	13	...	[20.6, 23.0]	2104	22.791	...
06965789	δ Sct	291	0	291	942	...	[4.0, 73.2]	3135	16.321	•
07106205	δ Sct	18	0	18	53	...	[8.0, 19.5]	4901	13.395	...
07212040	δ Sct	99	0	99	121	...	[9.7, 62.1]	860	25.848	...
07217483	δ Sct	34	0	34	87	...	[4.2, 35.1]	4795	13.932	...
07265427	δ Sct	190	0	190	391	...	[4.4, 51.4]	1943	24.137	...
07287118	δ Sct	118	0	118	178	...	[6.5, 49.8]	2241	30.830	...
07352425	δ Sct	113	0	113	222	...	[4.3, 33.5]	1847	11.820	...
07450284	δ Sct	136	0	136	298	...	[4.0, 49.1]	3167	19.726	...
07548479	δ Sct	67	0	67	93	...	[5.9, 67.2]	1451	21.709	...
07583939	δ Sct	501	0	501	806	...	[4.2, 78.6]	1330	23.165	...
07697795	δ Sct	114	0	114	383	...	[4.2, 35.7]	2523	17.487	...
07699056	δ Sct	305	0	305	651	...	[4.1, 75.2]	2406	12.977	...
07773133	δ Sct	155	0	155	531	...	[4.6, 33.5]	23529	5.826	...
07777435	δ Sct	43	0	43	55	...	[6.0, 45.9]	1866	20.216	...
07834612	δ Sct	197	0	197	627	...	[4.1, 47.5]	4822	8.529	...
07842286	δ Sct	122	0	122	441	...	[4.4, 78.5]	2785	26.424	...
07842621	δ Sct	29	0	29	48	...	[4.4, 42.9]	688	29.791	...
07900367	δ Sct	30	0	30	79	...	[4.6, 41.2]	3857	13.247	...
08103917	δ Sct	39	0	39	69	...	[4.0, 38.1]	1799	17.747	...
08245366	δ Sct	101	0	101	367	...	[4.0, 49.1]	27451	11.938	...
08248630	δ Sct	184	0	184	311	...	[4.0, 37.2]	1652	19.486	...
08264546	δ Sct	38	0	36	82	...	[4.0, 38.4]	1180	24.985	...
08330778	δ Sct	5	0	5	9	...	[4.9, 26.4]	131	26.427	...
08352420	δ Sct	14	0	14	63	...	[6.9, 19.3]	5376	9.271	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	(Freq Range)$_{\gamma Dor}$ (d^{-1})	(Freq Range)$_{\delta Sct}$ (d^{-1})	Amplitude$_{high}$ (ppm)	Freq$_{high}$ (d^{-1})	Flag
08415752	δ Sct	49	0	49	60	...	[7.3, 66.3]	365	37.764	...
08429756	δ Sct	53	0	53	67	...	[22.1, 61.9]	590	27.746	...
08446738	δ Sct	37	0	37	60	...	[8.0, 67.3]	985	38.249	...
08459354	δ Sct	285	0	284	988	...	[4.1, 51.6]	3867	19.468	...
08499639	δ Sct	64	0	64	117	...	[4.0, 21.3]	1117	13.160	...
08516686	δ Sct	41	0	41	44	...	[21.1, 60.0]	142	43.752	...
08525286	δ Sct	97	0	97	235	...	[4.3, 53.4]	2189	34.056	•
08560996	δ Sct	25	0	25	27	...	[16.9, 51.7]	824	20.944	...
08565229	δ Sct	118	0	118	405	...	[8.1, 46.8]	3902	22.543	...
08579615	δ Sct	34	0	34	68	...	[4.1, 31.9]	987	8.130	...
08608260	δ Sct	192	0	192	325	...	[4.1, 35.7]	1332	13.191	...
08623953	δ Sct	107	0	107	342	...	[6.6, 54.5]	11516	27.257	...
08655712	δ Sct	253	0	253	494	...	[4.0, 35.2]	2141	14.436	...
08695156	δ Sct	56	0	56	237	...	[4.3, 54.7]	3358	5.777	...
08717065	δ Sct	74	0	73	206	...	[4.5, 61.5]	811	24.547	...
08747415	δ Sct	4	0	4	6	...	[11.0, 12.5]	39	11.030	...
08750029	δ Sct	3	0	3	7	...	[4.4, 22.4]	484	22.439	...
08827821	δ Sct	89	0	89	172	...	[12.9, 50.1]	1689	17.713	...
08869892	δ Sct	34	0	34	129	...	[4.2, 18.6]	5539	7.699	...
08881697	δ Sct	93	0	93	339	...	[5.5, 76.3]	1835	16.557	...
08933391	δ Sct	7	0	7	7	...	[6.7, 14.5]	193	6.708	...
09020199	δ Sct	53	0	53	180	...	[4.0, 57.3]	5855	7.477	...
09108615	δ Sct	10	0	10	21	...	[6.6, 49.2]	497	6.617	...
09111056	δ Sct	208	0	208	775	...	[4.0, 56.2]	12668	5.655	...
09138872	δ Sct	98	0	97	273	...	[4.2, 49.2]	2268	19.697	...
09143785	δ Sct	90	0	90	392	...	[5.8, 77.6]	2386	11.798	...
09156808	δ Sct	69	0	69	116	...	[6.4, 48.5]	2204	21.279	...
09201644	δ Sct	207	0	207	448	...	[4.3, 42.5]	2067	14.723	...
09210037	δ Sct	101	0	101	288	...	[4.6, 34.8]	7634	9.282	...
09229318	δ Sct	263	0	263	851	...	[4.0, 44.1]	5249	6.246	...
09246481	δ Sct	57	0	57	124	...	[4.1, 62.3]	402	33.845	...
09267042	δ Sct	185	0	185	475	...	[4.1, 69.9]	7895	24.664	...
09291618	δ Sct	100	0	100	522	...	[4.1, 32.9]	3352	10.321	...
09324334	δ Sct	142	0	142	356	...	[4.1, 39.2]	8675	10.272	...
09353572	δ Sct	12	0	12	16	...	[6.5, 49.0]	1780	13.392	...
09368220	δ Sct	179	0	179	505	...	[4.2, 62.5]	8093	5.392	...
09395246	δ Sct	63	0	63	199	...	[4.6, 58.3]	4588	7.697	...
09450940	δ Sct	99	0	99	219	...	[6.0, 76.0]	3959	29.997	...
09453075	δ Sct	21	0	21	60	...	[4.6, 34.9]	2389	19.313	...
09489590	δ Sct	75	0	75	113	...	[7.3, 46.7]	1549	15.788	...
09533449	δ Sct	64	0	64	180	...	[4.1, 49.3]	3170	12.519	...
09551281	δ Sct	170	0	170	335	...	[4.4, 41.8]	1593	21.480	...
09580794	δ Sct	84	0	84	393	...	[4.1, 50.5]	2886	10.188	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	$(Freq\ Range)_{\gamma Dor}$ (d^{-1})	$(Freq\ Range)_{\delta Sct}$ (d^{-1})	$Amplitude_{high}$ (ppm)	$Freq_{high}$ (d^{-1})	Flag
09642894	δ Sct	28	0	28	100	...	[5.1, 29.1]	7796	14.678	...
09655055	δ Sct	64	0	64	182	...	[4.2, 25.1]	2269	7.842	...
09655114	δ Sct	268	0	268	508	...	[4.5, 77.3]	3633	20.569	...
09655177	δ Sct	103	0	101	420	...	[4.7, 27.6]	8012	8.510	...
09655393	δ Sct	229	0	229	498	...	[4.7, 64.6]	2682	28.159	...
09655422	δ Sct	137	0	137	385	...	[4.0, 50.2]	5689	5.128	•
09655514	δ Sct	165	0	165	305	...	[4.7, 64.1]	3336	15.177	...
09673293	δ Sct	20	0	20	23	...	[24.2, 48.8]	192	29.120	...
09693282	δ Sct	324	0	324	1047	...	[4.1, 63.6]	4391	8.683	...
09699950	δ Sct	64	0	64	142	...	[13.8, 49.1]	5219	17.011	...
09700145	δ Sct	72	0	72	230	...	[4.0, 35.2]	4431	13.062	•
09700322	δ Sct	28	0	28	75	...	[9.8, 24.1]	27944	12.569	...
09762713	δ Sct	38	0	38	80	...	[4.4, 26.8]	3687	13.859	...
09773512	δ Sct	15	0	13	41	...	[9.2, 14.9]	2242	9.207	...
09776474	δ Sct	57	0	57	93	...	[4.4, 68.6]	1173	16.266	...
09812351	δ Sct	170	0	170	480	...	[4.8, 79.8]	4279	18.581	...
09818269	δ Sct	27	0	26	85	...	[9.4, 76.2]	1666	19.175	...
09836020	δ Sct	28	0	28	41	...	[13.7, 22.3]	1062	17.715	...
09845907	δ Sct	127	0	124	570	...	[4.9, 77.0]	33209	17.597	...
09874181	δ Sct	71	0	71	114	...	[5.6, 31.7]	1116	20.316	...
10000056	δ Sct	88	0	88	387	...	[4.4, 65.9]	8606	20.141	...
10002897	δ Sct	33	0	33	181	...	[4.5, 49.0]	4046	15.393	...
10056297	δ Sct	63	0	63	323	...	[4.6, 39.9]	32902	9.560	...
10134800	δ Sct	84	0	81	319	...	[4.1, 49.1]	2894	27.058	...
10213987	δ Sct	9	0	9	20	...	[7.2, 20.6]	1156	17.059	•
10253943	δ Sct	246	0	246	805	...	[4.2, 78.8]	6959	25.206	...
10273384	δ Sct	81	0	81	238	...	[6.4, 25.6]	18859	8.223	...
10289211	δ Sct	267	0	267	645	...	[4.4, 49.9]	2067	19.812	...
10355055	δ Sct	45	0	45	140	...	[5.7, 52.6]	3433	22.084	...
10448764	δ Sct	92	0	92	484	...	[4.1, 33.6]	10776	9.591	...
10451090	δ Sct	79	0	79	157	...	[10.5, 64.8]	1411	38.376	...
10484808	δ Sct	59	0	59	86	...	[10.5, 80.0]	886	27.118	...
10533616	δ Sct	4	0	4	5	...	[31.9, 50.6]	34	31.853	...
10549292	δ Sct	82	0	82	92	...	[4.9, 48.3]	957	18.081	...
10549371	δ Sct	15	0	15	44	...	[7.1, 15.8]	3996	13.880	...
10590857	δ Sct	87	0	87	343	...	[4.4, 48.5]	2217	20.924	...
10604429	δ Sct	90	0	90	147	...	[4.0, 38.7]	873	18.407	...
10615125	δ Sct	109	0	109	385	...	[4.1, 39.2]	5064	9.661	...
10658802	δ Sct	62	0	62	312	...	[4.4, 37.1]	2998	8.159	...
10664703	δ Sct	228	0	228	506	...	[4.0, 47.3]	4047	5.558	...
10684587	δ Sct	306	0	306	760	...	[4.0, 48.9]	7128	12.837	...
10684673	δ Sct	9	0	9	28	...	[5.8, 10.4]	7430	10.387	...
10686752	δ Sct	62	0	62	87	...	[12.7, 58.8]	628	40.473	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	(Freq Range)$_{\gamma Dor}$ (d^{-1})	(Freq Range)$_{\delta Sct}$ (d^{-1})	Amplitude$_{high}$ (ppm)	Freq$_{high}$ (d^{-1})	Flag
10713398	δ Sct	80	0	80	383	...	[5.1, 48.1]	3106	15.348	...
10717871	δ Sct	234	0	234	693	...	[4.2, 39.7]	3778	12.217	...
10775968	δ Sct	11	0	11	17	...	[4.5, 24.7]	432	21.549	...
10777903	δ Sct	277	0	277	966	...	[4.1, 38.0]	4486	16.791	...
10788451	δ Sct	122	0	122	301	...	[4.0, 43.1]	3603	23.160	...
10813970	δ Sct	183	0	183	648	...	[4.1, 49.8]	5261	9.606	...
10815466	δ Sct	267	0	267	721	...	[4.1, 79.0]	2188	36.712	...
10853783	δ Sct	102	0	102	136	...	[4.0, 50.7]	1708	28.955	...
10920447	δ Sct	89	0	89	132	...	[4.0, 62.9]	1622	31.523	...
10977859	δ Sct	67	0	67	120	...	[4.1, 63.6]	2014	59.969	...
10988009	δ Sct	169	0	165	613	...	[4.1, 48.8]	5483	12.957	...
11013201	δ Sct	26	0	26	56	...	[5.5, 57.8]	522	33.416	...
11021188	δ Sct	70	0	70	77	...	[4.5, 55.5]	1360	23.831	...
11090405	δ Sct	54	0	54	89	...	[4.1, 37.5]	992	14.371	...
11125764	δ Sct	35	0	35	95	...	[19.2, 65.5]	1868	38.327	...
11127190	δ Sct	48	0	47	156	...	[13.7, 59.3]	3559	18.731	...
11183539	δ Sct	213	0	213	440	...	[4.1, 48.8]	2265	22.664	...
11340713	δ Sct	26	0	26	113	...	[4.2, 23.6]	11333	10.150	...
11395392	δ Sct	90	0	90	413	...	[4.8, 46.2]	6577	25.188	...
11402951	δ Sct	97	0	97	161	...	[5.3, 49.1]	884	23.846	...
11497012	δ Sct	85	0	85	258	...	[4.0, 41.1]	1660	24.105	...
11661993	δ Sct	147	0	147	440	...	[4.3, 49.5]	3473	14.035	...
11671429	δ Sct	312	0	312	624	...	[4.1, 49.4]	1425	15.970	...
11700370	δ Sct	30	0	30	30	...	[5.2, 72.0]	101	28.678	...
11754974	δ Sct	87	0	84	396	...	[4.3, 69.9]	57658	16.345	...
11821140	δ Sct	32	0	32	70	...	[18.4, 57.4]	235	24.877	...
11874676	δ Sct	73	0	73	241	...	[4.9, 67.5]	1798	13.577	...
12020590	δ Sct	19	0	19	34	...	[18.8, 37.4]	393	22.215	...
12068180	δ Sct	298	0	298	722	...	[4.1, 49.3]	2226	20.302	...
12353648	δ Sct	48	0	44	277	...	[4.3, 24.0]	3928	7.818	...
12647070	δ Sct	33	0	33	52	...	[9.8, 39.2]	1110	13.356	...
12784394	δ Sct	3	0	3	11	...	[29.4, 47.9]	107	42.652	...
						Hybrid stars				
02168333	hybrid	68	13	53	278	[0.2, 5.0]	[5.5, 49.1]	1452	21.718	...
02694337	hybrid	52	27	22	123	[0.2, 4.9]	[5.4, 34.6]	506	24.500	...
02707479	hybrid	188	58	124	674	[0.2, 5.0]	[5.1, 51.1]	2267	15.158	...
02853280	hybrid	53	28	23	102	[0.2, 5.0]	[5.0, 35.1]	988	13.000	...
02975832	hybrid	15	10	4	128	[0.3, 3.5]	[5.7, 16.5]	733	2.034	•
03097912	hybrid	21	15	4	56	[0.2, 4.6]	[5.2, 20.0]	212	1.466	•
03119604	hybrid	171	12	157	196	[0.2, 4.6]	[5.0, 76.9]	554	41.151	...
03231406	hybrid	362	62	292	793	[0.2, 5.0]	[5.0, 65.0]	1761	17.438	...
03240556	hybrid	191	40	151	329	[0.3, 5.0]	[5.0, 63.6]	867	25.220	...
03245420	hybrid	42	10	32	224	[0.8, 3.9]	[5.0, 45.8]	2733	14.097	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	(Freq Range)$_{\gamma Dor}$ (d^{-1})	(Freq Range)$_{\delta Sct}$ (d^{-1})	Amplitude$_{high}$ (ppm)	Freq$_{high}$ (d^{-1})	Flag
03337002	hybrid	162	92	64	529	[0.2, 4.9]	[5.0, 52.8]	4594	4.558	...
03437940	hybrid	347	106	224	957	[0.2, 5.0]	[5.1, 63.2]	4886	10.476	...
03453494	hybrid	176	47	129	358	[0.3, 5.0]	[5.0, 62.9]	487	7.499	...
03851151	hybrid	7	3	1	22	[0.2, 1.3]	[26.5, 26.5]	42	26.487	...
03970729	hybrid	156	44	105	332	[0.2, 5.0]	[5.6, 28.2]	1394	18.828	...
04044353	hybrid	59	13	44	153	[0.6, 4.8]	[5.1, 54.5]	553	2.390	...
04170631	hybrid	495	74	412	138	[0.2, 5.0]	[5.1, 59.5]	6264	8.314	...
04180199	hybrid	91	30	61	404	[0.5, 4.9]	[5.2, 51.2]	790	3.284	...
04281581	hybrid	77	51	21	282	[0.2, 4.6]	[5.2, 54.3]	478	0.882	...
04476836	hybrid	9	5	3	52	[0.5, 5.0]	[5.5, 10.9]	969	9.859	...
04480321	hybrid	142	54	86	504	[0.2, 5.0]	[5.1, 61.2]	2323	0.710	...
04488840	hybrid	178	42	129	517	[0.3, 5.0]	[5.0, 51.3]	1277	15.803	...
04550962	hybrid	179	93	83	603	[0.2, 5.0]	[5.3, 54.1]	2912	2.259	...
04556345	hybrid	137	19	116	186	[0.3, 4.2]	[13.1, 64.5]	653	26.640	...
04671225	hybrid	74	39	30	191	[0.2, 5.0]	[5.1, 46.3]	1271	8.880	...
04768677	hybrid	13	3	7	47	[0.2, 4.7]	[6.2, 52.2]	124	22.904	...
04919818	hybrid	45	34	10	74	[0.4, 5.0]	[5.0, 32.4]	342	2.871	...
04920125	hybrid	28	20	8	92	[0.4, 4.8]	[5.6, 29.3]	390	23.884	...
04989900	hybrid	42	24	16	210	[0.2, 4.8]	[5.0, 38.9]	718	2.189	...
05038228	hybrid	203	72	125	616	[0.2, 5.0]	[5.1, 49.7]	2261	0.904	...
05219533	hybrid	35	22	11	112	[0.3, 4.6]	[5.4, 29.9]	437	10.285	...
05356349	hybrid	41	14	22	60	[0.2, 5.0]	[5.1, 51.5]	205	9.826	...
05437206	hybrid	120	32	82	258	[0.2, 4.7]	[5.2, 49.7]	1637	13.011	...
05446068	hybrid	63	33	24	217	[0.3, 4.9]	[5.3, 52.1]	558	0.287	...
05473171	hybrid	112	46	64	391	[0.3, 4.8]	[5.1, 54.5]	3578	7.574	...
05476864	hybrid	85	26	54	374	[0.2, 3.4]	[5.1, 19.2]	1862	1.667	•
05641711	hybrid	119	46	68	294	[0.3, 4.8]	[5.0, 51.6]	758	21.111	...
05722346	hybrid	179	72	99	507	[0.2, 4.9]	[5.0, 50.4]	3002	11.325	•
05724440	hybrid	425	70	343	663	[0.2, 5.0]	[5.1, 79.7]	1918	19.251	...
05810113	hybrid	41	17	22	92	[0.2, 3.5]	[5.8, 20.6]	652	0.333	...
05857714	hybrid	210	41	166	850	[0.2, 3.7]	[5.0, 55.0]	22930	12.227	...
05940273	hybrid	170	80	81	463	[0.2, 5.0]	[5.0, 51.0]	1571	3.016	...
05965837	hybrid	93	29	60	354	[0.7, 4.5]	[5.0, 49.2]	7243	3.392	...
06032730	hybrid	87	26	57	144	[0.2, 5.0]	[5.0, 78.1]	1140	16.267	...
06067817	hybrid	133	27	103	296	[0.2, 4.9]	[5.1, 79.7]	1374	34.408	...
06141372	hybrid	19	5	14	21	[0.3, 4.8]	[5.1, 31.9]	338	18.991	•
06142919	hybrid	59	37	19	115	[0.3, 4.9]	[5.4, 49.2]	986	16.316	...
06187665	hybrid	184	60	121	659	[0.2, 5.0]	[5.0, 35.5]	3826	11.729	...
06199731	hybrid	42	18	21	215	[0.4, 4.9]	[5.1, 22.5]	2183	7.643	...
06268890	hybrid	359	73	284	152	[0.2, 4.8]	[5.1, 55.1]	15399	6.866	...
06289468	hybrid	62	17	40	103	[0.5, 4.9]	[5.1, 40.4]	432	13.652	...
06381306	hybrid	64	43	16	123	[0.2, 4.9]	[5.3, 53.3]	234	5.814	...
06432054	hybrid	356	68	279	829	[0.2, 5.0]	[5.0, 74.9]	2901	10.571	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	$(Freq\ Range)_{\gamma Dor}$ (d^{-1})	$(Freq\ Range)_{\delta Sct}$ (d^{-1})	$Amplitude_{high}$ (ppm)	$Freq_{high}$ (d^{-1})	Flag
06443122	hybrid	154	63	84	537	[0.2, 5.0]	[5.0, 55.3]	1466	2.425	...
06446951	hybrid	288	30	256	509	[0.4, 4.8]	[5.1, 52.9]	1509	14.872	...
06509175	hybrid	112	42	68	449	[0.6, 5.0]	[5.1, 53.7]	4431	3.954	...
06587551	hybrid	44	4	39	79	[0.2, 3.6]	[5.5, 60.6]	192	17.422	...
06614168	hybrid	143	40	99	392	[0.2, 4.8]	[5.0, 57.7]	2002	8.356	...
06670742	hybrid	194	57	134	530	[0.4, 5.0]	[5.1, 70.3]	1411	12.789	...
06694649	hybrid	120	39	78	248	[0.3, 4.9]	[5.0, 57.7]	1027	12.771	...
06756386	hybrid	63	9	52	237	[0.3, 4.8]	[5.1, 72.6]	1001	8.964	...
06756481	hybrid	114	42	71	256	[0.2, 5.0]	[5.1, 74.0]	540	5.766	...
06761539	hybrid	212	56	154	627	[0.2, 4.9]	[5.1, 59.1]	1975	17.826	...
06776331	hybrid	405	51	351	789	[0.2, 5.0]	[5.3, 48.7]	1697	13.789	...
06922690	hybrid	183	46	128	478	[0.3, 4.9]	[5.0, 49.4]	1475	15.257	...
06951642	hybrid	75	34	40	295	[0.2, 4.6]	[5.5, 50.8]	2838	0.721	...
07109598	hybrid	152	33	116	291	[0.3, 4.8]	[5.1, 54.7]	908	18.597	...
07119530	hybrid	106	78	19	481	[0.2, 5.0]	[5.0, 15.2]	2443	4.193	...
07122746	hybrid	54	7	47	191	[1.1, 4.9]	[5.1, 48.8]	735	30.154	...
07204237	hybrid	269	54	214	537	[0.2, 4.9]	[5.0, 63.4]	2926	17.993	...
07211759	hybrid	163	37	125	587	[0.3, 4.9]	[5.1, 79.4]	736	7.318	...
07300387	hybrid	329	64	254	852	[0.2, 4.9]	[5.2, 50.5]	3469	10.293	...
07350486	hybrid	22	17	4	58	[0.3, 4.7]	[5.3, 17.1]	130	1.330	...
07352776	hybrid	105	32	65	382	[0.2, 5.0]	[6.1, 36.5]	1764	2.374	...
07502559	hybrid	64	38	20	145	[0.5, 4.7]	[5.2, 31.9]	1383	4.522	...
07533694	hybrid	14	6	5	59	[0.3, 4.9]	[5.6, 49.5]	1621	11.243	...
07553237	hybrid	46	34	10	132	[0.2, 4.9]	[5.4, 15.6]	2184	14.713	...
07668791	hybrid	23	4	17	30	[0.2, 4.9]	[5.0, 31.1]	98	20.643	...
07702705	hybrid	196	63	130	575	[0.3, 4.9]	[5.1, 53.3]	878	2.038	...
07732458	hybrid	20	10	4	26	[0.2, 4.9]	[5.0, 32.1]	359	13.184	...
07748238	hybrid	53	30	17	144	[0.4, 4.9]	[5.0, 49.1]	552	2.292	...
07756853	hybrid	6	1	5	6	[0.2, 3.1]	[5.0, 27.0]	98	21.141	...
07770282	hybrid	70	53	10	195	[0.2, 4.7]	[28.5, 51.3]	2136	1.004	...
07771991	hybrid	12	6	4	25	[0.8, 4.1]	[5.3, 21.4]	70	2.055	...
07827131	hybrid	39	17	19	175	[0.3, 4.7]	[5.0, 39.4]	939	10.044	...
07831302	hybrid	76	22	51	184	[0.2, 3.6]	[5.5, 48.8]	1051	18.750	•
07848288	hybrid	247	62	178	370	[0.2, 4.9]	[5.0, 66.9]	840	25.238	•
07959867	hybrid	73	23	43	303	[0.2, 4.5]	[5.6, 39.3]	1081	7.713	...
07977996	hybrid	118	27	84	220	[0.2, 4.9]	[5.1, 58.2]	1224	11.030	...
08029546	hybrid	79	38	38	359	[0.2, 4.7]	[5.7, 27.4]	996	2.034	...
08054146	hybrid	38	11	24	80	[0.3, 3.2]	[5.5, 76.0]	185	66.295	...
08149341	hybrid	183	27	149	350	[0.2, 4.9]	[5.1, 50.5]	1681	27.016	...
08197788	hybrid	128	52	75	410	[0.3, 4.8]	[5.1, 47.3]	3441	14.998	...
08264404	hybrid	97	32	57	414	[0.2, 4.8]	[5.1, 52.3]	5380	9.396	...
08264583	hybrid	50	34	14	175	[0.3, 4.8]	[5.1, 54.0]	519	0.968	...
08264674	hybrid	54	33	16	215	[0.2, 5.0]	[5.2, 18.1]	400	6.598	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	$(Freq\ Range)_{\gamma Dor}$ (d^{-1})	$(Freq\ Range)_{\delta Sct}$ (d^{-1})	$Amplitude_{high}$ (ppm)	$Freq_{high}$ (d^{-1})	Flag
08264698	hybrid	140	49	89	465	[0.3, 4.8]	[5.2, 47.9]	1848	13.801	•
08397426	hybrid	46	22	24	197	[0.3, 4.9]	[5.1, 14.1]	1241	5.576	...
08454553	hybrid	59	26	26	255	[0.2, 5.0]	[5.0, 22.7]	2014	2.920	...
08460993	hybrid	258	70	186	630	[0.2, 5.0]	[5.0, 56.6]	1085	18.067	...
08507325	hybrid	79	41	36	146	[0.2, 4.9]	[5.1, 49.2]	213	11.679	...
08516008	hybrid	126	52	71	229	[0.3, 5.0]	[5.0, 49.1]	886	13.376	...
08590553	hybrid	70	22	47	146	[0.3, 4.9]	[5.5, 53.3]	1002	24.285	...
08738244	hybrid	116	39	71	185	[0.2, 5.0]	[5.0, 49.6]	346	14.621	...
08915335	hybrid	71	27	42	162	[0.2, 4.2]	[5.1, 33.5]	1429	8.828	...
08940640	hybrid	232	64	164	866	[0.3, 4.9]	[5.4, 52.7]	10783	17.839	...
08972966	hybrid	286	47	237	641	[0.2, 5.0]	[5.1, 50.5]	2946	19.225	...
08975515	hybrid	25	14	7	61	[0.3, 4.7]	[5.3, 25.8]	293	13.972	...
09052363	hybrid	13	4	7	16	[0.2, 1.5]	[19.1, 48.0]	44	41.966	...
09072011	hybrid	133	27	101	445	[0.2, 4.9]	[5.3, 55.9]	6138	6.116	...
09073007	hybrid	104	50	50	347	[0.2, 5.0]	[5.0, 29.5]	5031	11.471	...
09222942	hybrid	94	62	24	259	[0.2, 5.0]	[5.2, 50.3]	671	2.162	...
09351622	hybrid	48	21	17	127	[0.2, 4.8]	[5.2, 13.4]	1152	6.020	...
09391395	hybrid	28	24	2	97	[0.2, 4.5]	[5.3, 15.4]	465	1.949	...
09413057	hybrid	137	35	101	277	[0.2, 4.9]	[5.1, 51.8]	497	13.546	...
09473000	hybrid	11	6	4	43	[0.2, 5.0]	[5.6, 17.4]	997	8.699	...
09509296	hybrid	96	42	53	389	[0.2, 4.9]	[5.3, 51.0]	1406	17.677	...
09532644	hybrid	64	33	28	273	[0.4, 5.0]	[5.4, 35.5]	1520	20.487	...
09533489	hybrid	17	7	8	37	[1.5, 4.4]	[6.4, 37.6]	333	4.008	...
09550886	hybrid	109	24	80	255	[0.4, 5.0]	[5.6, 68.6]	3063	50.126	...
09604762	hybrid	10	3	4	12	[0.9, 3.7]	[5.2, 24.3]	126	18.151	...
09650390	hybrid	122	56	57	313	[0.4, 4.9]	[5.1, 51.7]	797	1.071	...
09651065	hybrid	107	20	84	345	[0.2, 4.8]	[5.5, 47.6]	2259	19.478	...
09655438	hybrid	22	7	11	43	[0.2, 4.6]	[5.4, 31.9]	389	12.992	...
09655501	hybrid	138	24	110	173	[0.2, 4.4]	[5.0, 53.7]	530	27.723	...
09656348	hybrid	29	18	2	137	[0.2, 4.8]	[5.5, 21.9]	806	2.818	...
09664869	hybrid	88	49	33	320	[0.2, 5.0]	[5.4, 41.5]	1389	1.622	...
09700679	hybrid	50	35	11	114	[0.2, 5.0]	[5.1, 34.7]	95	0.262	...
09716947	hybrid	63	19	39	302	[0.2, 4.8]	[5.4, 16.8]	833	6.215	...
09764965	hybrid	24	8	10	72	[0.3, 5.0]	[5.1, 34.6]	961	27.178	...
09775385	hybrid	22	13	7	58	[0.7, 4.0]	[5.1, 25.9]	189	1.788	...
09775454	hybrid	18	10	2	73	[0.2, 4.6]	[14.7, 14.9]	316	4.161	...
09790479	hybrid	9	5	3	25	[1.4, 4.4]	[5.5, 20.0]	246	1.618	...
09813078	hybrid	73	29	37	352	[0.3, 3.9]	[7.4, 39.5]	3871	17.588	...
09970568	hybrid	150	64	83	395	[0.2, 5.0]	[5.0, 55.5]	945	3.408	...
10014548	hybrid	162	42	114	314	[0.2, 5.0]	[5.0, 57.8]	775	1.528	...
10035772	hybrid	125	38	83	427	[0.2, 4.9]	[5.4, 65.8]	1947	26.891	...
10065244	hybrid	115	43	57	448	[0.2, 5.0]	[5.0, 49.1]	10097	11.930	...
10130777	hybrid	361	55	305	908	[0.4, 4.9]	[5.1, 63.7]	2101	33.821	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	(Freq Range)$_{\gamma Dor}$ (d^{-1})	(Freq Range)$_{\delta Sct}$ (d^{-1})	Amplitude$_{high}$ (ppm)	Freq$_{high}$ (d^{-1})	Flag
10164569	hybrid	53	25	24	145	[0.2, 4.9]	[5.0, 53.5]	466	15.396	...
10208345	hybrid	74	41	27	212	[0.3, 4.9]	[5.1, 20.5]	861	3.452	...
10264728	hybrid	101	37	61	436	[0.2, 4.6]	[5.4, 53.5]	875	3.379	...
10361229	hybrid	25	20	5	137	[0.5, 4.9]	[5.6, 29.3]	813	2.653	...
10471914	hybrid	308	46	254	534	[0.2, 4.9]	[5.2, 57.0]	2156	15.070	...
10537907	hybrid	110	22	83	510	[0.2, 4.5]	[5.1, 45.3]	4741	11.555	...
10647493	hybrid	78	28	47	378	[0.2, 4.6]	[5.1, 56.1]	5536	17.101	...
10647611	hybrid	69	22	42	317	[0.5, 4.6]	[5.1, 51.2]	4527	15.723	...
10664975	hybrid	9	5	3	21	[1.3, 4.4]	[6.1, 19.9]	383	2.575	...
10675762	hybrid	68	23	40	300	[0.3, 4.7]	[5.0, 50.4]	3118	15.914	...
10685653	hybrid	47	24	21	149	[0.2, 5.0]	[5.4, 43.9]	565	19.411	...
10783150	hybrid	77	63	6	613	[0.3, 5.0]	[5.1, 17.0]	3896	1.560	...
10975247	hybrid	8	5	3	8	[0.3, 4.8]	[7.1, 19.5]	86	13.943	...
11180361	hybrid	36	11	25	72	[0.2, 5.0]	[5.0, 60.0]	334	3.752	...
11193046	hybrid	112	62	48	303	[0.2, 4.9]	[5.0, 54.7]	704	1.275	...
11197934	hybrid	213	81	121	397	[0.3, 5.0]	[5.1, 60.4]	720	1.939	...
11285767	hybrid	133	40	86	416	[0.2, 5.0]	[5.0, 59.7]	6496	21.061	...
11288686	hybrid	62	22	33	316	[0.2, 4.6]	[5.3, 41.1]	4053	18.487	...
11309335	hybrid	146	22	122	272	[0.3, 4.8]	[5.0, 59.7]	1191	23.435	...
11445913	hybrid	167	18	144	328	[0.2, 4.2]	[7.2, 50.4]	1654	31.558	...
11508397	hybrid	92	42	48	145	[0.2, 4.9]	[5.1, 48.2]	340	11.367	...
11572666	hybrid	44	17	22	164	[0.2, 4.9]	[5.0, 48.9]	976	18.279	...
11602449	hybrid	84	36	40	310	[0.5, 4.9]	[6.4, 49.7]	1392	10.579	...
11607193	hybrid	102	73	14	396	[0.2, 4.9]	[5.0, 16.5]	716	1.817	...
11700604	hybrid	20	14	4	66	[0.3, 5.0]	[5.0, 27.0]	515	27.013	...
11714150	hybrid	13	9	1	28	[0.3, 4.1]	[6.0, 11.0]	307	0.756	...
11718839	hybrid	167	49	115	235	[0.3, 4.9]	[5.1, 42.4]	696	16.441	...
11822666	hybrid	51	31	20	73	[0.4, 5.0]	[5.0, 35.7]	298	2.050	...
11824964	hybrid	21	11	5	38	[0.4, 4.5]	[5.0, 34.6]	125	2.160	...
12117689	hybrid	23	16	5	74	[0.3, 4.6]	[5.1, 25.0]	1229	3.218	...
12122075	hybrid	80	54	20	215	[0.3, 5.0]	[5.0, 31.9]	1260	1.116	•
12216817	hybrid	143	55	84	609	[0.2, 5.0]	[5.2, 52.6]	22007	8.121	...
						γ Dor stars				
01432149	γ Dor	8	8	0	56	[0.6, 3.5]	...	322	3.451	...
01571152	γ Dor	57	57	0	189	[0.3, 5.8]	...	1061	0.394	...
02020966	γ Dor	13	13	0	31	[0.3, 3.2]	...	798	1.735	...
02166218	γ Dor	17	17	0	42	[0.3, 3.2]	...	149	1.798	...
02300165	γ Dor	47	47	0	219	[0.5, 5.5]	...	2500	1.679	...
02558273	γ Dor	25	25	0	65	[0.3, 3.3]	...	334	2.015	...
02568519	γ Dor	6	6	0	21	[0.2, 4.1]	...	150	0.848	...
02575161	γ Dor	8	8	0	38	[0.6, 2.5]	...	329	2.245	...
02720582	γ Dor	34	34	0	70	[0.3, 5.6]	...	467	0.551	...
02835795	γ Dor	8	8	0	64	[0.4, 2.4]	...	865	0.359	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	$(Freq\ Range)_{\gamma Dor}$ (d^{-1})	$(Freq\ Range)_{\delta Sct}$ (d^{-1})	$Amplitude_{high}$ (ppm)	$Freq_{high}$ (d^{-1})	Flag
03215800	γ Dor	16	16	0	51	[0.2, 3.7]	...	1696	1.506	...
03218637	γ Dor	83	83	0	237	[0.2, 6.0]	...	4526	3.849	...
03222364	γ Dor	23	23	0	93	[0.4, 3.7]	...	496	2.482	...
03327681	γ Dor	14	14	0	36	[0.3, 1.5]	...	301	1.011	...
03331147	γ Dor	24	24	0	115	[0.3, 5.8]	...	4684	1.427	...
03424493	γ Dor	54	54	0	204	[0.2, 5.9]	...	7606	2.709	...
03449625	γ Dor	18	18	0	77	[0.3, 3.3]	...	1035	0.942	...
03539153	γ Dor	109	109	0	373	[0.2, 6.0]	...	4512	2.035	...
03655608	γ Dor	9	9	0	14	[0.5, 2.6]	...	77	0.636	...
03663141	γ Dor	4	4	0	34	[2.3, 5.0]	...	135	2.788	...
03758717	γ Dor	13	13	0	63	[0.6, 3.2]	...	259	0.871	...
03868032	γ Dor	8	8	0	39	[0.3, 1.7]	...	249	0.398	...
03966357	γ Dor	87	87	0	349	[0.2, 5.3]	...	3706	1.595	...
04069477	γ Dor	77	77	0	250	[0.2, 5.7]	...	3305	1.408	...
04164363	γ Dor	73	73	0	300	[0.2, 5.9]	...	8312	1.381	•
04677684	γ Dor	37	37	0	132	[0.3, 5.6]	...	890	4.496	...
04758316	γ Dor	126	126	0	416	[0.2, 5.9]	...	4489	0.991	...
05024455	γ Dor	18	18	0	102	[0.5, 4.4]	...	1556	1.341	•
05105754	γ Dor	156	156	0	544	[0.2, 5.8]	...	10511	1.687	...
05113797	γ Dor	26	26	0	114	[0.2, 5.1]	...	431	2.836	...
05164767	γ Dor	11	11	0	32	[0.2, 2.1]	...	109	0.958	...
05180796	γ Dor	25	25	0	88	[0.3, 4.3]	...	503	1.890	...
05294571	γ Dor	66	66	0	176	[0.4, 4.9]	...	1138	1.494	...
05371747	γ Dor	62	62	0	216	[0.2, 5.9]	...	1379	1.128	...
05630362	γ Dor	69	69	0	210	[0.2, 5.8]	...	6821	4.856	...
05724048	γ Dor	25	25	0	62	[0.2, 4.3]	...	269	2.131	...
05772411	γ Dor	18	18	0	27	[0.3, 3.5]	...	83	0.843	...
05880360	γ Dor	36	36	0	139	[0.2, 5.8]	...	787	1.601	...
05954264	γ Dor	27	27	0	66	[1.2, 4.0]	...	1442	1.840	...
06301745	γ Dor	17	17	0	74	[0.3, 5.8]	...	1023	0.393	...
06462033	γ Dor	46	46	0	137	[0.2, 4.5]	...	740	1.435	...
06500578	γ Dor	50	50	0	126	[0.2, 6.0]	...	782	1.500	...
06519869	γ Dor	142	142	0	513	[0.2, 5.8]	...	5215	1.353	...
06923424	γ Dor	57	57	0	144	[0.3, 5.7]	...	1948	2.735	...
07007103	γ Dor	80	80	0	267	[0.2, 5.9]	...	1780	1.540	...
07106648	γ Dor	38	38	0	103	[0.2, 6.0]	...	1335	2.355	...
07215607	γ Dor	21	21	0	33	[0.3, 4.9]	...	291	2.231	...
07220356	γ Dor	23	23	0	42	[0.4, 4.4]	...	74	1.261	...
07304385	γ Dor	147	147	0	774	[0.2, 5.4]	...	23271	1.269	...
07436266	γ Dor	45	45	0	182	[0.2, 4.4]	...	1703	1.714	...
07694191	γ Dor	16	16	0	17	[0.5, 5.3]	...	92	2.658	...
07742739	γ Dor	57	57	0	282	[0.2, 5.9]	...	2292	2.057	...
07767565	γ Dor	26	26	0	127	[0.4, 4.9]	...	532	1.994	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	$(Freq\ Range)_{\gamma Dor}$ (d^{-1})	$(Freq\ Range)_{\delta Sct}$ (d^{-1})	$Amplitude_{high}$ (ppm)	$Freq_{high}$ (d^{-1})	Flag
07798339	γ Dor	8	0	0	4	[0.2, 4.9]	...	38	0.450	...
07890526	γ Dor	20	20	0	75	[0.2, 5.4]	...	391	1.353	...
07908633	γ Dor	11	11	0	18	[0.2, 3.0]	...	121	2.795	...
08104589	γ Dor	18	18	0	39	[0.2, 2.1]	...	129	0.538	...
08123127	γ Dor	141	141	0	320	[0.2, 6.0]	...	1991	0.774	...
08144674	γ Dor	18	18	0	39	[0.2, 5.2]	...	52	0.494	...
08197761	γ Dor	56	56	0	274	[0.2, 5.3]	...	6407	1.097	...
08222685	γ Dor	35	35	0	104	[0.2, 4.0]	...	4330	2.010	...
08230025	γ Dor	50	50	0	232	[0.2, 5.9]	...	878	3.659	...
08264061	γ Dor	70	70	0	321	[0.2, 5.9]	...	5350	1.400	...
08264075	γ Dor	34	34	0	157	[0.2, 5.9]	...	2238	1.201	...
08264274	γ Dor	34	34	0	135	[0.2, 5.3]	...	2102	1.483	•
08264588	γ Dor	43	43	0	189	[0.2, 5.9]	...	5540	5.002	...
08264617	γ Dor	126	126	0	463	[0.3, 5.8]	...	29753	1.242	•
08330056	γ Dor	32	32	0	104	[0.2, 5.5]	...	974	2.537	•
08355130	γ Dor	165	165	0	636	[0.2, 5.8]	...	10314	1.375	...
08489712	γ Dor	46	46	0	128	[0.2, 6.0]	...	257	0.555	...
08651452	γ Dor	91	91	0	356	[0.2, 5.8]	...	10285	2.434	...
08766619	γ Dor	39	39	0	158	[0.3, 5.6]	...	1122	2.047	•
08838457	γ Dor	39	39	0	107	[0.2, 5.9]	...	743	2.256	...
08869302	γ Dor	114	114	0	772	[0.2, 4.0]	...	5990	0.647	...
08871304	γ Dor	136	136	0	546	[0.2, 5.6]	...	3742	0.970	...
09020157	γ Dor	29	29	0	118	[0.3, 2.8]	...	1323	1.234	...
09117875	γ Dor	5	5	0	8	[0.6, 1.4]	...	133	0.667	...
09147229	γ Dor	98	98	0	311	[0.2, 5.4]	...	4172	1.984	...
09490042	γ Dor	107	107	0	280	[0.2, 5.8]	...	675	1.621	...
09490067	γ Dor	68	68	0	150	[0.2, 5.9]	...	686	2.240	...
09594100	γ Dor	33	33	0	181	[0.2, 5.9]	...	1987	1.052	...
09654789	γ Dor	75	75	0	313	[0.2, 5.7]	...	5913	0.992	...
09655151	γ Dor	32	32	0	197	[0.9, 6.0]	...	2328	1.418	•
09655800	γ Dor	64	64	0	268	[0.2, 4.1]	...	4462	1.944	...
09716107	γ Dor	30	30	0	161	[0.7, 6.0]	...	1755	2.152	•
09909300	γ Dor	94	94	0	372	[0.2, 5.8]	...	7073	1.496	...
10069934	γ Dor	125	125	0	333	[0.2, 6.0]	...	4669	1.082	...
10073601	γ Dor	21	21	0	46	[0.2, 2.2]	...	90	1.220	...
10096499	γ Dor	18	18	0	83	[0.2, 6.0]	...	484	2.668	...
10281360	γ Dor	23	23	0	110	[0.8, 5.6]	...	490	1.961	...
10385459	γ Dor	94	94	0	428	[0.2, 5.8]	...	11426	2.596	...
10586837	γ Dor	48	48	0	189	[0.2, 5.9]	...	1317	1.569	...
10652134	γ Dor	78	78	0	546	[0.2, 3.5]	...	4757	0.766	...
11199412	γ Dor	12	12	0	53	[0.4, 5.7]	...	2856	0.685	...
11447883	γ Dor	61	61	0	209	[0.2, 3.0]	...	1871	1.367	...
11612274	γ Dor	29	29	0	107	[0.2, 5.4]	...	2638	2.540	...

Table 3. continued.

KIC ID	Class	N	$N_{\gamma Dor}$	$N_{\delta Sct}$	N_{total}	$(Freq\ Range)_{\gamma Dor}$ (d^{-1})	$(Freq\ Range)_{\delta Sct}$ (d^{-1})	$Amplitude_{high}$ (ppm)	$Freq_{high}$ (d^{-1})	Flag
11874898	γ Dor	17	17	0	100	[0.2, 5.2]	...	1971	0.989	...
12018834	γ Dor	103	103	0	309	[0.3, 5.7]	...	2834	1.762	...
12058428	γ Dor	68	68	0	261	[0.2, 5.9]	...	2812	1.598	...
12102187	γ Dor	69	69	0	246	[0.2, 6.0]	...	4821	0.929	...

Table 4. Classification of the stars that do not belong to the δ Sct, γ Dor or hybrid groups

KIC ID	Class	Flag	KIC ID	Class	Flag	KIC ID	Class	Flag
Stars with no clear periodic signal in the δ Sct and γ Dor regions								
02163434	...	•	09386259	...	...	10920182	solar-like	...
02311130	...	•	09458750	...	•	10920273	solar-like	...
02578251	...	...	09514879	...	...	11067972	solar-like	...
02970244	...	...	09520434	solar-like	...	11069435	solar-like	...
02997802	...	...	09593997	...	...	11122763	solar-like	...
03111451	...	...	09703601	solar-like	...	11128041	...	...
03119825	...	...	09764712	solar-like	...	11128126	solar-like	...
03220783	...	...	09991621	solar-like	...	11129289	solar-like	...
03427365	...	...	09991766	solar-like	...	11182716	solar-like	...
03733735	...	...	09994789	solar-like	...	11230518	solar-like	...
03759814	...	...	10056217	solar-like	...	11232922	solar-like	...
03760826	...	...	10062593	...	...	11233189	solar-like	...
04588487	...	...	10090345	...	...	11234888	solar-like	...
04850899	...	...	10140665	solar-like	...	11235721	solar-like	...
05024150	solar-like	•	10208303	solar-like	...	11236253	solar-like	...
05024454	solar-like	•	10254547	solar-like	...	11253226	...	...
05024456	...	•	10266959	solar-like	•	11290197	solar-like	...
05112932	solar-like	•	10273246	solar-like	...	11393580	solar-like	...
05199464	solar-like	•	10273960	solar-like	...	11394216	solar-like	...
05201088	...	•	10339342	solar-like	...	11395018	solar-like	...
05980337	...	...	10340511	solar-like	...	11395028	solar-like	...
07338125	...	...	10341072	solar-like	...	11446143	solar-like	...
07662076	...	...	10383933	solar-like	...	11446181	solar-like	...
07669848	solar-like	...	10450550	solar-like	...	11448266	solar-like	...
08143903	solar-like	...	10450675	solar-like	...	11449931	...	...
08159135	...	...	10451250	solar-like	•	11454008	...	...
08218419	solar-like	...	10453475	...	...	11499354	solar-like	...
08223987	solar-like	...	10467969	solar-like	...	11502075	solar-like	...
08293302	...	...	10526137	...	...	11509728	...	...
08323104	...	...	10526615	solar-like	•	11549609	solar-like	...
08355837	...	...	10533506	solar-like	...	11551622	solar-like	•
08460025	...	•	10534629	solar-like	...	11651083	solar-like	...
08482540	...	...	10647860	solar-like	...	11651147	solar-like	...
08488065	...	...	10663892	solar-like	...	11653958	solar-like	...
09073985	solar-like	...	10709716	solar-like	...	11654210	solar-like	...
09204672	...	...	10723718	solar-like	...	11657840	solar-like	•
09264399	...	...	10730618	solar-like	...	11706449	solar-like	•
09264462	solar-like	...	10777541	solar-like	•	11707341	solar-like	...
09272082	...	...	10778640	solar-like	•	11910256	...	...
09274000	...	...	10861649	solar-like	...	11910642	...	...
09336219	...	...	...	...	...	...	...	...
Binaries								
01294756	binary+δ Sct	...	06678614	EB+δ Sct	...	09630640	binary+δ Sct	...

Table 4. continued.

KIC ID	Class	Flag	KIC ID	Class	Flag	KIC ID	Class	Flag
02162283	EB+δ Sct	...	07385478	EB+γ Dor	...	09760531	binary	...
02557430	EB+γ Dor	...	07596250	EB+γ Dor	...	09851142	EB+γ Dor	...
02584908	EB	...	08043961	EB+δ Sct	...	09913481	EB+γ Dor	...
02718596	binary	...	08145477	EB	...	09944730	binary	...
03230227	EB+γ Dor	...	08223568	binary	...	10119517	EB	...
04150611	EB+hybrid	...	08330092	EB+δ Sct	...	10206340	EB+γ Dor	...
04570326	EB+δ Sct	...	08479107	EB	•	10274244	EB+γ Dor	...
05088308	EB+γ Dor	...	08545456	EB	...	10971674	EB	...
05197256	EB+δ Sct	...	09204718	binary+δ Sct	...	11082830	binary	...
05296877	EB	...	09216367	EB+γ Dor	...	11180361	EB	...
05513861	EB	...	09306095	binary+δ Sct	...	11342032	binary	...
05988140	binary+δ Sct	...	09408694	binary	...	11447953	EB	...
06123324	binary+δ Sct	...	09451598	EB	...	11973705	binary+SPB+δ Sct	...
Stellar activity/rotational modulation								
01573064	rotation/activity	...	08283796	rotation/activity	...	10140513	rotation/activity	...
01995489	rotation/activity	...	08330463	rotation/activity	•	10338279	rotation/activity	...
02423932	rotation/activity	...	08703413	rotation/activity	...	10394332	rotation/activity	...
02569639	rotation/activity	...	08742449	rotation/activity	•	10648728	rotation/activity	...
02583658	rotation/activity	...	08748251	rotation/activity	...	10797849	rotation/activity	...
03348390	rotation/activity	...	09077192	rotation/activity	...	11017401	rotation/activity	•
03528578	rotation/activity	...	09268087	rotation/activity	...	11020521	rotation/activity	...
03643717	rotation/activity	...	09582720	rotation/activity	...	11027270	rotation/activity	...
04075519	rotation/activity	...	09632537	rotation/activity	...	11183399	rotation/activity	...
04160876	rotation/activity	...	09640204	rotation/activity	...	11240653	rotation/activity	...
04857678	rotation/activity	...	09643982	rotation/activity	...	11445774	rotation/activity	...
05200084	rotation/activity	•	09655487	rotation/activity	•	11494765	rotation/activity	...
05436432	rotation/activity	...	09696853	rotation/activity	...	11498538	rotation/activity	...
05476495	rotation/activity	...	09716350	rotation/activity	...	11499453	rotation/activity	...
06279848	rotation/activity	...	09777532	rotation/activity	...	11515690	rotation/activity	...
06440930	rotation/activity	...	09881909	rotation/activity	...	11622328	rotation/activity	...
06448112	rotation/activity	...	09944208	rotation/activity	...	11708170	rotation/activity	...
07985370	rotation/activity	...	10004510	rotation/activity	...	12062443	rotation/activity	...
08211500	rotation/activity	...	10064111	rotation/activity	...	12217281	rotation/activity	...
B type stars								
05217733	Bstar SPB	...	10030943	Bstar candidate β Cep	...	10658302	Bstar SPB	...
08583770	Bstar	...	10536147	Bstar SPB	...	10797526	Bstar SPB	...
08714886	Bstar SPB	...	...	...	...	...	...	...
Candidate red giants								
02306469	red giant	...	02995525	red giant	...	08746834	red giant	•
02306716	red giant	...	03248627	red giant	...	09327993	red giant	...
02310479	red giant	...	03354022	red giant	...	09520864	red giant	...
02443055	red giant	...	03355066	red giant	...	09885882	red giant	...
02444598	red giant	...	03427144	red giant	...	09995464	red giant	...
02556297	red giant	...	03449373	red giant	...	10006158	red giant	...

Table 4. continued.

KIC ID	Class	Flag	KIC ID	Class	Flag	KIC ID	Class	Flag
02556387	red giant	...	03458097	red giant	...	10057129	red giant	...
02557115	red giant	...	03525951	red giant	...	10068892	red giant	...
02584202	red giant	...	03546061	red giant	...	10134600	red giant	...
02834796	red giant	...	03629080	red giant	...	10389037	red giant	...
02855687	red giant	...	03633693	red giant	...	10902738	red giant	...
02860123	red giant	...	03836911	red giant	...	11340063	red giant	...
02969151	red giant	...	04144300	red giant	...	11706564	red giant	...
02972401	red giant	...	05024750	red giant	...	11753169	red giant	•
02989746	red giant	...	05112786	red giant	...	...	...	...
				Cepheid				
07548061	Cepheid	...	...	...	...	...	...	...
				Contaminated stars				
03457434	contaminated	•	04937257	contaminated	•	09655433	contaminated	•
04048488	contaminated	•	05724810	contaminated	•	...	...	...